



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
GB/T 16483-2008, GB/T 17519-2013

Product Name ProteOn Maintenance Solution 2, 70% Isopropyl Alcohol

Revision date 06-Sep-2023

Revision Number 3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product Name ProteOn Maintenance Solution 2, 70% Isopropyl Alcohol

Catalogue Number(s) 1764116, 10022904

Other means of identification

UN/ID no UN1219

Pure substance/mixture Mixture

Details of the supplier of the safety data sheet

Corporate Headquarters

Bio-Rad Laboratories Inc.
1000 Alfred Nobel Drive
Hercules, CA 94547
USA

Manufacturer

Bio-Rad Laboratories, Life Science Group
2000 Alfred Nobel Drive
Hercules, California 94547
USA

Legal Entity / Contact Address

Bio-Rad Laboratories Ltd.
1st and 2nd Floor, Lumpini 1 Building
239/2, Rajdamri Road, Lumpini,
Pathumwan, Bangkok 10330
Thailand

Technical Service +66 2 652 8313
ctsthailand@bio-rad.com

Emergency telephone number

24 Hour Emergency Phone Number CHEMTREC Hong Kong: 800-968-793

Recommended use of the chemical and restrictions on use

Recommended use Laboratory chemicals

SECTION 2: Hazards identification

Emergency Overview

Irritating to eyes
Vapours may cause drowsiness and dizziness
HIGHLY FLAMMABLE: Will be easily ignited by heat, sparks or flames

Appearance aqueous solution **Physical state** Liquid **Odour** Alcohol

Classification of the substance or mixture

Flammable liquids	Category 2
Acute toxicity - Inhalation (Vapours)	Category 5
Serious eye damage/eye irritation	Category 2A
Specific target organ toxicity - Single exposure	Category 3

Label elements



Signal word

Danger

Hazard statements

Highly flammable liquid and vapour
May be harmful if inhaled
Causes serious eye irritation
May cause drowsiness or dizziness

Precautionary statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling
Avoid breathing dust/fume/gas/mist/vapours/spray
Use only outdoors or in a well-ventilated area
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
Use only non-sparking tools
Take precautionary measures against static discharge
Wear protective gloves/protective clothing/eye protection/face protection

Response

IF INHALED: Remove person to fresh air and keep comfortable for breathing
Call a POISON CENTRE or doctor if you feel unwell
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
If eye irritation persists: Get medical advice/attention
In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

Storage

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Physical and chemical hazards

Highly flammable liquid and vapour. Will be easily ignited by heat, sparks or flames. Vapours may form explosive mixtures with air. Vapours can travel considerable distances to a source of ignition where they can ignite, flash back, or explode. Runoff to sewer may create fire or explosion hazard. Containers may explode when heated.

Health hazards

Immediate Health Effects: If symptoms persist, call a doctor. Causes severe irritation (tears, blurred vision and redness). Irritating, but will not permanently injure eye tissue. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.
Chronic effects: Not applicable.

Environmental hazards

Not applicable

Other hazards which do not result in classification

Not applicable

SECTION 3: Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	Weight-%	CAS No
Isopropyl alcohol	50 - 100	67-63-0

SECTION 4: First aid measures

Description of necessary first aid measures

General advice	Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air. IF exposed or concerned: Get medical advice/attention. If breathing has stopped, give artificial respiration. Get medical attention immediately. Get medical attention immediately if symptoms occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get medical attention.
<u>Most important symptoms and effects, both acute and delayed</u>	May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Coughing and/ or wheezing.
<u>For emergency responders</u>	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Avoid breathing vapours or mists.
<u>Note to doctors</u>	Treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable Extinguishing Media	Dry chemical. Carbon dioxide (CO ₂). Water spray. Alcohol resistant foam.
Unsuitable extinguishing media	No information available.
<u>Specific hazards arising from the chemical</u>	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
<u>Special protective actions for fire-fighters</u>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Avoid breathing vapours or mists.
Other information	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.
<u>Environmental precautions</u>	Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.
<u>Methods and material for containment and cleaning up</u>	Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.
<u>Precautions to prevent secondary hazards</u>	Clean contaminated objects and areas thoroughly observing environmental regulations.

SECTION 7: Handling and storage

<u>Precautions for safe handling</u>	Use personal protection equipment. Avoid breathing vapours or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. See Section 8 for information on appropriate personal protective equipment.
<u>Conditions for safe storage, including any incompatibilities</u>	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Keep out of the reach of children. Store according to product and label instructions.
Incompatible materials	None known based on information supplied.

SECTION 8: Exposure controls/personal protection

Occupational exposure limits

Chemical name	China	ACGIH TLV
Isopropyl alcohol - 67-63-0	TWA: 350 mg/m ³ STEL: 700 mg/m ³	STEL: 400 ppm TWA: 200 ppm

Note See section 16 for terms and abbreviations

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Chemical name	Biological standards	Monitoring and observation processes	ACGIH
Isopropyl alcohol - 67-63-0			40 mg/L - urine (Acetone) - end of shift at end of workweek

Monitoring and observation processes

No applicable information was found.

Engineering controls

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection	Tight sealing safety goggles.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.
Hand protection	Wear suitable gloves. Impervious gloves.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance	aqueous solution
Colour	colourless
Physical state	Liquid
Odour	Alcohol
Odour threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH		None known
Melting point / freezing point	No data available	None known
Boiling point / boiling range	82 °C	
Flash point	13 °C	
Evaporation rate	No data available	None known

Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapour pressure	No data available	None known
Vapour density	No data available	None known
Relative density	No data available	None known
Water solubility	Miscible in water	
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
<u>Additional information</u>		
Explosive properties	Not applicable	
Oxidising properties	Not applicable	

SECTION 10: Stability and reactivity

<u>Stability</u>	Stable under normal conditions.
<u>Possibility of hazardous reactions</u>	None under normal processing.
<u>Sensitivity to mechanical impact</u>	None.
<u>Sensitivity to static discharge</u>	Yes.
<u>Conditions to avoid</u>	Heat, flames and sparks. Excessive heat.
<u>Incompatible materials</u>	None known based on information supplied.
<u>Hazardous decomposition products</u>	None known based on information supplied.

SECTION 11: Toxicological information

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (inhalation-vapour) 46.50 mg/l

Unknown acute toxicity

0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapour)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Isopropyl alcohol	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	> 10000 ppm (Rat) 6 h

<u>Skin corrosion/irritation</u>	May cause skin irritation.
<u>Serious eye damage/eye irritation</u>	Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	China	IARC
Isopropyl alcohol	-	Group 3

Legend

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity Based on available data, the classification criteria are not met.

Specific target organ toxicity — single exposure May cause drowsiness or dizziness.

Specific target organ toxicity — repeated exposure Based on available data, the classification criteria are not met.

Target organ effects Respiratory system. Eyes. Skin.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

Ecotoxicity

Unknown aquatic toxicity 0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
Isopropyl alcohol	EC50: >1000mg/L (96h, <i>Desmodesmus subspicatus</i>) EC50: >1000mg/L (72h, <i>Desmodesmus subspicatus</i>)	LC50: =9640mg/L (96h, <i>Pimephales promelas</i>) LC50: =11130mg/L (96h, <i>Pimephales promelas</i>) LC50: >1400000µg/L (96h, <i>Lepomis macrochirus</i>)	EC50: =13299mg/L (48h, <i>Daphnia magna</i>)

Persistence and degradability No information available.

Bioaccumulative potential There is no data for this product.

Component Information

Chemical name	Partition coefficient
Isopropyl alcohol	0.05

Mobility in soil No information available.

SECTION 13: Disposal considerations

Waste chemicals Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld

containers.

SECTION 14: Transport information

IMDG

UN number or ID number UN1219
UN proper shipping name ISOPROPANOL SOLUTION
Description UN1219, ISOPROPANOL SOLUTION, 3, II, (13°C C.C.)
Transport hazard class(es) 3
Packing group II
Marine pollutant NP
EmS-No F-E, S-D
Transport in bulk according to Annex II of MARPOL and the IBC Code No information available

IATA

UN number or ID number UN1219
UN proper shipping name Isopropanol solution
Description UN1219, Isopropanol solution, 3, II
Transport hazard class(es) 3
Packing group II
Special Provisions A180
ERG Code 3L

China

UN number or ID number UN1219
UN proper shipping name ISOPROPANOL SOLUTION
Transport hazard class(es) 3
Packing group II
Description UN1219, ISOPROPANOL SOLUTION, 3, II

Special precautions for user

Please refer to the applicable dangerous goods regulations for additional information

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Law of the People's Republic of China on Prevention and Control of Occupational Diseases

Catalogue of occupational hazard factors:

Listed. Chemical hazards.

Catalogue of occupational diseases:

Listed. Occupational poisoning.

Chemical name	Category
Isopropyl alcohol	Chemical hazards

Regulations on the Control over Safety of Hazardous Chemicals

Inventory of hazardous chemicals

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed. Verify that licence requirements are met.

Flammable liquid - Category 2 Weight-% 65

Chemical name	Inventory of hazardous chemicals
Isopropyl alcohol	Listed

GB 18218-2009 Identification of major hazard installations for dangerous chemicals

Category

Flammable liquids

Threshold quantity (T)

1000

List of hazardous chemicals under priority management

Not applicable

Regulations on Labour Protection in Workplaces Where Toxic Substances Are Used

Inventory of highly toxic goods

Not applicable

Regulations for Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

List of toxic chemicals severely restricted for import and export in China

Not applicable

Measures for the Environmental Management of New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances Contact supplier for inventory compliance status.

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

SECTION 16: Other information

Prepared By

Bio-Rad Laboratories, Environmental Health and Safety

Revision date

06-Sep-2023

Revision Note

Significant changes throughout SDS. Review all sections.

Abbreviations and acronyms

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average)

STEL

STEL (Short Term Exposure Limit)

Ceiling Maximum limit value

*

Skin designation

C Carcinogen

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)
World Health Organization

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet