

SAFETY DATA SHEET

This safety data sheet complies with the requirements of: \$\$586: 2008 (2014)

Legal Entity / Contact Address

239/2, Rajdamri Road, Lumpini,

Pathumwan, Bangkok 10330

Thailand

1st and 2nd Floor, Lumpini 1 Building

Bio-Rad Laboratories Ltd.

Revision date 21-Feb-2021 Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product Name UCAT/UMET Acidic Reagent

Other means of identification

Catalogue Number(s) 1956037

UN proper shipping name CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

Description 3265, CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Acetic acid), 8, III

Pure substance/mixture Mixture

Contains Acetic acid

Recommended use of the chemical and restrictions on use

Recommended use In-vitro laboratory reagent or component

Uses advised against No information available

Details of the supplier of the safety data sheet

<u>Corporate Headquarters</u> <u>Manufacturer</u>

Bio-Rad Laboratories Inc.

Bio-Rad Laboratories Pte Ltd.

1000 Alfred Nobel Drive

27 International Business Park 01-02

Hercules, CA 94547 Singapore 609924 USA

For further information, please contact

Technical Service +66 2 652 8313

ctsthailand@bio-rad.com

Emergency telephone number

24 Hour Emergency Phone Number CHEMTREC Singapore: 65-31581349

SECTION 2: Hazards identification

GHS Classification

Corrosive to metals	Category 1
Flammable liquids	Category 3

Label elements



Signal word Warning

Hazard statements

H290 - May be corrosive to metals H226 - Flammable liquid and vapour

Precautionary Statements - Prevention

Keep container tightly closed

Use explosion-proof electrical/ ventilating / lighting/ .? / equipment Wear protective gloves/protective clothing/eye protection/face protection

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Precautionary Statements - Response

Absorb spillage to prevent material damage

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards which do not result in classification

SECTION 3: Composition/information on ingredients

Substance

Not applicable

Mixture

Chemical name	EC No	CAS No	Weight-%
Acetic acid	200-580-7	64-19-7	5 - 10

Non-hazardous Proprietary Balance ingredients

SECTION 4: First aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Get medical attention if irritation develops and persists.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Call a doctor.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

For emergency responders

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid

contact with skin, eyes or clothing.

Indication of any immediate medical attention and special treatment needed

Note to doctorsTreat symptomatically.

SECTION 5: Firefighting measures

Suitable Extinguishing Media

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective actions for fire-fighters

Special protective equipment for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. See section 8 for more information. Keep people away

from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Refer to protective measures listed in Sections 7 and 8. Prevent product from entering

drains. Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containmentStop leak if you can do it without risk. Do not touch or walk through spilled material. A

vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand

or other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labelled containers.

Prevention of secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections

See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

Precautions for safe handling

Advice on safe handling Use personal protection equipment. Avoid breathing vapours or mists. Keep away from

heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety

practice. Avoid contact with skin, eyes or clothing.

General hygiene considerations Contaminated work clothing should not be allowed out of the workplace. Wash hands

before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Regular cleaning

of equipment, work area and clothing is recommended.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric

motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials. Store

according to product and label instructions.

SECTION 8: Exposure controls/personal protection

Control parameters

Occupational exposure limits

Chemical name	Singapore	ACGIH TLV
Acetic acid	PEL: 10 ppm	STEL: 15 ppm
64-19-7	PEL: 25 mg/m ³	TWA: 10 ppm
	STEL: 15 ppm	
	STEL: 37 mg/m ³	

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Tight sealing safety goggles. Eye/face protection

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots.

Wear suitable gloves. Impervious gloves. Hand protection

No protective equipment is needed under normal use conditions. If exposure limits are Respiratory protection

exceeded or irritation is experienced, ventilation and evacuation may be required.

No information available. **Environmental exposure controls**

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid aqueous solution **Appearance**

Colour Varies

Odour Odourless.

Odour threshold No information available

Property Remarks • Method Values

No information available None known pН **Melting point / freezing point** No data available None known

100 °C Boiling point / boiling range > 55 °C Flash point

Evaporation rate No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

No data available Vapour pressure None known No data available Vapour density None known Relative density No data available None known

Water solubility Miscible in water Solubility(ies) No data available

None known **Partition coefficient** No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** None known

Kinematic viscosity No data available None known Dynamic viscosity No data available None known

Explosive properties Not applicable **Oxidising properties** Not applicable

Other information No information available

SECTION 10: Stability and reactivity

Reactivity

Reactivity No information available.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid Heat, flames and sparks. Exposure to air or moisture over prolonged periods.

Incompatible materials

Oxidising agent. Incompatible materials

Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available.

Specific test data for the substance or mixture is not available. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

50,923.10 mg/kg ATEmix (oral) ATEmix (dermal) 16,307.70 mg/kg ATEmix (inhalation-dust/mist) 175.40 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Water	> 90 mL/kg (Rat)		
Acetic acid	= 3310 mg/kg (Rat)	= 1060 mg/kg (Rabbit)	= 11.4 mg/L (Rat)4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

Ecotoxicity

Ecotoxicity

Unknown aquatic toxicityContains 0 % of components with unknown hazards to the aquatic environment

	Chemical name	Algae/aquatic plants	Fish	Crustacea
Ī	Acetic acid	-	LC50: =75mg/L (96h, Lepomis	EC50: =47mg/L (24h, Daphnia
١			macrochirus)	magna)
١			LC50: =79mg/L (96h,	EC50: =65mg/L (48h, Daphnia
			Pimephales promelas)	magna)

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation There is no data for this product.

Chemical name		Partition coefficient	
	Acetic acid	-0.31	

Mobility

Mobility in soil No information available.

PBT and vPvB assessment . The product contains substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment	
Acetic acid	The substance is not PBT / vPvB PBT assessment does	
	not apply	

Other adverse effects

Other adverse effects No information available

SECTION 13: Disposal considerations

Waste treatment methods

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture of weld

containers.

SECTION 14: Transport information

ADR

UN number 3265

UN proper shipping name CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

Transport hazard class(es) 8
Labels 8
Packing group III
Classification code C3
Tunnel restriction code (E)
Special Provisions 274

Description 3265, CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Acetic acid), 8, III

IMDG

UN number UN3265

UN proper shipping name CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

Description UN3265, CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Acetic acid), 8, III

Transport hazard class(es)

Packing group

Marine pollutant

Special Provisions

223, 274

EmS-No

F-A, S-B

Transport in bulk according to No information available

Annex II of MARPOL and the IBC

Code

<u>IATA</u>

UN number UN3265

UN proper shipping name Corrosive liquid, acidic, organic, n.o.s.

Description UN3265, Corrosive liquid, acidic, organic, n.o.s. (Acetic acid), 8, III

Transport hazard class(es) 8
Packing group III
Special Provisions A3, A803
ERG Code 8L

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Singapore

Environmental Protection and Management (Hazardous Substances) Regulations

Verify that licence requirements are met.

torny that he one or equilibrium and the tr		
Chemical name	Hazardous Substances	transport
Acetic acid	Exclusions: 1. Preparations and	1000kg
	solutions for photographic use. 2.	
	Substances containing <=80%, weight	
	in weight, of Acetic acid	

Environmental Public Health Act

Dispose of waste product or used containers according to local regulations.

Hazardous Waste (Control of Export, Import and Transit) Act

It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Take note that wastes may be subject to export, import, or transit controls pursuant to the Basel convention and/or local regulations implementing the Basel convention.

Maritime and Port Authority of Singapore (Dangerous Goods, Petroleum and Explosives) Regulations

Regulated. See section 14 for more information.

Workplace Safety and Health Act

See section 8 for national exposure control parameters. Comply with the health and safety at work laws.

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

Contact supplier for inventory compliance status

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

STEL (Short Term Exposure Limit) TWA TWA (time-weighted average) STEL

Ceilina Maximum limit value Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

Label elements

P233 - Keep container tightly closed

P363 - Wash contaminated clothing before reuse

P370 + P378 - In case of fire: Use dry chemical, CO2, water spray or alcohol-resistant foam to extinguish

P234 - Keep only in original container

P406 - Store in corrosive resistant stainless steel container with a resistant inner liner

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P403 + P235 - Store in a well-ventilated place. Keep cool

Issuing Date Bio-Rad Laboratories, Environmental Health and Safety

Revision date 21-Feb-2021

Revision Note *** Indicates this information has changed since the previous revision.

This safety data sheet complies with the requirements of: SS586: 2008 (2014)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet