

Safety Data Sheet
acc. to OSHA HCS

Printing date 02/13/2017

Reviewed on 02/10/2017

1 Identification

- **1.1 Product identifier**
- **Trade name:** KETOCHROME/17-OHCS by Column Test, REAG B
- **Article number:** 1843013
- **Application of the substance / the mixture** In-Vitro-laboratory reagent or component
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Bio-Rad Laboratories, Inc
4000 Alfred Nobel Drive
Hercules, California 94547
USA
Phone: 510-724-7000
Toll-Free: 1-800-2-BIORAD (800-224-6723)
Fax: 510-741-6373
- **Information department:**
Technical Support:
Email: support@bio-rad.com
- **1.4 Emergency telephone number:**
GBK Gefahrgut Büro GmbH
Tel.: 0049(0)6123-84463

2 Hazard(s) identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
Acute Tox. 5 H313 May be harmful in contact with skin.
Skin Corr. 1A H314 Causes severe skin burns and eye damage.
Eye Dam. 1 H318 Causes serious eye damage.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labeled according to the CLP regulation.
- **Hazard pictograms**



GHS05

- **Signal word** Danger
- **Hazard-determining components of labeling:**
acetic acid
- **Hazard statements**
H313 May be harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
- **Precautionary statements**
P260 Do not breathe dusts or mists.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P405 Store locked up.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/13/2017

Reviewed on 02/10/2017

Trade name: KETOCHROME/17-OHCS by Column Test, REAG B

(Contd. of page 1)

P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 3

Fire = 0

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 4

Fire = 0

Reactivity = 0

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

3 Composition/information on ingredients

· 3.2 Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

64-19-7 acetic acid

10-<25%

4 First-aid measures

· 4.1 Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

· After inhalation:

Take affected persons into fresh air and keep quiet.

Seek medical treatment.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

Seek medical treatment.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.

· 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents: Use fire fighting measures that suit the environment.

· 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/13/2017

Reviewed on 02/10/2017

Trade name: KETOCHROME/17-OHCS by Column Test, REAG B

(Contd. of page 2)

Carbon monoxide (CO)

CO₂· **5.3 Advice for firefighters**· **Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

· **Additional information** Cool endangered receptacles with water spray.

6 Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

· **6.2 Environmental precautions:**

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· **6.3 Methods and material for containment and cleaning up:**

Send for recovery or disposal in suitable receptacles.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· **Protective Action Criteria for Chemicals**· **PAC-1:**

64-19-7 acetic acid

5 ppm

· **PAC-2:**

64-19-7 acetic acid

35 ppm

· **PAC-3:**

64-19-7 acetic acid

250 ppm

7 Handling and storage

· **7.1 Precautions for safe handling**

Keep receptacles tightly sealed.

Use only in well ventilated areas.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· **Information about protection against explosions and fires:** No special measures required.· **7.2 Conditions for safe storage, including any incompatibilities**· **Storage:**· **Requirements to be met by storerooms and receptacles:**

Unsuitable material for receptacle: aluminium.

Do not use light alloy receptacles.

· **Information about storage in one common storage facility:** Store away from foodstuffs.· **Further information about storage conditions:** Keep receptacle tightly sealed.· **Storage class:** (VCI) 8 B

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/13/2017

Reviewed on 02/10/2017

Trade name: KETOCHROME/17-OHCS by Column Test, REAG B

(Contd. of page 3)

· 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· 8.1 Control parameters

· Components with limit values that require monitoring at the workplace:

64-19-7 acetic acid

PEL Long-term value: 25 mg/m³, 10 ppmREL Short-term value: 37 mg/m³, 15 ppm
Long-term value: 25 mg/m³, 10 ppmTLV Short-term value: 37 mg/m³, 15 ppm
Long-term value: 25 mg/m³, 10 ppm

· Additional information: The lists that were valid during the creation were used as basis.

· 8.2 Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

Short term filter device:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Safety glasses



Tightly sealed goggles

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/13/2017

Reviewed on 02/10/2017

Trade name: KETOCHROME/17-OHCS by Column Test, REAG B

(Contd. of page 4)

· **Body protection:** Protective work clothing

9 Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form:	Fluid
Color:	Colorless
Odor:	Pungent
Odor threshold:	Not determined.

· pH-value at 20 °C (68 °F): 1

· Change in condition

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	>34 °C (>93 °F)

· Flash point: Not applicable.

· Flammability (solid, gaseous): Not applicable.

· Ignition temperature: 485 °C (905 °F)

· Decomposition temperature: Not determined.

· Auto igniting: Product is not selfigniting.

· Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower:	4.0 Vol %
Upper:	19.9 Vol %

· Vapor pressure at 20 °C (68 °F): 23 hPa (17 mm Hg)

· Density at 20 °C (68 °F): 1 g/cm³ (8.345 lbs/gal)

· Relative density: Not determined.

· Vapor density: Not determined.

· Evaporation rate: Not determined.

· Solubility in / Miscibility with

Water: Fully miscible.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined.

Kinematic: Not determined.

VOC content: 23.8 %
1000.0 g/l / 8.35 lb/gl

· 9.2 Other information: No further relevant information available.

10 Stability and reactivity

· 10.1 Reactivity: No further relevant information available.

· 10.2 Chemical stability

· Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/13/2017

Reviewed on 02/10/2017

Trade name: KETOCHROME/17-OHCS by Column Test, REAG B

(Contd. of page 5)

- **10.3 Possibility of hazardous reactions**
Reacts with alkali (lyes).
Reacts with metals forming hydrogen.
- **10.4 Conditions to avoid** *No further relevant information available.*
- **10.5 Incompatible materials:** *No further relevant information available.*
- **10.6 Hazardous decomposition products:** *Hydrogen*

11 Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:**
May be harmful in contact with skin.
- **Primary irritant effect:**
- **on the skin:**
Causes severe skin burns and eye damage.
- **on the eye:**
Causes serious eye damage.
- **Sensitization:** *Based on available data, the classification criteria are not met.*
- **Additional toxicological information:**
- **Carcinogenic categories**

· IARC (International Agency for Research on Cancer)

<i>None of the ingredients is listed.</i>

· NTP (National Toxicology Program)
--

<i>None of the ingredients is listed.</i>

· OSHA-Ca (Occupational Safety & Health Administration)
--

<i>None of the ingredients is listed.</i>

12 Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** *No further relevant information available.*
- **12.2 Persistence and degradability** *No further relevant information available.*
- **12.3 Bioaccumulative potential** *No further relevant information available.*
- **12.4 Mobility in soil** *No further relevant information available.*
- **Ecotoxicological effects:**
- **Remark:**
The product causes an alteration of the pH-value within the testing system. The result refers to the non-neutralised sample.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Must not reach bodies of water or drainage ditch undiluted or unneutralized.
Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/13/2017

Reviewed on 02/10/2017

Trade name: KETOCHROME/17-OHCS by Column Test, REAG B

(Contd. of page 6)

· 12.6 Other adverse effects No further relevant information available.

13 Disposal considerations

· 13.1 Waste treatment methods

· Recommendation:

Must be specially treated adhering to official regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation:

Non contaminated packagings can be used for recycling.

Packagings that cannot be cleansed are to be disposed of in the same manner as the product.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· 14.1 UN-Number

· DOT, ADR, IMDG, IATA

UN2790

· 14.2 UN proper shipping name

· DOT

Acetic acid solution

· ADR

2790 Acetic acid solution

· IMDG, IATA

ACETIC ACID SOLUTION

· 14.3 Transport hazard class(es)

· DOT



· Class

8 Corrosive substances

· Label

8

· ADR, IMDG, IATA



· Class

8 Corrosive substances

· Label

8

· 14.4 Packing group

· DOT, ADR, IMDG, IATA

III

· 14.5 Environmental hazards:

· Marine pollutant:

No

· 14.6 Special precautions for user

Warning: Corrosive substances

· Danger code (Kemler):

80

· EMS Number:

F-A,S-B

· Segregation groups

Acids

· Stowage Category

A

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/13/2017

Reviewed on 02/10/2017

Trade name: KETOCHROME/17-OHCS by Column Test, REAG B

(Contd. of page 7)

- | | | |
|--|----------|--|
| · 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | | Not applicable. |
| · Transport/Additional information: | | |
| · ADR | | |
| · Excepted quantities (EQ) | Code: E1 | Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml |
| · IMDG | | |
| · Limited quantities (LQ) | 5L | |
| · Excepted quantities (EQ) | Code: E1 | Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml |
| · UN "Model Regulation": | | UN 2790 ACETIC ACID SOLUTION, 8, III |

15 Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

· Section 355 (extremely hazardous substances):
--

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):
--

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:
--

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:
--

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenicity categories

· EPA (Environmental Protection Agency)
--

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

US

(Contd. on page 9)

Safety Data Sheet
acc. to OSHA HCS

Printing date 02/13/2017

Reviewed on 02/10/2017

Trade name: KETOCHROME/17-OHCS by Column Test, REAG B

(Contd. of page 8)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:**

Bio-Rad Laboratories GmbH
Heidemannstrasse 164
D-80939 Munich

· **Contact:**

Technical Support:
E-Mail: cts-ce@bio-rad.com

· **Date of preparation / last revision 02/13/2017 / 14**

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Tox. 5: Acute toxicity – Category 5

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

· *** Data compared to the previous version altered.**