

SAFETY DATA SHEET

Revision date 21-Feb-2021 Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product Name UCAT/UMET Acidic Reagent

Catalogue Number(s) 1956037

Other means of identification

Proper shipping name CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Acetic acid)

UN number UN3265

Recommended use of the chemical and restrictions on use

Recommended use In-vitro laboratory reagent or component

Uses advised against No information available

Details of the supplier of the safety data sheet

Corporate Headquarters
Bio-Rad Laboratories Inc.
1000 Alfred Nobel Drive
Hercules, CA 94547

USA

Manufacturer

Bio-Rad Laboratories Pty Ltd 189 Bush Road Albany, Auckland New Zealand <u>Legal Entity / Contact Address</u> Bio-Rad Laboratories Pty Ltd

189 Bush Road Albany Auckland New Zealand

Technical Service +64 9 415 2280 or 0508 805 500

sales.nz@bio-rad.com

Emergency telephone number

24 Hour Emergency Phone Number CHEMTREC New Zealand: 64-98010034

SECTION 2: Hazards identification

GHS Classification

Corrosive to metals	Category 1 (HSNO - 8.1A)
Flammable liquids	Category 3 (HSNO - 3.1C)
Skin corrosion/irritation	Category 1 Sub-category A (HSNO -
	8.2A)
Serious eye damage/eye irritation	Category 1 (HSNO - 8.3A)

Label elements



Signal word

Danger

Hazard statements

H290 - May be corrosive to metals

H226 - Flammable liquid and vapour

H314 - Causes severe skin burns and eye damage

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapours/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Ground and bond container and receiving equipment

Use non-sparking tools

Take action to prevent static discharges

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep container tightly closed

Keep only in original packaging

Precautionary Statements - Response

Immediately call a POISON CENTRE or doctor

Eyes

Immediately call a POISON CENTRE or doctor

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower] Wash contaminated clothing before reuse

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing Immediately call a POISON CENTRE or doctor

Ingestion

IF SWALLOWED: rinse mouth. Do NOT induce vomiting

Fire

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

Spill

Absorb spillage to prevent material damage

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool

Store in corrosion resistant container with a resistant inner liner

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards which do not result in classification

SECTION 3: Composition/information on ingredients

Chemical name	CAS No	Weight-%
Acetic acid	64-19-7	5 - 10

Non-ha	zardous ingredients	Proprietary	Balance

SECTION 4: First aid measures

Description of first aid measures

General advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

Inhalation If breathing has stopped, give artificial respiration. Get medical attention immediately. Do

not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention. Remove to

fresh air.

Eye contact Get immediate medical advice/attention. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area.

Skin contactWash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Get immediate medical advice/attention.

Ingestion Get immediate medical advice/attention. Clean mouth with water and drink afterwards

plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting.

Self-protection of the first aider Remove all sources of ignition. Use personal protective equipment as required. See section

8 for more information. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Avoid contact with skin,

eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation.

Indication of any immediate medical attention and special treatment needed

Note to doctors Product is a corrosive material. Use of gastric lavage or emesis is contra-indicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may

occur with moist rales, frothy sputum, and high pulse pressure.

SECTION 5: Firefighting measures

Suitable Extinguishing Media

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapours.

Special protective actions for fire-fighters

Special protective equipment for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions See section 8 for more information. ELIMINATE all ignition sources (no smoking, flares,

sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Attention! Corrosive material. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Avoid contact with skin, eyes or clothing. Use personal protective

equipment as required.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions Refer to protective measures listed in Sections 7 and 8. Should not be released into the

environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A

vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand

or other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labelled containers.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

SECTION 7: Handling and storage

Precautions for safe handling

heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Take off contaminated clothing and wash it before reuse. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this

product.

General hygiene considerations Remove and wash contaminated clothing and gloves, including the inside, before re-use.

Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear

suitable gloves and eye/face protection. Do not eat, drink or smoke when using this

product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric

motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Protect from moisture. Store away from other materials. Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children. Store according to

product and label instructions.

Incompatible materials Acids. Bases. Oxidising agent.

SECTION 8: Exposure controls/personal protection

Control parameters

Exposure Limits .

Chemical name	New Zealand	ACGIH TLV	United Kingdom	Australia
Acetic acid	TWA: 10 ppm	STEL: 15 ppm	TWA: 10 ppm	10 ppm
64-19-7	TWA: 25 mg/m ³	TWA: 10 ppm	TWA: 25 mg/m ³	25 mg/m ³
	STEL: 15 ppm		STEL: 20 ppm	15 ppm STEL
	STEL: 37 mg/m ³		STEL: 50 mg/m ³	37 mg/m³ STEL

Biological occupational exposure

limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Face protection shield. Tight sealing safety goggles.

Hand protection Impervious gloves. Wear suitable gloves.

Skin and body protection Antistatic boots. Long sleeved clothing. Chemical resistant apron. Wear suitable protective

clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid

Appearance aqueous solution

None known

None known

None known

None known

None known

None known

Colour Varies Odour Odourless.

Odour threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pHNo information availableNone knownMelting point / freezing pointNo data availableNone known

Boiling point / boiling range 100 °C Flash point > 55 °C

Evaporation rateNo data availableNone knownFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapour pressureNo data availableNone knownVapour densityNo data availableNone knownRelative densityNo data availableNone known

Water solubility
Solubility(ies)
Partition coefficient
Autoignition temperature
No data available
No data available
No data available

Decomposition temperature

Kinematic viscosity

No data available

Dynamic viscosity

No data available

Explosive properties

Oxidising properties

Not applicable.

Not applicable.

Other information

Molecular weight Not applicable VOC Content (%) Not applicable

SECTION 10: Stability and reactivity

Reactivity

Reactivity No information available.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge Yes.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid Heat, flames and sparks. Exposure to air or moisture over prolonged periods.

Incompatible materials

Incompatible materials Acids. Bases. Oxidising agent.

Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

Acute toxicity

Information on likely routes of exposure

Product Information

Inhalation Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may

cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal. Specific test data for the substance or

mixture is not available.

Eye contact (based on components). Corrosive to the eyes and may cause severe damage including

blindness. Specific test data for the substance or mixture is not available. Causes serious

eye damage. May cause irreversible damage to eyes.

Skin contact Corrosive. (based on components). Causes burns. Specific test data for the substance or

mixture is not available.

Ingestion Causes burns. (based on components). Ingestion causes burns of the upper digestive and

respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters

airways. Specific test data for the substance or mixture is not available.

Symptoms Coughing and/ or wheezing. Redness. Burning. May cause blindness.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 50,923.10 mg/kg
ATEmix (dermal) 16,307.70 mg/kg
ATEmix (inhalation-dust/mist) 175.40 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Acetic acid	= 3310 mg/kg (Rat)	= 1060 mg/kg (Rabbit)	= 11.4 mg/L (Rat)4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes burns.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes burns. Risk of serious

damage to eyes.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Respiratory irritation Narcotic effects Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

STOT - repeated exposureBased on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

Ecotoxicity

Ecotoxicity .

Aquatic ecotoxicity

Unknown aquatic toxicity 0 % of the mixture consists of component(s) of unknown hazards to the aquatic

environment.

Chemical name	Algae/aquatic plants	Fish	Crustacea
Acetic acid	-	LC50: =75mg/L (96h, Lepomis	EC50: =47mg/L (24h, Daphnia
		macrochirus)	magna)
		LC50: =79mg/L (96h, Pimephales	EC50: =65mg/L (48h, Daphnia
		promelas)	magna)

Terrestrial ecotoxicty There is no data for this product.

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation There is no data for this product.

Chemical name	Partition coefficient
Acetic acid	-0.31

Mobility in soil

Other adverse effects

No information available.

SECTION 13: Disposal considerations

Waste treatment methods

Contaminated packaging

For packages that have been in direct contact with hazardous substances, the person must ensure that the package is rendered incapable of containing any substance. It must be disposed of in a manner that is consistent with the requirements for disposal of the substance that it contained, taking into account the material the package is manufactured from

Packages may only be reused or recycled if the package has been treated to remove any residual contents of the hazardous substance (class 1, 2, 3, 4, or 5); or the contents of the residue in the package are below the threshold for the substance to be classified as

hazardous (class 6, 8, or 9 substance)

SECTION 14: Transport information

IATA

UN number UN3265

UN proper shipping name Corrosive liquid, acidic, organic, n.o.s.

Transport hazard class(es) Packing group Ш ERG Code 8L A3, A803 **Special Provisions**

Description UN3265, Corrosive liquid, acidic, organic, n.o.s. (Acetic acid), 8, III

IMDG

UN number UN3265

UN proper shipping name CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

Transport hazard class(es) Packing group Ш **EmS-No** F-A, S-B **Special Provisions** 223, 274 Marine pollutant NP

UN3265, CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Acetic acid), 8, III Description

Transport in bulk according to Annex II of MARPOL and the IBC Code

No information available

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

New Zealand

Chemical name	New Zealand HSNO Chemical Classification
Acetic acid - 64-19-7	3.1C,6.1D (All),6.1D (D),6.1D (I),6.1D (O),6.9B (All),6.9B
	(I),8.1A,8.2B,8.3A,9.1D (AII),9.1D (A),9.1D (C),9.1D (F),9.3C
	3.1D,6.1D (All),6.1D (D),6.1D (O),6.9B (All),6.9B
	(I),8.1A,8.2B,8.3A,9.1D (AII),9.1D (C),9.1D (F),9.3C
	6.1D (All),6.1D (O),6.1E (D),6.9B (All),6.9B
	(I),8.1A,8.2C,8.3A,9.1D (AII),9.1D (C),9.3C
	6.1E (All),6.1E (D),6.1E (O),6.9B (All),6.9B (I),8.1A,8.2C,8.3A

National regulations See Section 8 for any applicable tolerable exposure limits and environmental exposure

limits

Certified handlers, tracking and controlled substance license requirements

Certified handlers are required for some substances. This includes for substances requiring a controlled substance license, including Class 1 explosives, vertebrate toxic agents (9.3A, B, C), and certain fumigants. Class 6.1A and 6.1B substances such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further

Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information

Controlled substance licenses are required to possess certain class 1 (explosive) and class 6 (vertebrate toxic agents or fumigants) substances. See Part 7 of the Health and Safety at

Work Regulation 2017 for more information

EPA New Zealand HSNO approval Not applicable

code or group standard

International Inventories

Contact supplier for inventory compliance status

Legend:

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

SECTION 16: Other information

Prepared By Bio-Rad Laboratories, Environmental Health and Safety

Revision date 21-Feb-2021

Revision Note

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

C Carcinogen

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

^{***} Indicates this information has changed since the previous revision.