

according to WHMIS 2015 and ANSI Z400.1-2010

Revision date: 30/5/2017 Version: 3 Language: en-CA,US Date of print: 13/12/2017

# **Decontamination Clean**

Material number 186014

Page: 1 of 9

# 1. Product and company identification

#### **Product identifier**

Trade name: Decontamination Clean

This safety data sheet pertains to the following products:

848 000 080 Decontamination Clean

## Relevant identified uses of the substance or mixture and uses advised against

General use: Cleaning agent.

Only for industrial users.

### Details of the supplier of the safety data sheet

Company name: Bio-Rad Medical Diagnostics GmbH

Street/POB-No.: Industriestr. 1
Postal Code, city: 63303 Dreieich

Germany

www.medizinische-diagnostik-dreieich.de

E-mail: contact.bmd@bio-rad.com
Telephone: +49 (0)6103-3130-0
Telefax: +49 (0)6103-3130-646

Dept. responsible for information:

Produktmanagement Transfusion Telephone: 06103 3130-611 Telefax: 06103 3130-724

Additional information: Bio-Rad Laboratories (Canada) Ltd.

FAX: (514) 334-0872

Diagnostics Group 2403 Guenette Street Montreal (Quebec) H4R 2E9 Phone: (800) 361-1808

**Emergency phone number** 

GIZ-Nord, Göttingen, Germany, Telephone: +49 551-19240

## 2. Hazards identification

#### **Emergency overview**

Appearance: Physical state at 20 °C and 101.3 kPa: liquid

Form: liquid Color: blue odorless

Classification: Skin Corrosion 1B;

Hazard symbols:

Odor:



Signal word: Danger

Hazard statements: Causes severe skin burns and eye damage.



according to WHMIS 2015 and ANSI Z400.1-2010

Revision date: 30/5/2017 Version: 3 Language: en-CA,US Date of print: 13/12/2017

## **Decontamination Clean**

Material number 186014 Page: 2 of 9

Precautionary statements:

Do not breathe dusts or mists.

Wash hands and face thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.
Specific treatment (see ' First aid ' on this label).

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container to hazardous or special waste collection point.

## Regulatory status

This material is considered hazardous by the U.S. OSHA Hazard Communication Standard (29 CFR 1910.1200) and SIMDUT in Canada.

#### Hazards not otherwise classified

May be harmful if swallowed. May be corrosive to metals. see section 11: Toxicological information

# 3. Composition / Information on ingredients

Chemical characterisation: Aqueous solution, alkaline. Product contains nonionic surfactants. Relevant ingredients:

CAS No.	Designation	Content	Classification
CAS 7173-51-5	Didecyldimethylammonium chloride	2.5 - 10 %	Acute Toxicity 4 (oral). Skin Corrosion 1B.
CAS 1310-73-2	Sodium hydroxide	< 2.5 %	Corrosive to Metals 1. Skin Corrosion 1A.
CAS 69011-79-6	Oxoalcohol, ethoxylated	< 2.5 %	Skin Irritation 2. Eye Irritation 2A.

# 4. First aid measures

General information: First aider: Pay attention to self-protection! If victim is at risk of losing consciousness,

position and transport on their side.

In case of inhalation: Move victim to fresh air; if necessary, provide artificial respiration or oxygen. Immediately

get medical attention.

Following skin contact: After contact with skin, wash immediately with plenty of water.

Immediately get medical attention. Take off contaminated clothing and wash it before reuse.

After eye contact: With eyelids open, wash out eyes for several minutes under flowing water. Remove

contact lenses, if present and easy to do. Continue rinsing. Subsequently seek the

immediate attention of an ophthalmologist.



according to WHMIS 2015 and ANSI Z400.1-2010

Revision date: 30/5/2017 Version: 3 Language: en-CA,US Date of print: 13/12/2017

### **Decontamination Clean**

Material number 186014

Page:

3 of 9

After swallowing:

Rinse mouth and seek medical attention immediately. Do not induce vomiting. Risk of perforation in case of vomiting! Never give anything by mouth to an unconscious person. In case of vomiting, position victim on their side.

### Most important symptoms and effects, both acute and delayed

Causes severe skin burns and eye damage.

### Information to physician

Treat symptomatically.

# 5. Fire fighting measures

Flash point/flash point range:

not applicable

Auto-ignition temperature: No data available

Suitable extinguishing media:

The product itself does not burn. Extinguishing is to be in accordance with the surrounding fire. Water spray jet, foam, extinguishing powder, carbon dioxide, sand.

Extinguishing media which must not be used for safety reasons:

Full water jet

### Specific hazards arising from the chemical

Heating can release hazardous gases.

In the event of a fire, the following may be produced when the water evaporates: nitrogen oxides (NOx), sodium compounds

Protective equipment and precautions for firefighters:

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information: Do not allow water used to extinguish fire to enter drains, ground or waterways.

### 6. Accidental release measures

Personal precautions: Provide adequate ventilation. Do not breathe vapors. Avoid contact with skin and eyes.

Wear personal protection equipment. Keep unprotected people away.

Environmental precautions:

Do not allow to penetrate into soil, waterbodies or drains. Prevent spread over a wide area

(e.g. by containment or oil barriers).

Methods for clean-up: Collect with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal

binding agents, or sawdust) and place in closed containers for disposal. Thoroughly clean

surrounding area.

# 7. Handling and storage

### Handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Avoid contact with skin, eyes, and clothing. Wear appropriate protective equipment. Do not breathe vapors.

Precautions against fire and explosion:

Hazardous vapors may form during fires. Hydrogen may form upon contact with light metals (danger of explosion!).



according to WHMIS 2015 and ANSI Z400.1-2010

Revision date: 30/5/2017 Version: 3 Language: en-CA,US Date of print: 13/12/2017

# **Decontamination Clean**

Material number 186014 Page: 4 of 9

### **Storage**

Requirements for storerooms and containers:

Store container tightly closed in a dry and cool place. Protect from light. Do not use

aluminium, tin, or zinc containers.

Hints on joint storage: Do not store together with strong acids and amphotheric metals. Keep away from food,

drink and animal feedingstuffs.

# 8. Exposure controls / personal protection

### **Exposure guidelines**

Occupational exposure limit values:

CAS No.	Designation	Туре	Limit value
1310-73-2	Sodium hydroxide	ACGIH: Ceiling Canada, Alberta: OEL Ceiling Canada, BC: OEL Ceiling Canada, Québec: Plafond NIOSH: Ceiling USA: OSHA: TWA	2 mg/m³ 2 mg/m³ 2 mg/m³ 2 mg/m³ 2 mg/m³ 2 mg/m³

### **Engineering controls**

Provide good ventilation and/or an exhaust system in the work area.

See also information in chapter 7, section storage.

### Personal protection equipment (PPE)

Eye/face protection Tightly sealed goggles according to OSHA Standard - 29 CFR: 1910.133 or ANSI

Z87.1-2010.

Skin protection Wear suitable protective clothing.

Protective gloves according to OSHA Standard - 29 CFR: 1910.138.

Glove material: Nitrile rubber, latex Breakthrough time: >480 min.

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Respiratory protection: Use a breathing protection against vapors/aerosol.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

General hygiene considerations:

Do not breathe vapor or spray. Avoid contact with skin, eyes, and clothing. Avoid the formation of aerosol. When using do not eat, drink, smoke, sniff. Clean skin thoroughly after working. Work place should be equipped with a shower and an eye rinsing

apparatus. Take off contaminated clothing and wash it before reuse.

# 9. Physical and chemical properties

## Information on basic physical and chemical properties

Appearance: Physical state at 20 °C and 101.3 kPa: liquid

Form: liquid Color: blue



according to WHMIS 2015 and ANSI Z400.1-2010

Revision date: 30/5/2017 Version: 3 Language: en-CA,US Date of print: 13/12/2017

### **Decontamination Clean**

Material number 186014 Page: 5 of 9

Odor: odorless

Odor threshold: No data available

pH value: (Concentrate) <= 13

Melting point/freezing point: No data available

Initial boiling point and boiling range: 102 °C

Flash point/flash point range: not applicable
Evaporation rate: No data available

Flammability: The product itself does not burn.

**Explosion limits:** No data available No data available Vapor pressure: Vapor density: No data available Density: at 20 °C: 1.06 g/mL Water solubility: infinitely soluble Partition coefficient: n-octanol/water: No data available Auto-ignition temperature: No data available No data available Thermal decomposition:

Additional information: No data available

# 10. Stability and reactivity

Reactivity: May be corrosive to metals.

Chemical stability: Stable under recommended storage conditions.

Possibility of hazardous reactions

May react violently with the following products: strong acids.

Hydrogen may form upon contact with light metals (danger of explosion!). With exposure to ammonium compounds, product will release ammonia.

Conditions to avoid: Keep away from heat.

Incompatible materials: Metals, light metals, ammonium compounds, acids.

Thermal decomposition: No data available



according to WHMIS 2015 and ANSI Z400.1-2010

Revision date: 30/5/2017 Version: 3 Language: en-CA,US Date of print: 13/12/2017

6 of 9

Page:

### **Decontamination Clean**

Material number 186014

# 11. Toxicological information

### **Toxicological tests**

Toxicological effects: Acute toxicity (oral): Based on available data, the classification criteria are not met.

Acute toxicity (dermal): Lack of data.

Acute toxicity (inhalative): Lack of data.

Skin corrosion/irritation, serious eye damage/irritation: Skin Corrosion 1B = Causes

severe skin burns and eye damage.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Lack of data.

Germ cell mutagenicity/Genotoxicity: Lack of data.

Carcinogenicity: Lack of data.

Reproductive toxicity: Lack of data.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Lack of data. Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Lack of data.

# 12. Ecological information

## **Ecotoxicity**

Aquatic toxicity: Harmful effects on water organisms by modification of pH-value.

### Mobility in soil

No data available

### Persistence and degradability

Further details: The

The surfactant contained in this mixture complies with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

#### Additional ecological information

General information: Do not allow to enter into ground-water, surface water or drains.

# 13. Disposal considerations

### **Product**

Recommendation: Do not release undiluted and unneutralized to the sewer. Dispose of waste according to

applicable legislation.

#### Contaminated packaging

Recommendation: Dispose of waste according to applicable legislation.

Non-contaminated packages may be recycled.



according to WHMIS 2015 and ANSI Z400.1-2010

Revision date: 30/5/2017 Version: en-CA,US Language: Date of print: 13/12/2017

## **Decontamination Clean**

Material number 186014 Page: 7 of 9

# 14. Transport information

# **USA:** Department of Transportation (DOT)

Identification number: UN1824

Proper shipping name: UN 1824, SODIUM HYDROXIDE SOLUTION

Hazard class or Division: Ш Packing Group: Labels: 8

IB3, N34, T4, TP1 Special provisions:

Packaging - Exceptions: Packaging - Non-bulk: 203 241 Packaging - Bulk: Quantity limitations - Passenger aircraft / rail:

60 L

Quantity limitations - Cargo only: Vessel stowage - Location: Α 52. Vessel stowage - Other:

### Canada: Transportation of Dangerous Goods (TDG)

UN Number: UN1824

UN 1824, SODIUM HYDROXIDE SOLUTION Shipping name:

TDG class: 8 Ш Packing group: 5 L Explosive limit and limited quantity index: Passenger carrying road or rail index: 5 L

### Sea transport (IMDG)

UN number: UN 1824

Proper shipping name: UN 1824, SODIUM HYDROXIDE SOLUTION

Class or division, Subsidary risk: Class 8, Subrisk-

Packing Group:

EmS: F-A, S-B Special provisions: 223 Limited quantities: 5 L Excepted quantities: E1

Contaminated packaging - Instructions: P001, LP01

Contaminated packaging - Provisions:

IBC - Instructions: IBC03 IBC - Provisions: Tank instructions - IMO: Tank instructions - UN: T4 Tank instructions - Provisions: TP1

Stowage and handling: Category A. Segregation: **SG35** 

Properties and observations: Colourless liquid. Corrosive to aluminium, zinc and tin. Reacts with

ammonium salts, evolving ammonia gas. Causes burns to skin, eyes and

mucous membranes. Reacts violently with acids.

Marine pollutant: no Segregation group: 18





according to WHMIS 2015 and ANSI Z400.1-2010

Revision date: 30/5/2017 Version: 3 Language: en-CA,US Date of print: 13/12/2017

## **Decontamination Clean**

Material number 186014 Page: 8 of 9

Air transport (IATA)

UN/ID number: UN 1824

Proper shipping name: UN 1824, SODIUM HYDROXIDE SOLUTION

Class or division, Subsidary risk:

Class 8

Packing Group:

Hazard label:

Corrosive

Freented Overtity Code:

Excepted Quantity Code: E1

Passenger and Cargo Aircraft: Ltd.Qty.: Passenger and Cargo Aircraft: Deck.Instr. Y841 - Max. Net Qty/Pkg. 1 L
Passenger and Cargo Aircraft: Pack.Instr. 852 - Max. Net Qty/Pkg. 5 L
Cargo Aircraft only: Pack.Instr. 856 - Max. Net Qty/Pkg. 60 L

Special provisions: A3 A803

Emergency Response Guide-Code (ERG): 8L

# 15. Regulatory information

### National regulations - Canada

No data available

### National regulations - U.S. Federal Regulations

Didecyldimethylammonium chloride: TSCA: listed

Sodium hydroxide: TSCA Inventory: listed

TSCA HPVC: not listed Clean Water Act:

Hazardous Substances: RQ 1000

lbs.

Other Environmental Laws: CERCLA: RQ 1000 lbs. NIOSH Recommendations:

Occupational Health Guideline: 0565

Oxoalcohol, ethoxylated: TSCA Inventory: listed; UVCB

TSCA HPVC: not listed

### National regulations - U.S. State Regulations

Sodium hydroxide: Delaware Air Quality Management List:

DRQ: 1000 - RQ State: Federal Regulations Apply

Idaho Air Pollutant List:

Title 585: AAC: 0,1 - EL: 0,133 - OEL: 2 - Title 586: AAAC: - EL: - OEF: -

Massachusetts Haz. Substance codes: 2,4,5 F8 F9

Minnesota Haz. Substance:

Codes: AO - Ratings: - Status: Title III. New York List of Hazardous Substances:

RQ-Air: 1000 - RQ-Land: 100 - Note: No Note Associated with this chemical.

Pennsylvania Haz. Substance code: E Washington Air Contaminant: Ceiling: 2 mg

### 16. Other information

Text for labeling: Contains 2.5 - 10 % Didecyldimethylammonium chloride, < 2.5 % Sodium hydroxide, <

2.5 % Oxoalcohol, ethoxylated. Safety data sheet available on request.

© Bio-Rad V3, 30/5/2017 Decontamination Clean



according to WHMIS 2015 and ANSI Z400.1-2010

Revision date: 30/5/2017 Version: 3 Language: en-CA,US Date of print: 13/12/2017

### **Decontamination Clean**

Material number 186014

Page: 9 of 9

Hazard rating systems:

2 1

NFPA Hazard Rating: Health: 2 (Moderate) Fire: 0 (Minimal) Reactivity: 1 (Slight) HMIS Version III Rating: Health: 2 (Moderate)

Flammability: 0 (Minimal)
Physical Hazard: 1 (Slight)

Personal Protection: X = Consult your supervisor

Reason of change: General revision
Date of first version: 28/7/2015

Department issuing data sheet

Contact person: see section 1: Dept. responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

