

Printing date 02/13/2017 Reviewed on 02/13/2017

### 1 Identification

· 1.1 Product identifier

· Trade name: TDM by HPLC, MP 3

· Article number: 1955716

· Application of the substance / the mixture In-Vitro-laboratory reagent or component

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Bio-Rad Laboratories, Inc 4000 Alfred Nobel Drive Hercules, California 94547

USA

Phone: 510-724-7000

Toll-Free: 1-800-2-BIORAD (800-224-6723)

Fax: 510-741-6373

· Information department:

Technical Support:

Email: support@bio-rad.com
• 1.4 Emergency telephone number:
GBK Gefahrgut Büro GmbH

Tel.: 0049(0)6123-84463

### 2 Hazard(s) identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

Acute Tox. 5 H313 May be harmful in contact with skin.

Acute Tox. 5 H333 May be harmful if inhaled.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labeled according to the CLP regulation.

· Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- · Hazard-determining components of labeling: acetonitrile
- · Hazard statements

H225 Highly flammable liquid and vapor.

H313 May be harmful in contact with skin.

H333 May be harmful if inhaled.

H319 Causes serious eye irritation.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P241 Use explosion-proof electrical/ventilating/lighting/equipment.

*P280* Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)



Printing date 02/13/2017 Reviewed on 02/13/2017

Trade name: TDM by HPLC, MP 3

(Contd. of page 1)

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

*P501* Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1 Fire = 3 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

### 3 Composition/information on ingredients

- · 3.2 Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:

75-05-8 acetonitrile

25-50%

### 4 First-aid measures

- · 4.1 Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Immediately call a doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

US



Printing date 02/13/2017 Reviewed on 02/13/2017

Trade name: TDM by HPLC, MP 3

(Contd. of page 2)

### 5 Fire-fighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

### 6 Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

PAC-1:		
75-05-8 acetonitrile	13 ppm	
16788-57-1 phosphoric acid, dipotassium salt, trihydrate	16 mg/m3	
7778-77-0 potassium dihydrogenorthophosphate	9.6 mg/m <sup>2</sup>	
PAC-2:		
75-05-8 acetonitrile	50 ppm	
16788-57-1 phosphoric acid, dipotassium salt, trihydrate	180 mg/m3	
7778-77-0 potassium dihydrogenorthophosphate		
PAC-3:		
75-05-8 acetonitrile	150 ppm	
16788-57-1 phosphoric acid, dipotassium salt, trihydrate	1,100 mg/m3	
7778-77-0 potassium dihydrogenorthophosphate 630 i		

### 7 Handling and storage

### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.

(Contd. on page 4)



Printing date 02/13/2017 Reviewed on 02/13/2017

Trade name: TDM by HPLC, MP 3

(Contd. of page 3)

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· 7.3 Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · 8.1 Control parameters

· Components with limit values that require monitoring at the workplace:				
75 <b>-0</b> 3	5-8 acetonitrile			
PEL	Long-term value: 70 mg/m³, 40 ppm			
REL	Long-term value: 34 mg/m³, 20 ppm			
TLV	Long-term value: 34 mg/m³, 20 ppm Skin			

- · Additional information: The lists that were valid during the creation were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)



Printing date 02/13/2017 Reviewed on 02/13/2017

Trade name: TDM by HPLC, MP 3

· Eye protection:





Tightly sealed goggles

· Body protection: Protective work clothing

9 Ph	vsical	and	cl	remica	l pro	pertie	es
							_

9.1 Information on basic physical at General Information	iu enemieu properues
Appearance:	
Form:	Fluid
Color:	Colorless
Odor:	Product specific
Odor threshold:	Not determined.
pH-value at 20 °C (68 °F):	6.8
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	>78 °C (>172 °F)
Flash point:	14 °C (57 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	524 °C (975 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vaper mixtures are possible.
Explosion limits:	
Lower:	3.0 Vol %
Upper:	17.0 Vol %
Vapor pressure at 20 °C (68 °F):	97 hPa (73 mm Hg)
Density at 20 °C (68 °F):	0.94 g/cm³ (7.8443 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/water	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.



Printing date 02/13/2017 Reviewed on 02/13/2017

Trade name: TDM by HPLC, MP 3

(Contd. of page 5)

### 10 Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:

May be harmful in contact with skin.

May be harmful if inhaled.

- · Primary irritant effect:
- · on the skin: Based on available data, the classification criteria are not met.
- · on the eye:

Causes serious eye irritation.

- · Sensitization: Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

US



Printing date 02/13/2017 Reviewed on 02/13/2017

Trade name: TDM by HPLC, MP 3

(Contd. of page 6)

## 13 Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14.1 UN-Number	11011002
DOT, ADR, IMDG, IATA	UN1993
14.2 UN proper shipping name	
DOT	Flammable liquids, n.o.s. (Acetonitrile)
ADR	1993 Flammable liquids, n.o.s. (Acetonitrile), special
IMDG, IATA	provision 640D FLAMMABLE LIQUID, N.O.S. (ACETONITRILE)
	TEAMWABLE LIQUID, N.O.S. (ACETONTRILL)
14.3 Transport hazard class(es)	
DOT	
PLANMAGE LOUID	
Class	3 Flammable liquids
Label	3
ADR, IMDG, IATA	
Class	3 Flammable liquids
Label	3
14.4 Packing group DOT, ADR, IMDG, IATA	II
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids
Danger code (Kemler):	33
EMS Number:	F-E,S- <u>E</u>
Stowage Category	$B \stackrel{\longleftarrow}{}$

(Contd. on page 8)



Printing date 02/13/2017 Reviewed on 02/13/2017

Trade name: TDM by HPLC, MP 3

	(Contd. of page		
Transport/Additional information:			
· ADR			
Excepted quantities (EQ)	Code: E2		
	Maximum net quantity per inner packaging: 30 ml		
	Maximum net quantity per outer packaging: 500 ml		
· IMDG			
Limited quantities (LQ)	IL		
Excepted quantities (EQ)	Code: E2		
• • •	Maximum net quantity per inner packaging: 30 ml		
	Maximum net quantity per outer packaging: 500 ml		
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUIDS, N.O.S., SPECIAL		
5	PROVISION 640D (ACETONITRILE), 3, II		

### 15 Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

, ,	0	U	1 ,	9
· Sara				

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

· Section 355 (extremely hazardous substances):

75-05-8 acetonitrile

- · TSCA (Toxic Substances Control Act):
  - 75-05-8 acetonitrile
- 7778-77-0 potassium dihydrogenorthophosphate
- 7378-99-6 dimethyl(octyl)amine
- 7732-18-5 water, distilled, conductivity or of similar purity
- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

75-05-8 acetonitrile

CBD, D

· TLV (Threshold Limit Value established by ACGIH)

75-05-8 acetonitrile

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

(Contd. on page 9)



Printing date 02/13/2017 Reviewed on 02/13/2017

Trade name: TDM by HPLC, MP 3

(Contd. of page 8)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### Department issuing SDS:

Bio-Rad Laboratories GmbH Heidemannstrasse 164

D-80939 Munich

### · Contact:

Technical Support:

E-Mail: cts-ce@bio-rad.com

· Date of preparation / last revision 02/13/2017 / -

## Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 5: Acute toxicity - Category 5

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

\* \* Data compared to the previous version altered.