

## 08/03/2020 Kit Components

Product code	Description	
1615100	PAGE Reagent Starter Kit	
Components:		
1610700	Ammonium Persulfate	
9700106	TEMED	
1610200	Bis (N,N'-Methylene-bis-acrylamide)	
1610100	Acrylamide	



phone: 1-800-268-0213 Fax: 1-888-913-9779

H272 May intensify fire; oxidizer. H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing

H315 Causes skin irritation.



## Safety Data Sheet according to HPR, Schedule 1

Printing date 08/03/2020 Reviewed on 07/24/2020

#### 1 Identification

- · Product identifier
- · Trade name: Ammonium Persulfate
- · Catalog or product number: 1610700, 1610754, 1610702, 1610700EDU
- · CAS Number:

7727-54-0

· EC number:

231-786-5

· Index number:

016-060-00-6

- · Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Bio-Rad Laboratories (Canada) Ltd.

1329 Meyerside Drive

Mississauga, Ontario

L5T 1C9 Canada

· Information department: sales canada@bio-rad.com

· Emergency telephone number: 1-800-424-6723 option 2

## 2 Hazard identification

· Classification of the substance or mixture

Oxidizing Solids - Category 3

Acute Toxicity (Oral) - Category 4

Skin Irritation - Category 2

Eye Irritation - Category 2A

Respiratory Sensitizer - Category 1

difficulties if inhaled.

Skin Sensitizer - Category 1 H317 May cause an allergic skin reaction. Specific Target Organ Toxicity - Single Exposure - Category 3 H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS03 GHS07 GHS08

- · Signal word Danger
- · Hazard-determining components of labeling: diammonium peroxodisulphate
- · Hazard statements

H272 May intensify fire; oxidizer.

(Contd. on page 2)





Printing date 08/03/2020 Reviewed on 07/24/2020

Trade name: Ammonium Persulfate

(Contd. of page 1)

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P220 Keep away from clothing and other combustible materials.
P284 [In case of inadequate ventilation] wear respiratory protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Classification system

· NFPA ratings (scale 0-4) The substance possesses oxidizing properties.

### 3 Composition/Information on ingredients

· Chemical characterization: Substances

· CAS No. Description:

7727-54-0 diammonium peroxodisulphate

- Identification number(s): EC number: 231-786-5
- · Index number: 016-060-00-6
- · Additional information: For the wording of the listed risk phrases referto section 16.

### 4 First-aid measures

- · Description of first aid measures
- · General information

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

- · After eye contact Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing

Immediately call a doctor.

Rinse mouth with water. Seek medical attention and appropriate follow-up.

- · Information for doctor
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)





Printing date 08/03/2020 Reviewed on 07/24/2020

Trade name: Ammonium Persulfate

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Handling
- · Precautions for safe handling Ensure good ventilation/exhaust at the workplace.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: According to product specification
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls/ Personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

#### 7727-54-0 diammonium peroxodisulphate

EL TWA: 0.1 mg/m³ as persulfate

· Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 4)





Printing date 08/03/2020 Reviewed on 07/24/2020

Trade name: Ammonium Persulfate

(Contd. of page 3)

- · Exposure controls
- Personal protective equipment
- General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- · Protection of hands: Protective gloves.
- · Material of gloves Synthetic gloves
- · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:

Safety glasses

Tightly sealed goggles.

9 Phv	isical a	ind che	emical n	roperties
~ 1 11 7	Olour u	III GI OII C		

<ul> <li>Information</li> </ul>	on basic	nhyeical	and chemica	I nronartias
· mnormation	on basic	DIIVSICAL	ano chemica	i broberties

· General Information

· Appearance:

Form: Crystalline White
Color: White
Odor: Odorless
Odor threshold: Not determined.

*·* **pH-value:** 1.45

· Change in condition

Melting point/Melting range:

· Flammability (solid, gaseous)

Boiling point/Boiling range: undetermined

• Flash point: Not applicable

Not determined.

<160 °C

Product is not flammable.

· Decomposition temperature: Not determined.

· Auto igniting: Not determined.

· Danger of explosion: Not determined.

· Explosion limits:

Lower: Not determined. Upper: Not determined.

· Vapor pressure: Not applicable.

(Contd. on page 5)





Printing date 08/03/2020 Reviewed on 07/24/2020

Trade name: Ammonium Persulfate

		(Contd. of page 4
· Density at 20 °C:	1.982 g/cm³	
· Bulk density:	950-1,050 kg/m³	
· Relative density	Not determined.	
Vapor density	Not applicable.	
Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water at 20 °C:	559 g/l	
· Partition coefficient (n-octanol/wa	ter): Not determined.	
· Viscosity:		
dynamic:	Not applicable.	
kinematic:	Not applicable.	
Solids content:	100.0 %	
· Other information	No further relevant information available.	

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values for hazardous components per OSHA criteria:

## 7727-54-0 diammonium peroxodisulphate

Oral LD50 820 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritant effect.
- · Sensitization:

Sensitization possible through inhalation.

Sensitization possible through skin contact.

- Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Substance is not listed.

(Contd. on page 6)





Printing date 08/03/2020 Reviewed on 07/24/2020

Trade name: Ammonium Persulfate

(Contd. of page 5)

· NTP (National Toxicology Program)

Substance is not listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Dispose of waste in accordance to applicable national, regional, or local regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

	_				2.0
7 /	ronc	- $        -$	- 1101	orma	tion
		7 • A • J • I		Оппа	иол

· UN-Number

DOT/TDG, ADR, IMDG, IATA	UN1444
<ul><li>UN proper shipping name</li><li>DOT/TDG</li><li>ADR</li></ul>	Ammonium persulfate mixture 1444 AMMONIUM PERSULPHATE mixture 1444 AMMONIUM PERSULPHATE
· IMDG, IATA	AMMONIUM PERSULPHATE mixture

(Contd. on page 7)





Printing date 08/03/2020 Reviewed on 07/24/2020

Trade name: Ammonium Persulfate

	(Contd. of pag
· Transport hazard class(es)	
· DOT, ADR, IMDG, IATA	
· Class	5.1 Oxidizing substances
· Label	5.1
· Packing group · DOT/TDG, ADR, IMDG, IATA	III
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Warning: Oxidizing substances
· Hazard identification number (Kemler code):	50
· EMS Number:	F-A,S-Q
Segregation groups	Ammonium compounds
Stowage Category	Α
· Transport in bulk according to Annex II of MARPOL7	
and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT/TDG	
· Quantity limitations	Void
<b>,,</b>	Void
· ADR	
· Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 1000 g
·IMDG	
· Limited quantities (LQ)	5 kg
· Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 1000 g
UN "Model Regulation":	UN 1444 AMMONIUM PERSULPHATE MIXTURE, 5.1, III

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- SARA (Superfund Amendents and Reauthorization Act of 1986 USA)
- · Section 302/304 (40CFR355.30 / 40CFR355.40):

Substance not listed.

· Section 313 (40CFR372.65):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

ACTIVE

(Contd. on page 8)





Printing date 08/03/2020 Reviewed on 07/24/2020

Trade name: Ammonium Persulfate

(Contd. of page 7)

· MAK (German Maximum Workplace Concentration)

Substance is not listed.

· National regulations

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations

- · Water hazard class: Water hazard class 1 (Assessment by list): slightly hazardous for water.
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental Health and Safety.
- · Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

- Date of the latest revision of the safety data sheet 08/03/2020 / -
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

· \* Data compared to the previous version altered.

CA





Printing date 08/03/2020 Reviewed on 07/24/2020

#### 1 Identification

· Product identifier

· Trade name: TEMED

· Catalog or product number:

9700106, 1610800, 1610800EDU, 1610801, 1610801EDU, 1610802, 9701410, 10041484, 10004374

· CAS Number:

110-18-9

· EC number:

203-744-6

· Index number:

612-103-00-3

- · Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Bio-Rad Laboratories (Canada) Ltd.

1329 Meyerside Drive Mississauga, Ontario

L5T 1C9

Canada phone: 1-800-268-0213 Fax: 1-888-913-9779

- · Information department: sales\_canada@bio-rad.com
- · Emergency telephone number: 1-800-424-6723 option 2

#### 2 Hazard identification

· Classification of the substance or mixture

Flammable Liquids - Category 2 H225 Highly flammable liquid and vapour.

Acute Toxicity (Oral) - Category 4 H302 Harmful if swallowed. Acute Toxicity (Inhalation) - Category 4 H332 Harmful if inhaled.

Skin Corrosion - Category 1B H314 Causes severe skin burns and eye damage.

- · Label elements
- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS02 GHS05 GHS07

· Signal word Danger

· Hazard-determining components of labeling:

N,N,N',N'-tetramethylethylenediamine

· Hazard statements

H225 Highly flammable liquid and vapour. H302+H332 Harmful if swallowed or if inhaled.

H314 Causes severe skin burns and eye damage.

(Contd. on page 2)





Printing date 08/03/2020 Reviewed on 07/24/2020

Trade name: TEMED

(Contd. of page 1)

#### · Precautionary statements

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P310 Immediately call a poison center/doctor. P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### 3 Composition/Information on ingredients

· Chemical characterization: Substances

· CAS No. Description:

110-18-9 N,N,N',N'-tetramethylethylenediamine

- · Identification number(s):
- · EC number: 203-744-6
- · Index number: 612-103-00-3
- · Additional information: For the wording of the listed risk phrases referto section 16.

#### 4 First-aid measures

- · Description of first aid measures
- · General information

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

· After skin contact

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

- · After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing

Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

Rinse mouth with water. Seek medical attention and appropriate follow-up.

- · Information for doctor
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)





Printing date 08/03/2020 Reviewed on 07/24/2020

Trade name: TEMED

(Contd. of page 2)

- · Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mount respiratory protective device.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment (See section 8). Keep unprotected persons away.

Wear protective clothing.

Environmental precautions:

Prevent seepage into sewage system, workpits and cellars.

Dilute with plenty of water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Handling
- · Precautions for safe handling

Ensure good ventilation/exhaust at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

#### 8 Exposure controls/ Personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)





Printing date 08/03/2020 Reviewed on 07/24/2020

Trade name: TEMED

(Contd. of page 3)

- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Personal protective equipment
- General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Not necessary if room is well-ventilated. Adequate ventilation required.

- · Protection of hands: Protective gloves.
- · Material of gloves Synthetic gloves
- · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Safety glasses Tightly sealed goggles.

#### 9 Physical and chemical properties

9 Physical and chemical properties			
<ul> <li>Information on basic physical and</li> <li>General Information</li> </ul>	chemical properties		
· Appearance:			
Form:	Liquid		
Color:	Light yellow		
· Odor:	Amine-like		
· Odor threshold:	Not determined.		
· pH-value:	Not determined.		
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	undetermined 118-120 °C		
· Flash point:	18 ℃		
· Flammability (solid, gaseous)	Not applicable.		
· Decomposition temperature:	Not determined.		
· Auto igniting:	Not determined.		
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are		

possible.

(Contd. on page 5)





Printing date 08/03/2020 Reviewed on 07/24/2020

Trade name: TEMED

		(Contd. of page 4)
· Explosion limits:		
Lower:	0.98 Vol %	
Upper:	9.08 Vol %	
· Vapor pressure:	Not determined.	
· Density at 20 °C:	0.78 g/cm³	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Soluble	
· Partition coefficient (n-octanol/wa	ater): Not determined.	
· Viscosity:		
dynamic:	Not determined.	
kinematic:	Not determined.	
Organic solvents:	100.0 %	
· Other information	No further relevant information available.	

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values for hazardous components per OSHA criteria:

## 110-18-9 N,N,N',N'-tetramethylethylenediamine

Oral LD50 1,580 mg/kg (rat)
Dermal LD50 5,390 mg/kg (rbt)

- · Primary irritant effect:
- on the skin:

Strong caustic effect on skin and mucous membranes.

Caustic effect on skin and mucous membranes.

- · on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.

(Contd. on page 6)





Printing date 08/03/2020 Reviewed on 07/24/2020

Trade name: TEMED

(Contd. of page 5)

· Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Generally not hazardous for water.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- Recommendation Dispose of waste in accordance to applicable national, regional, or local regulations.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

### 14 Transport information

· UN-Number

· **DOT/TDG, ADR, IMDG, IATA** UN2372

· UN proper shipping name

· **DOT/TDG** 1,2-Di-(dimethylamino)ethane

· **ADR** 2372 1,2-DI-(DIMETHYLAMINO) ETHANE 2372 1,2-DI-(DIMETHYLAMINO) ETHANE

(Contd. on page 7)





Printing date 08/03/2020 Reviewed on 07/24/2020

Trade name: TEMED

	(Contd. of page
IMDG, IATA	1,2-DI-(DIMETHYLAMINO) ETHANE
Transport hazard class(es)	
DOT/TDG (Transport dangerous goods): Class Label	3 Flammable liquids 3, 8
ADR Class Label	3 Flammable liquids 3+8
IMDG, IATA Class Label	3 Flammable liquids 3
Packing group DOT/TDG, ADR, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category	Warning: Flammable liquids 338 F-E,S-D B
Transport in bulk according to Annex II of MARPOL and the IBC Code	73/78 Not applicable.
Transport/Additional information:	
DOT/TDG Quantity limitations	Void Void
ADR Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 2372 1,2-DI-(DIMETHYLAMINO) ETHANE, 3 (8), II





Printing date 08/03/2020 Reviewed on 07/24/2020

Trade name: TEMED

(Contd. of page 7)

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · SARA (Superfund Amendents and Reauthorization Act of 1986 USA)
- Section 302/304 (40CFR355.30 / 40CFR355.40):

Substance not listed.

Section 313 (40CFR372.65):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

ACTIVE

· MAK (German Maximum Workplace Concentration)

Substance is not listed.

· National regulations

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations

· Technical instructions (air):

Class	Share in %
NK	80-100

- · Water hazard class: Generally not hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental Health and Safety.
- · Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

- · Date of the latest revision of the safety data sheet 08/03/2020 / -
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

· \* Data compared to the previous version altered.

СА





Printing date 08/03/2020 Reviewed on 07/24/2020

### 1 Identification

- · Product identifier
- · Trade name: Bis (N,N'-Methylene-bis-acrylamide)
- · Catalog or product number: 1610200, 1610201, 1610201EDU
- · CAS Number:

110-26-9

· EC number:

203-750-9

- · Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Bio-Rad Laboratories (Canada) Ltd.

1329 Meyerside Drive

Mississauga, Ontario

L5T 1C9 Canada

phone: 1-800-268-0213 Fax: 1-888-913-9779

- · Information department: sales\_canada@bio-rad.com
- Emergency telephone number: 1-800-424-6723 option 2

#### 2 Hazard identification

· Classification of the substance or mixture

Acute Toxicity (Oral) - Category 3 H301 Toxic if swallowed.

- · Label elements
- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



GHS06

- · Signal word Danger
- · Hazard-determining components of labeling:

N,N'-methylenediacrylamide

· Hazard statements

H301 Toxic if swallowed.

· Precautionary statements

P264 Wash thoroughly after handling.

P301+P310 If swallowed: Immediately call a poison center/doctor.

P321 Specific treatment (see on this label).

P330 Rinse mouth. P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

-CA



Page 2/7

# Safety Data Sheet according to HPR, Schedule 1

Printing date 08/03/2020 Reviewed on 07/24/2020

Trade name: Bis (N,N'-Methylene-bis-acrylamide)

(Contd. of page 1)

## 3 Composition/Information on ingredients

· Chemical characterization: Substances

· CAS No. Description:

110-26-9 N,N'-methylenediacrylamide

· Identification number(s):

· EC number: 203-750-9

· Additional information: For the wording of the listed risk phrases referto section 16.

## 4 First-aid measures

- · Description of first aid measures
- General information

Immediately remove any clothing soiled by the product.

In case of irregular breathing or respiratory arrest provide artificial respiration.

- After inhalation In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact

Generally the product does not irritate the skin.

Immediately wash with water and soap and rinse thoroughly.

- · After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing

Do not induce vomiting; immediately call for medical help.

Rinse mouth with water. Seek medical attention and appropriate follow-up.

- · Information for doctor
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13.
- · Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

(Contd. on page 3)





Printing date 08/03/2020 Reviewed on 07/24/2020

Trade name: Bis (N,N'-Methylene-bis-acrylamide)

(Contd. of page 2)

See Section 13 for disposal information.

### 7 Handling and storage

- · Handling
- · Precautions for safe handling Thorough dedusting.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: According to product specification
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/ Personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

- · Protection of hands: Protective gloves.
- · Material of gloves Synthetic gloves
- · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

#### 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Crystalline White

Odor: sulphurous

Odor threshold: Not determined.

· **pH-value**: Not applicable.

(Contd. on page 4)





Printing date 08/03/2020 Reviewed on 07/24/2020

Trade name: Bis (N,N'-Methylene-bis-acrylamide)

	(Contd. of pag
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	>300 °C undetermined
· Flash point:	Not applicable Not determined.
Flammability (solid, gaseous)	Product is not flammable.
Decomposition temperature:	Not determined.
Auto igniting:	Not determined.
Danger of explosion:	Not determined.
Explosion limits: Lower: Upper:	Not determined. Not determined.
Vapor pressure:	Not applicable.
Density at 20 °C: Relative density Vapor density Evaporation rate	0.77 g/cm³ Not determined. Not applicable. Not applicable.
· Solubility in / Miscibility with Water at 20 °C:	3 g/l
· Partition coefficient (n-octanol/wa	ter): Not determined.
· Viscosity: dynamic: kinematic:	Not applicable. Not applicable.
Solids content: Other information	100.0 % No further relevant information available.

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known

- CA





Printing date 08/03/2020 Reviewed on 07/24/2020

Trade name: Bis (N,N'-Methylene-bis-acrylamide)

(Contd. of page 4)

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values for hazardous components per OSHA criteria:

### 110-26-9 N,N'-methylenediacrylamide

Oral LD50 >50-≤300 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritant effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · **Mobility in soil** No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Dispose of waste in accordance to applicable national, regional, or local regulations.

(Contd. on page 6)





Printing date 08/03/2020 Reviewed on 07/24/2020

Trade name: Bis (N,N'-Methylene-bis-acrylamide)

(Contd. of page 5)

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14	rai	ispo	ort I	ntori	пацо	П

· UN-Number · DOT/TDG, ADR, ADN, IMDG, IATA	Not Regulated	
· UN proper shipping name · DOT/TDG, ADN, IMDG, IATA · ADR	Not Regulated Not Regulated Not Regulated	
· Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA · Class	Not Regulated	
· Packing group · DOT/TDG, ADR, IMDG, IATA	Not Regulated	
· Environmental hazards: · Marine pollutant:	No	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Annex II of MARPOL73/78  and the IBC Code  Not applicable.		

Not Regulated

## 15 Regulatory information

· UN "Model Regulation":

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- SARA (Superfund Amendents and Reauthorization Act of 1986 USA)
- Section 302/304 (40CFR355.30 / 40CFR355.40):

Substance not listed.

Section 313 (40CFR372.65):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

ACTIVE

· MAK (German Maximum Workplace Concentration)

Substance is not listed.

· National regulations

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations

(Contd. on page 7)





Printing date 08/03/2020 Reviewed on 07/24/2020

Trade name: Bis (N,N'-Methylene-bis-acrylamide)

(Contd. of page 6)

- · Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental Health and Safety.
- Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

- · Date of the latest revision of the safety data sheet 08/03/2020 / -
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation
IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

\* Data compared to the previous version altered.

 $\cap \Delta$ 





Printing date 08/03/2020 Reviewed on 07/23/2020

#### 1 Identification

- · Product identifier
- · Trade name: Acrylamide
- · Catalog or product number: 1610100, 1610107, 1610103, 1610101, 1610108, 1610107EDU, 1610101EDU
- · CAS Number:

79-06-1

· EC number:

201-173-7

· Index number:

616-003-00-0

- · Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Bio-Rad Laboratories (Canada) Ltd.

1329 Meyerside Drive

Mississauga, Ontario

L5T 1C9

Canada phone: 1-800-268-0213 Fax: 1-888-913-9779

- · Information department: sales canada@bio-rad.com
- · Emergency telephone number: 1-800-424-6723 option 2

### 2 Hazard identification

· Classification of the substance or mixture

Acute Toxicity (Oral) - Category 3

Acute Toxicity (Dermal) - Category 4

Acute Toxicity (Inhalation) - Category 4

Skin Irritation - Category 2

Eye Irritation - Category 2A

Skin Sensitizer - Category 1

Germ Cell Mutagenicity - Category 1B

Carcinogenicity - Category 1B

Reproductive Toxicity - Category 2

Specific Target Organ Toxicity - Repeated Exposure -

Category 1

H301 Toxic if swallowed.

H312 Harmful in contact with skin.

H332 Harmful if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H340 May cause genetic defects.

H350 May cause cancer.

H361 Suspected of damaging fertility or the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

- · Label elements
- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS06 GHS07 GHS08

· Signal word Danger

(Contd. on page 2)





Printing date 08/03/2020 Reviewed on 07/23/2020

Trade name: Acrylamide

(Contd. of page 1)

## · Hazard-determining components of labeling:

acrylamide

#### · Hazard statements

H301 Toxic if swallowed.

H312+H332 Harmful in contact with skin or if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H340 May cause genetic defects.

H350 May cause cancer.

H361 Suspected of damaging fertility or the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

#### · Precautionary statements

P301+P310 If swallowed: Immediately call a poison center/doctor.

P330 Rinse mouth.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P362+P364 Take off contaminated clothing and wash it before reuse.

P322 Specific measures (see on this label).

P361 Take off immediately all contaminated clothing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

#### 3 Composition/Information on ingredients

· Chemical characterization: Substances

CAS No. Description: 79-06-1 acrylamide

· Identification number(s):

· EC number: 201-173-7

· Index number: 616-003-00-0

· Additional information: For the wording of the listed risk phrases referto section 16.

### 4 First-aid measures

#### · Description of first aid measures

#### · General information

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

In case of irregular breathing or respiratory arrest provide artificial respiration.

#### · After inhalation

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

#### · After skin contact

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

(Contd. on page 3)



Page 3/9

# Safety Data Sheet according to HPR, Schedule 1

Printing date 08/03/2020 Reviewed on 07/23/2020

Trade name: Acrylamide

(Contd. of page 2)

- · After eye contact Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing

Do not induce vomiting; immediately call for medical help.

Rinse mouth with water. Seek medical attention and appropriate follow-up.

- · Information for doctor
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment:

Mount respiratory protective device.

Wear self-contained respiratory protective device.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective clothing.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Handling
- · Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaust at the workplace.

Open and handle receptacle with care.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: According to product specification
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 4)





Printing date 08/03/2020 Reviewed on 07/23/2020

Trade name: Acrylamide

(Contd. of page 3)

· Specific end use(s) No further relevant information available.

## 8 Exposure controls/ Personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

#### 79-06-1 acrylamide

EL TWA: 0.03 mg/m<sup>3</sup>

vapour and inhalable aerosol; Skin; IARC 2A

EV TWA: 0.03 mg/m<sup>3</sup>

inhalable, vapour and aerosol, Skin

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:

Only use chemical-protective gloves with CE-labeling of category III.

Protective gloves.

- · Material of gloves Synthetic gloves
- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Safety glasses

Tightly sealed goggles.

## 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Solid
Color: White
• Odor: sulphurous
• Odor threshold: Not determined.

(Contd. on page 5)





Printing date 08/03/2020 Reviewed on 07/23/2020

Trade name: Acrylamide

	(Contd. o	of page
· pH-value:	Not applicable.	
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	84-85 °C 125 °C	
· Flash point:	Not applicable Not determined.	
· Flammability (solid, gaseous)	Product is not flammable.	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Not determined.	
· Danger of explosion:	Not determined.	
· Explosion limits: Lower: Upper:	Not determined. Not determined.	
· Vapor pressure at 20 °C:	0.009 hPa	
· Density at 20 °C: · Relative density · Vapor density · Evaporation rate	1.03 g/cm³ Not determined. Not applicable. Not applicable.	
· Solubility in / Miscibility with Water at 20 °C:	400 g/l	
· Partition coefficient (n-octanol/wa	iter): Not determined.	
· Viscosity: dynamic: kinematic:	Not applicable. Not applicable.	
Solids content:  Other information	100.0 % No further relevant information available.	

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide

CA



Page 6/9

## Safety Data Sheet according to HPR, Schedule 1

Reviewed on 07/23/2020 Printing date 08/03/2020

Trade name: Acrylamide

(Contd. of page 5)

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values for hazardous components per OSHA criteria:

#### 79-06-1 acrylamide

LD50 354 mg/kg (Rat) Oral Dermal LD50 400 mg/kg (rat) 1,141 mg/kg (rbt)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritant effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

2A

· NTP (National Toxicology Program)

R

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water danger class 3 (Internal calculation) (Assessment by list): extremely hazardous for water. Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)





Reviewed on 07/23/2020 Printing date 08/03/2020

Trade name: Acrylamide

(Contd. of page 6)

Dispose of waste in accordance to applicable national, regional, or local regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT/TDG, ADR, IMDG, IATA	UN2074	
UN proper shipping name DOT/TDG ADR	Acrylamide, solid 2074 ACRYLAMIDE, SOLID 2074 ACRYLAMIDE SOLID	
IMDG, IATA	ACRYLAMIDE, SOLID	
Transport hazard class(es)		
DOT, ADR, IMDG, IATA Class Label	6.1 Toxic substances 6.1	
Packing group DOT/TDG, ADR, IMDG, IATA	III	
Environmental hazards: Marine pollutant:	No	
Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category Stowage Code Handling Code	Warning: Toxic substances 60 F-A,S-A A SW1 Protected from sources of heat. H2 Keep as cool as reasonably practicable	
Transport in bulk according to Annex II of MARPOL and the IBC Code	L73/78 Not applicable.	
Transport/Additional information:		
DOT/TDG Quantity limitations	Void Void	
Remarks:	ERG 153P Lösung: EmS 6.1-02	
ADR Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g	





Printing date 08/03/2020 Reviewed on 07/23/2020

Trade name: Acrylamide

(Contd. of page 7)

· IMDG

· Limited quantities (LQ) · Excepted quantities (EQ)

Code: E1

5 kg

Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g

· UN "Model Regulation": UN 2074 ACRYLAMIDE, SOLID, 6.1, III

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · SARA (Superfund Amendents and Reauthorization Act of 1986 USA)
- Section 302/304 (40CFR355.30 / 40CFR355.40):

Substance is listed.

Section 313 (40CFR372.65):

Substance is listed.

· TSCA (Toxic Substances Control Act):

ACTIVE

· MAK (German Maximum Workplace Concentration)

2

· National regulations

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations

Additional classification according to Decree on Hazardous Materials, Annexe II:

Carcinogenic hazardous material group I (extremely dangerous)

Carcinogenic hazardous material group II (very dangerous)

Carcinogenic hazardous material group III (dangerous)

· Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

Technical instructions (air):

Class	Share in %
11	80-100

- · Water hazard class: Water danger class 3 (Assessment by list): extremely hazardous for water.
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environmental Health and Safety.

(Contd. on page 9)



Page 9/9

# Safety Data Sheet according to HPR, Schedule 1

Printing date 08/03/2020 Reviewed on 07/23/2020

Trade name: Acrylamide

(Contd. of page 8)

· Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

Date of the latest revision of the safety data sheet 08/03/2020 / -

· Abbreviations and acronyms:

ICAO: International Civil Aviation Organisation

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

· \* Data compared to the previous version altered.

٠,