

Printing date 02/06/2021 Reviewed on 08/12/2020

1 Identification

- · Product identifier
- · Trade name: iQ™ Multiplex Powermix
- · Catalog or product number: 1708848, 1708849, 1725011CUST
- · Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Bio-Rad Laboratories, Life Science Group

2000 Alfred Nobel Drive

Hercules, California 94547

(510)741-1000

- · Information department: lsg_techserv_us@bio-rad.com
- · Emergency telephone number:

1(800)424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION or ACCIDENT.

510-741-1000

2 Hazard(s) identification

· Classification of the substance or mixture

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements

H319 Causes serious eye irritation.

· Precautionary statements

P264 Wash thoroughly after handling.
P280 Wear eye protection / face protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

<u>-</u> U:





Printing date 02/06/2021 Reviewed on 08/12/2020

Trade name: iQ™ Multiplex Powermix

(Contd. of page 1)

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with non-hazardous additions.

| · Listing of dangerous and non-hazardous components: | | | |
|--|---------------------------------|---------------------|--------|
| 56-81-5 | glycerol | | 10-20% |
| | Proprietary Amino Acid | Eye Irrit. 2A, H319 | 10% |
| | Proprietary Non Ionic Detergent | Eye Dam. 1, H318 | 1% |

· Additional information For the wording of the listed risk phrases refer to section 15.

4 First-aid measures

- · Description of first aid measures
- · General information No special measures required.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eye contact Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing Rinse mouth with water. Seek medical attention and appropriate follow-up.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

· PAC-1:

glycerol 45 mg/m³

(Contd. on page 3)





Printing date 02/06/2021 Reviewed on 08/12/2020

Trade name: iQ™ Multiplex Powermix

(Contd. of page 2)

| · PAC-2: | |
|------------------|-------------|
| 56-81-5 glycerol | 180 mg/m³ |
| · PAC-3: | |
| 56-81-5 glycerol | 1,100 mg/m³ |

7 Handling and storage

- · Handling
- · Precautions for safe handling No special measures required.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: According to product specification
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

56-81-5 glycerol

PEL Long-term value: 15* 5** mg/m³
mist; *total dust **respirable fraction

TLV TLV withdrawn-insufficient data human occup. exp.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not necessary if room is well-ventilated. Adequate ventilation required.
- · Protection of hands: Protective gloves.
- · Material of gloves Synthetic gloves
- · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)





Printing date 02/06/2021 Reviewed on 08/12/2020

Trade name: iQ™ Multiplex Powermix

(Contd. of page 3)

· **Eye protection:** Safety glasses Tightly sealed goggles.

| 9 Physical and chemical properties | | | |
|--|---|--|--|
| Information on basic physical and General Information Appearance: Form: Color: Odor: Odor threshold: | Liquid According to product specification Odorless Not determined. | | |
| · pH-value at 20 °C: | 8.6 | | |
| · Change in condition Melting point/Melting range: Boiling point/Boiling range: | undetermined undetermined | | |
| · Flash point: | Not applicable Not determined. | | |
| · Flammability (solid, gaseous) | Not applicable. | | |
| · Ignition temperature: | 400 °C | | |
| · Decomposition temperature: | Not determined. | | |
| · Auto igniting: | Product is not selfigniting. | | |
| · Danger of explosion: | Not determined. | | |
| · Explosion limits: Lower: Upper: | 0.9 Vol % Not determined. | | |
| · Vapor pressure at 20 °C: | 23 hPa | | |
| Density:Relative densityVapor densityEvaporation rate | Not determined Not determined. Not determined. Not determined. | | |
| · Solubility in / Miscibility with Water: | Fully miscible | | |
| · Partition coefficient (n-octanol/wa | ter): Not determined. | | |
| · Viscosity: dynamic: kinematic: | Not determined. Not determined. | | |
| · Solvent content: Organic solvents: | 20.0 % | | |

(Contd. on page 5)





Reviewed on 08/12/2020 Printing date 02/06/2021

Trade name: iQ™ Multiplex Powermix

(Contd. of page 4)

| Water: | 55.5 % | |
|------------------------------------|--|--|
| Solids content: Other information | 23.5 % No further relevant information available. | |

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

| · LD/LC50 values for hazardous components per OSHA criteria: | | | |
|--|----------|-----------------------|--|
| 56-81-5 glycerol | | | |
| Oral | LD50 | 4,090 mg/kg (mouse) | |
| | | 12,600 mg/kg (rat) | |
| Dermal | LD50 | 10,000 mg/kg (Rabbit) | |
| Inhalative | LC50/4 h | >30 mg/l (Rat) | |
| Proprietary carbohydrate | | | |
| Oral LD50 29,700 mg/kg (rat) | | | |
| Proprietary Amino Acid | | | |
| Oral | LD50 | 7,930 mg/kg (rat) | |
| Dermal | LD50 | 5,200 mg/kg (rat) | |
| · Primary irritant effect | | | |

- Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritant effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

(Contd. on page 6)





Printing date 02/06/2021 Reviewed on 08/12/2020

Trade name: iQ™ Multiplex Powermix

(Contd. of page 5)

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Target organs: Eye.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation Dispose of waste in accordance to applicable national, regional, or local regulations.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

| 14 I | ran. | SD | or | t In | tol | me | tio | n |
|------|------|----|----|------|-----|----|-----|---|
| | | | | | | | | |

| · UN-Number |
|-------------|
|-------------|

· DOT, ADR, ADN, IMDG, IATA Not Regulated

· UN proper shipping name

· **DOT, ADN, IMDG, IATA**Not Regulated

· ADR Not Regulated
Not Regulated

· Transport hazard class(es)

· DOT, ADR, ADN, IMDG, IATA

· Class Not Regulated

(Contd. on page 7)





Printing date 02/06/2021 Reviewed on 08/12/2020

Trade name: iQ™ Multiplex Powermix

| | (Contd. of page 6) |
|---|--|
| · Packing group · DOT, ADR, IMDG, IATA | Not Regulated |
| · Environmental hazards: · Marine pollutant: | No |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of MAR and the IBC Code | POL73/78 Not applicable. |
| · Transport/Additional information: | Not dangerous according to the above specifications. |
| · UN "Model Regulation": | Not Regulated |

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- SARA (Superfund Amendents and Reauthorization Act of 1986 USA)
- · Section 302/304 (40CFR355.30 / 40CFR355.40):

None of the ingredients is listed.

Section 313 (40CFR372.65):

None of the ingredients is listed.

| | - | | | |
|------------|---|--------|--|--|
| · TSCA (To | · TSCA (Toxic Substances Control Act): | | | |
| 7732-18-5 | | ACTIVE | | |
| 56-81-5 | glycerol | ACTIVE | | |
| | Proprietary Amino Acid | * | | |
| | -() ···) ···) / ··· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· | ACTIVE | | |
| | Firmer to the time | ACTIVE | | |
| | | ACTIVE | | |
| | Ŭ . | ACTIVE | | |
| | Proprietary antifoam | * | | |

· Hazardous Air Pollutants

None of the ingredients is listed.

9012-90-2 Polymerase, DNA

- · California Proposition 65:
- · Chemicals known to cause cancer:

The product does not contain listed components.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

(Contd. on page 8)

ACTIVE





Printing date 02/06/2021 Reviewed on 08/12/2020

Trade name: iQ™ Multiplex Powermix

(Contd. of page 7)

· Developmental Toxicity

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · National regulations
- · Technical instructions (air):

| Class | Share in % |
|-------|------------|
| NK | 10-20 |

- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental Health and Safety.
- · Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

- · Date of preparation / last revision 02/06/2021 / -
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

(Contd. on page 9)



Page 9/9

Safety Data Sheet acc. to OSHA HCS

Reviewed on 08/12/2020 Printing date 02/06/2021

Trade name: iQ™ Multiplex Powermix

(Contd. of page 8)

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

* * Data compared to the previous version altered.