

Printing date 13.02.2017 Version number 13 Revision: 10.02.2017

Hazardous according to criteria of Australian Safety and Compensation Council.

## 1 Identification

· Product identifier

· Trade name: VMA by Column Test, REAG 4

· Article number: 1896055

· Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture In-Vitro-laboratory reagent or component

Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Bio-Rad Laboratories Pty., Ltd. Level 5, 446 Victoria Road

Gladesville, New South Wales 2111

Phone: +61 (2) 9914-2800 Fax: +61 (2) 9914-2888

· Further information obtainable from:

Technical Support:

E-mail: TechSupport.ANZCDG@bio-rad.com

· Emergency telephone number: GBK Gefahrgut Büro GmbH Tel.: 0049(0)6123-84463

## 2 Hazard(s) Identification

· Classification of the substance or mixture

Acute Tox. 4 H302 Harmful if swallowed.

Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms





GHS05

GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

sodium metabisulphite

· Hazard statements

Harmful if swallowed.

Causes serious eye damage.

· Precautionary statements

Wear eye protection / face protection.

Wash thoroughly after handling.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

(Contd. on page 2)



Printing date 13.02.2017 Version number 13 Revision: 10.02.2017

Trade name: VMA by Column Test, REAG 4

(Contd. of page 1)

Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

Contact with acids liberates toxic gas.

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

## 3 Composition and Information on Ingredients

- · Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

7681-57-4 sodium metabisulphite

Eye Dam. 1, H318; Acute Tox. 4, H302

50-100%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

## 4 First Aid Measures

- · Description of first aid measures
- · General information:

Seek medical treatment.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: If skin irritation continues, consult a doctor.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Rinse out mouth and then drink plenty of water.

Induce vomiting only, if affected person is fully conscious.

Call for a doctor immediately.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5 Fire Fighting Measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Sulphur dioxide (SO2)

NaOx

- · Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Mouth respiratory protective device.

· Additional information Cool endangered receptacles with water spray.

AU



Printing date 13.02.2017 Version number 13 Revision: 10.02.2017

Trade name: VMA by Column Test, REAG 4

(Contd. of page 2)

## 6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Avoid formation of dust.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective clothing.

Mount respiratory protective device.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to item 13.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and Storage

- · Handling:
- Precautions for safe handling

Keep receptacles tightly sealed.

Use only in well ventilated areas.

- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with acids.

- · Further information about storage conditions: None.
- · Storage class: (VCI) 11
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls and personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

## 7681-57-4 sodium metabisulphite

WES Long-term value: 5 mg/m<sup>3</sup>

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eves.

· Respiratory protection: Not required.

(Contd. on page 4)



Printing date 13.02.2017 Version number 13 Revision: 10.02.2017

Trade name: VMA by Column Test, REAG 4

(Contd. of page 3)

#### Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

· Density at 20 °C:

· Bulk density at 20 °C:



Tightly sealed goggles

· Body protection: Protective work clothing

### 9 Physical and Chemical Properties

· Information on basic physical and chemical properties · General Information · Appearance: Form: Powder Colour: White Characteristic · Odour: · Odour threshold: Not determined. · pH-value at 20 °C: 3.5 · Change in condition ~150 °C Melting point/freezing point: Initial boiling point and boiling range: Undetermined. · Flash point: Not applicable. Not determined. · Flammability (solid, gas): · Ignition temperature: > 150 °C Decomposition temperature: · Auto-ignition temperature: Product is not selfigniting. · Explosive properties: Product does not present an explosion hazard. · Explosion limits: Lower: Not determined. Upper: Not determined. · Vapour pressure: Not applicable.

 $1.48 \text{ g/cm}^3$ 

1.100-1,200 kg/m<sup>3</sup>

(Contd. on page 5)



Printing date 13.02.2017 Version number 13 Revision: 10.02.2017

Trade name: VMA by Column Test, REAG 4

(Contd. of page 4)

· Relative density	Not determined.
· Vapour density	Not applicable.
· Evaporation rate	Not applicable.

· Solubility in / Miscibility with

*water at 20 °C*: ~650 g/l

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

**Dynamic:** Not applicable. **Kinematic:** Not applicable.

• Other information No further relevant information available.

## 10 Stability and Reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

To avoid thermal decomposition do not overheat.

No decomposition if used and stored according to specifications.

- · Possibility of hazardous reactions Reacts with strong acids and oxidising agents.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products:

Sulphur dioxide

NaOx

## 11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity
- · Primary irritant effect:
- · Skin corrosion/irritation No irritant effect.
- · Serious eye damage/irritation Strong irritant with the danger of severe eye injury.
- · Respiratory or skin sensitisation No sensitising effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful

Irritant

## 12 Ecological Information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 6)



Printing date 13.02.2017 Version number 13 Revision: 10.02.2017

Trade name: VMA by Column Test, REAG 4

(Contd. of page 5)

- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must be specially treated adhering to official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product. Non contaminated packagings may be recycled.

UN-Number		
ADG, ADN, IMDG, IATA	Void	
UN proper shipping name		
ADG, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
ADG, ADN, IMDG, IATA		
Class	Void	
Packing group		
ADG, IMDG, IATA	Void	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex II	of Marpol	
and the IBC Code	Not applicable.	
UN "Model Regulation":	Void	

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Australian Inventory of Chemical Substances

All ingredients are listed.

(Contd. on page 7)



Printing date 13.02.2017 Version number 13 Revision: 10.02.2017

Trade name: VMA by Column Test, REAG 4

(Contd. of page 6)

### · Standard for the Uniform Scheduling of Medicines and Poisons

7681-57-4 sodium metabisulphite

S5

#### · GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms





GHS05 GHS07

#### · Signal word Danger

## · Hazard-determining components of labelling:

sodium metabisulphite

### · Hazard statements

Harmful if swallowed.

Causes serious eye damage.

### · Precautionary statements

Wear eye protection / face protection.

Wash thoroughly after handling.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · Relevant phrases

H302 Harmful if swallowed.

H318 Causes serious eye damage.

### · Department issuing SDS:

Bio-Rad Laboratories GmbH

Heidemannstrasse 164

D-80939 Munich

#### · Contact:

Technical Support:

E-Mail: cts-ce@bio-rad.com

## · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 8)





Printing date 13.02.2017 Version number 13 Revision: 10.02.2017

Trade name: VMA by Column Test, REAG 4

(Contd. of page 7)

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity – Category 4
Eye Dam. 1: Serious eye damage/eye irritation – Category 1

\* Data compared to the previous version altered.