

Safety Data Sheet
acc. to OSHA HCS


Printing date 02/13/2017

Reviewed on 02/10/2017

1 Identification

- **1.1 Product identifier**
- **Trade name:** KETOCHROME/17-OHCS by Column Test, REAG C
- **Article number:** 1843014
- **CAS Number:**
7790-28-5
- **EC number:**
232-197-6
- **Application of the substance / the mixture** In-Vitro-laboratory reagent or component
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Bio-Rad Laboratories, Inc
4000 Alfred Nobel Drive
Hercules, California 94547
USA
Phone: 510-724-7000
Toll-Free: 1-800-2-BIORAD (800-224-6723)
Fax: 510-741-6373
- **Information department:**
Technical Support:
Email: support@bio-rad.com
- **1.4 Emergency telephone number:**
GBK Gefahrgut Büro GmbH
Tel.: 0049(0)6123-84463

2 Hazard(s) identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
Ox. Sol. 1 H271 May cause fire or explosion; strong oxidizer.
Acute Tox. 3 H301 Toxic if swallowed.
Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2A H319 Causes serious eye irritation.
STOT SE 3 H335 May cause respiratory irritation.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The substance is classified and labeled according to the CLP regulation.
- **Hazard pictograms**


GHS03 GHS06 GHS07
- **Signal word** Danger
- **Hazard-determining components of labeling:**
sodium periodate
- **Hazard statements**
H271 May cause fire or explosion; strong oxidizer.
H301 Toxic if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/13/2017

Reviewed on 02/10/2017

Trade name: **KETOCHROME/17-OHCS by Column Test, REAG C**

(Contd. of page 1)

*H335 May cause respiratory irritation.***· Precautionary statements**

- P221 Take any precaution to avoid mixing with combustibles.
 P283 Wear fire/flammable resistant/retardant clothing.
 P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P405 Store locked up.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Classification system:**· NFPA ratings (scale 0 - 4)***The substance possesses oxidizing properties.***· HMIS-ratings (scale 0 - 4)****· 2.3 Other hazards****· Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· 3.1 Chemical characterization: Substances**· CAS No. Description**

7790-28-5 sodium periodate

· Identification number(s)· **EC number:** 232-197-6

4 First-aid measures

· 4.1 Description of first aid measures**· General information:***Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.***· After inhalation:** In case of unconsciousness place patient stably in side position for transportation.**· After skin contact:** Immediately wash with water and soap and rinse thoroughly.**· After eye contact:***Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.***· After swallowing:** Immediately call a doctor.**· 4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 3)

-US-

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/13/2017

Reviewed on 02/10/2017

Trade name: KETOCHROME/17-OHCS by Column Test, REAG C

(Contd. of page 2)

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information** Cool endangered receptacles with water spray.

6 Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Ensure adequate ventilation
Avoid formation of dust.
Wear protective clothing.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· PAC-1:

0.19 mg/m³

· PAC-2:

2.1 mg/m³

· PAC-3:

13 mg/m³

7 Handling and storage

- **7.1 Precautions for safe handling** Keep receptacles tightly sealed.
- **Information about protection against explosions and fires:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/13/2017

Reviewed on 02/10/2017

Trade name: KETOCHROME/17-OHCS by Column Test, REAG C

(Contd. of page 3)

- **8.1 Control parameters**
- **Components with limit values that require monitoring at the workplace:** Not required.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
 Keep away from foodstuffs, beverages and feed.
 Immediately remove all soiled and contaminated clothing.
 Wash hands before breaks and at the end of work.
 Avoid contact with the eyes and skin.
- **Breathing equipment:**
 In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
 Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**
 The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material**
 The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**



Tightly sealed goggles

- **Body protection:** Protective work clothing

9 Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Solid
Color:	Whitish
Odor:	Odorless
Odor threshold:	Not determined.
- **pH-value:** ~5.2
- **Change in condition**

Melting point/Melting range:	175 °C (347 °F)
Boiling point/Boiling range:	300 °C (572 °F)

(Contd. on page 5)

Safety Data Sheet
acc. to OSHA HCS

Printing date 02/13/2017

Reviewed on 02/10/2017

Trade name: **KETOCHROME/17-OHCS** by Column Test, REAG C

(Contd. of page 4)

· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Contact with combustible material may cause fire.
· Ignition temperature:	
· Decomposition temperature:	Not determined.
· Auto igniting:	Not determined.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not applicable.
· Density at 20 °C (68 °F):	3.87 g/cm ³ (32.29515 lbs/gal)
· Bulk density at 20 °C (68 °F):	2.000-2,400 kg/m ³
· Relative density	Not determined.
· Vapor density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with Water at 20 °C (68 °F):	91 g/l
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· 9.2 Other information	No further relevant information available.

10 Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** To avoid thermal decomposition do not overheat.
- **10.3 Possibility of hazardous reactions** Danger of explosion.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:**
Toxic if swallowed.
- **Primary irritant effect:**
- **on the skin:**
Causes skin irritation.
- **on the eye:**
Causes serious eye irritation.
- **Sensitization:** Based on available data, the classification criteria are not met.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/13/2017

Reviewed on 02/10/2017

Trade name: KETOCHROME/17-OHCS by Column Test, REAG C

(Contd. of page 5)

· **Additional toxicological information:**

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

Substance is not listed.

· **NTP (National Toxicology Program)**

Substance is not listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

Substance is not listed.

12 Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **12.2 Persistence and degradability** No further relevant information available.

· **12.3 Bioaccumulative potential** No further relevant information available.

· **12.4 Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· **12.5 Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **12.6 Other adverse effects** No further relevant information available.

13 Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· **14.1 UN-Number**

· **DOT, ADR, IMDG, IATA**

UN1479

· **14.2 UN proper shipping name**

· **DOT**

Oxidizing solid, n.o.s. (sodium periodate)

· **ADR**

1479 Oxidizing solid, n.o.s. (sodium periodate)

· **IMDG, IATA**

OXIDIZING SOLID, N.O.S. (sodium periodate)

(Contd. on page 7)

US

Safety Data Sheet
acc. to OSHA HCS

Printing date 02/13/2017

Reviewed on 02/10/2017

Trade name: **KETOCHROME/17-OHCS** by Column Test, REAG C

(Contd. of page 6)

· **14.3 Transport hazard class(es)**

· **DOT**



· **Class** 5.1 Oxidizing substances
· **Label** 5.1

· **ADR, IMDG, IATA**



· **Class** 5.1 Oxidizing substances
· **Label** 5.1

· **14.4 Packing group**

· **DOT, ADR, IMDG, IATA** I

· **14.5 Environmental hazards:**

· **Marine pollutant:** No

· **14.6 Special precautions for user**

Warning: Oxidizing substances

· **Danger code (Kemler):**

-

· **EMS Number:**

F-A,S-Q

· **Stowage Category**

D

· **Segregation Code**

SG38 Stow "separated from" ammonium compounds.
SG49 Stow "separated from" cyanides
SG60 Stow "separated from" peroxides
SG61 Stow "separated from" powdered metals

· **14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable.

· **Transport/Additional information:**

· **ADR**

· **Excepted quantities (EQ)**

Code: E0

Not permitted as Excepted Quantity

· **IMDG**

· **Limited quantities (LQ)**

0

· **Excepted quantities (EQ)**

Code: E0

Not permitted as Excepted Quantity

· **UN "Model Regulation":**

UN 1479 OXIDIZING SOLID, N.O.S. (SODIUM PERIODATE), 5.1, I

US

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/13/2017

Reviewed on 02/10/2017

Trade name: KETOCHROME/17-OHCS by Column Test, REAG C

(Contd. of page 7)

15 Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

· Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

Substance is listed.

· Proposition 65

· Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Cancerogenicity categories

· EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS:

Bio-Rad Laboratories GmbH

Heidemannstrasse 164

D-80939 Munich

· Contact:

Technical Support:

E-Mail: cts-ce@bio-rad.com

· Date of preparation / last revision 02/13/2017 / 31

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/13/2017

Reviewed on 02/10/2017

Trade name: KETOCHROME/17-OHCS by Column Test, REAG C

(Contd. of page 8)

DOT: US Department of Transportation
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Ox. Sol. 1: Oxidizing solids – Category 1
Acute Tox. 3: Acute toxicity – Category 3
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
· *** Data compared to the previous version altered.**

US