

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: GB/T 16483-2008, GB/T 17519-2013

Product Name Foresight CHT Type I-40 Column

Revision date 06-Jul-2021 Revision Number 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product Name Foresight CHT Type I-40 Column

Catalogue Number(s) 7324735, 7324755, 7324822, 7324823

Other means of identification

Pure substance/mixture Mixture

Details of the supplier of the safety data sheet

Corporate Headquarters

Bio-Rad Laboratories Inc. 1000 Alfred Nobel Drive

Hercules, CA 94547

USA

Manufacturer

Bio-Rad Laboratories, Life Science

Group

2000 Alfred Nobel Drive Hercules, California 94547

USA

Legal Entity / Contact Address

Bio-Rad Laboratories Ltd.

1st and 2nd Floor, Lumpini 1 Building 239/2, Rajdamri Road, Lumpini, Pathumwan, Bangkok 10330

Thailand

Technical Service +66 2 652 8313

ctsthailand@bio-rad.com

Emergency telephone number

24 Hour Emergency Phone Number CHEMTREC Hong Kong: 800-968-793

Recommended use of the chemical and restrictions on use

Recommended use Laboratory chemicals

SECTION 2: Hazards identification

Emergency Overview

HIGHLY FLAMMABLE: Will be easily ignited by heat, sparks or flames

Appearance Suspension Physical state Liquid Odour Alcohol

Classification of the substance or mixture

Flammable liquids	Category 3
Hazardous to the Aquatic Environment - Acute Hazard	Category 3

Label elements

Revision date 06-Jul-2021

GHS / BE Page 1/9



Signal word

Warning

Hazard statements

Flammable liquid and vapour Harmful to aquatic life

Precautionary statements

Prevention

Avoid release to the environment

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Use only non-sparking tools

Take precautionary measures against static discharge

Wear protective gloves/protective clothing/eye protection/face protection

Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

Storage

Store in a well-ventilated place. Keep cool

Disposal

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Physical and chemical hazards

Flammable; may be ignited by heat, sparks or flames. Vapours may form explosive mixtures with air. Vapours can travel considerable distances to a source of ignition where they can ignite, flash back, or explode. Runoff to sewer may create fire or explosion hazard. Containers may explode when heated.

Health hazards

Immediate Health Effects: Not applicable.

Chronic effects: Not applicable.

Environmental hazards

This material is a water pollutant. Keep out of drains, sewers, ditches and waterways. Minimise use of water to prevent environmental contamination

Other hazards which do not result in classification

Not applicable

SECTION 3: Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	Weight-%	CAS No
Ethyl alcohol	10 - 20	64-17-5

Revision date 06-Jul-2021

GHS / BE Page 2/9

HRLS00445 (M)SDS Number 06-Jul-2021

SECTION 4: First aid measures

Product Name

Revision date

Description of necessary first aid measures

General advice No hazards which require special first aid measures.

Inhalation Remove to fresh air.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes.

Ingestion Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed No information available.

For emergency responders Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Use

personal protective equipment as required. See section 8 for more information.

Note to doctors Treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Unsuitable extinguishing media No information available.

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire

extinguishing water must be disposed of in accordance with local regulations.

Special protective actions for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

> section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the

product must be grounded. Do not touch or walk through spilled material.

Other information Ventilate the area.

For emergency responders Use personal protection recommended in Section 8.

Revision date 06-Jul-2021

Product Name Foresight CHT Type I-40 Column

Revision date 06-Jul-2021

(M)SDS Number

HRLS00445

Environmental precautions

Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Methods and material for containment and cleaning up

Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.

Precautions to prevent secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations.

SECTION 7: Handling and storage

Precautions for safe handling

Use personal protection equipment. Avoid contact with skin and eyes. Avoid breathing vapours or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. See Section 8 for information on appropriate personal protective equipment.

Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store according to product and label instructions.

Incompatible materials

None known based on information supplied.

SECTION 8: Exposure controls/personal protection

Occupational exposure limits

Chemical name	China	ACGIH TLV
Ethyl alcohol - 64-17-5	-	STEL: 1000 ppm

Note

See section 16 for terms and abbreviations

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Monitoring and observation processes

No applicable information was found.

Engineering controls Showers

Eyewash stations

Revision date 06-Jul-2021

Foresight CHT Type I-40 Column (M)SDS Number HRLS00445

Revision date 06-Jul-2021

Product Name

Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots.

Hand protection Wear suitable gloves. Impervious gloves.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Do not eat, drink or smoke when using this product. Contaminated work clothing should not

be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance Suspension
Colour white
Physical state Liquid
Odour Alcohol

Odour threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 6-8

Melting point / freezing pointNo data availableNone knownBoiling point / boiling rangeNo data availableNone known

Flash point 36 °C

Evaporation rateNo data availableNone knownFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapour pressureNo data availableNone knownVapour densityNo data availableNone knownRelative densityNo data availableNone known

Water solubility Partially miscible

No data available Solubility(ies) None known No data available **Partition coefficient** None known No data available **Autoignition temperature** None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known No data available **Dynamic viscosity** None known

Additional information

Explosive propertiesNot applicable **Oxidising properties**Not applicable

SECTION 10: Stability and reactivity

Stability Stable under normal conditions.

Revision date 06-Jul-2021

Product Name Foresight CHT Type I-40 Column (M)SDS Number HRLS00445

Revision date 06-Jul-2021

<u>Possibility of hazardous reactions</u> None under normal processing.

Sensitivity to mechanical impact None. Sensitivity to static discharge Yes.

Conditions to avoid Heat, flames and sparks.

<u>Incompatible materials</u> None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 34,958.20 mg/kg ATEmix (inhalation-dust/mist) 639.50 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ethyl alcohol	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat) 4 h

Skin corrosion/irritationBased on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	China	IARC
Ethyl alcohol	-	Group 1

Legend

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Reproductive toxicity Based on available data, the classification criteria are not met.

Specific target organ toxicity —

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity —

repeated exposure

Based on available data, the classification criteria are not met.

Target organ effects Liver. Respiratory system. Eyes. Skin. Central nervous system. Blood. Reproductive

system.

Aspiration hazard Based on available data, the classification criteria are not met.

Revision date 06-Jul-2021

HRLS00445

Product Name Revision date Foresight CHT Type I-40 Column 06-Jul-2021

SECTION 12: Ecological information

Ecotoxicity Harmful to aquatic life.

Unknown aquatic toxicity 0 % of the mixture consists of component(s) of unknown hazards to the aquatic

environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
Ethyl alcohol	-	LC50: 12.0 - 16.0mL/L (96h,	LC50: 9268 - 14221mg/L (48h,
		Oncorhynchus mykiss)	Daphnia magna)
		LC50: 13400 - 15100mg/L (96h,	EC50: =10800mg/L (24h,
		Pimephales promelas)	Daphnia magna)
		LC50: >100mg/L (96h,	EC50: =2mg/L (48h, Daphnia
		Pimephales promelas)	magna)

Persistence and degradability No information available.

Bioaccumulative potential There is no data for this product.

Component Information

Chemical name	Partition coefficient
Ethyl alcohol	-0.32

Mobility in soil No information available.

SECTION 13: Disposal considerations

Waste chemicals Should not be released into the environment. Dispose of in accordance with local

regulations. Dispose of waste in accordance with environmental legislation.

<u>Contaminated packaging</u> Empty containers pose a potential fire and explosion hazard. Do not cut, puncture of weld

containers.

SECTION 14: Transport information

IMDG Not regulated

Transport in bulk according to No information available

Annex II of MARPOL and the IBC

Code

IATA Not regulated

<u>China</u> Not regulated

Special precautions for user

Please refer to the applicable dangerous goods regulations for additional information

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Revision date 06-Jul-2021

Product Name Foresight CHT Type I-40 Column (M)SDS Number HRLS00445

Revision date 06-Jul-2021

Law of the People's Republic of China on Prevention and Control of Occupational Diseases

Catalogue of occupational hazard factors:

Catalogue of occupational diseases:

Not applicable.

Not applicable.

Regulations on the Control over Safety of Hazardous Chemicals

Inventory of hazardous chemicals

The table below indicates ingredients

above the cut-off threshold considered as relevant which are listed. Verify that licence requirements are met.

Flammable liquid - Category 3 Weight-% 20

Chemical name	Inventory of hazardous chemicals
Ethyl alcohol	Listed

GB 18218-2009 Identification of major hazard installations for dangerous chemicals

<u>Category</u> <u>Threshold quantity (T)</u>

Flammable liquids 5000

Chemical name	Threshold quantity (T)
Ethyl alcohol	500

List of hazardous chemicals under priority management Not applicable

Regulations on Labour Protection in Workplaces Where Toxic Substances Are Used

Inventory of highly toxic goods Not applicable

Regulations for Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

List of toxic chemicals severely restricted for import and export in China Not applicable

Measures for the Environmental Management of New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances Contact supplier for inventory compliance status.

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

SECTION 16: Other information

Prepared By Bio-Rad Laboratories, Environmental Health and Safety

Revision date 06-Jul-2021

Revision Note Significant changes throughout SDS. Review all sections.

Abbreviations and acronyms

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

C Carcinogen

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

Revision date 06-Jul-2021

Product Name Foresight CHT Type I-40 Column (M)SDS Number HRLS00445

Revision date 06-Jul-2021

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

Revision date 06-Jul-2021

CGHS / BE Page 9/9