

Printing date 02/13/2017 Reviewed on 02/10/2017

### 1 Identification

· Product identifier

· Trade name: VMA/HVA/5-HIAA by HPLC, REAG 2

· Article number: 1954133

· Application of the substance / the mixture In-Vitro-laboratory reagent or component

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier

Bio-Rad Laboratories (Canada) Ltd.

2403 Guenette Street Montreal, Quebec H4R 2E9 Phone: (514) 334-4372 Freephone: 1 (800) 361-1808

Fax: (514) 334-0872

· Information department:

Technical Support:

E-mail: cdg canada salesmarketing@bio-rad.com

Emergency telephone number: GBK Gefahrgut Büro GmbH Tel.: 0049(0)6123-84463

## 2 Hazard(s) identification

· Classification of the substance or mixture

Flammable Liquids - Category 3 H226 Flammable liquid and vapour.

Skin Corrosion - Category 1A H314 Causes severe skin burns and eye damage.

Serious Eye Damage - Category 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS02

GHS05

- · Signal word Danger
- · Hazard-determining components of labeling:

sodium hydrogensulphate

· Hazard statements

Flammable liquid and vapour.

Causes severe skin burns and eye damage.

· Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Hazard description:
- · WHMIS-symbols:

B2 - Flammable liquid

(Contd. on page 2)



Printing date 02/13/2017 Reviewed on 02/10/2017

Trade name: VMA/HVA/5-HIAA by HPLC, REAG 2

(Contd. of page 1)

D2B - Toxic material causing other toxic effects

E - Corrosive material



- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3Fire = 3Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 4Fire = 3

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
	acetonitrile  Flammable Liquids - Category 2, H225; Acute Toxicity (Oral) - Category 4, H302; Acute Toxicity (Dermal) - Category 4, H312; Acute Toxicity (Inhalation) - Category 4, H332; Eye Irritation - Category 2A, H319	5-<10% w/w	
	sodium hydrogensulphate Serious Eye Damage - Category 1, H318	1-1,5% w/w	

### 4 First-aid measures

- · Description of first aid measures
- General information:

Seek medical treatment.

Immediately remove any clothing soiled by the product.

· After inhalation:

Take affected persons into fresh air and keep quiet.

Seek medical treatment in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)



Printing date 02/13/2017 Reviewed on 02/10/2017

Trade name: VMA/HVA/5-HIAA by HPLC, REAG 2

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Alcohol resistant foam

Fire-extinguishing powder

Carbon dioxide

Water spray

Sand

· Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

Sulphur dioxide (SO2)

Hydrogen cyanide (HCN)

CO2

- · Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure adequate ventilation

Wear protective clothing.

 $We ar \ protective \ equipment. \ Keep \ unprotected \ persons \ away.$ 

Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Keep receptacles tightly sealed.

(Contd. on page 4)



Printing date 02/13/2017 Reviewed on 02/10/2017

Trade name: VMA/HVA/5-HIAA by HPLC, REAG 2

(Contd. of page 3)

Use only in well ventilated areas.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Unsuitable material for receptacle: steel.
- Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Storage class: (VCI) 3 A
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

#### 75-05-8 acetonitrile

EL | Long-term value: 20 ppm

Skin

EV Long-term value: 20 ppm

Skin

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Breathing equipment:

Short term filter device:

Filter A/P2

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Use suitable respiratory protective device in case of insufficient ventilation.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the (Contd. on page 5)



Printing date 02/13/2017 Reviewed on 02/10/2017

Trade name: VMA/HVA/5-HIAA by HPLC, REAG 2

(Contd. of page 4)

application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

T.C 1 . 1 . 1 . 1	1 1 1
Information on basic physical and	cnemical properties
General Information Appearance:	
Form:	Fluid
Color:	Colorless
Odor:	Aromatic
Odor threshold:	Not determined.
pH-value at 20°C:	1,5
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	>34 °C
Flash point:	35 °C
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	524 °C
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vap mixtures are possible.
Explosion limits:	
Lower:	3,0 Vol %
Upper:	17 Vol %
Vapor pressure at 20 °C:	23 hPa
Density at 20 °C:	0,98 g/cm³
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wat	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.



Printing date 02/13/2017 Reviewed on 02/10/2017

Trade name: VMA/HVA/5-HIAA by HPLC, REAG 2

(Contd. of page 5)

· Other information

No further relevant information available.

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

To avoid thermal decomposition do not overheat.

No decomposition if used and stored according to specifications.

Possibility of hazardous reactions

Forms explosive gas mixture with air.

Violent reactions with strong alkalis and oxidizing agents.

- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products:

Hydrogen cyanide (prussic acid)

Carbon monoxide and carbon dioxide

Sulfur oxides (SOx)

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- · on the skin: Strong caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 7)



Printing date 02/13/2017 Reviewed on 02/10/2017

Trade name: VMA/HVA/5-HIAA by HPLC, REAG 2

(Contd. of page 6)

- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must be specially treated adhering to official regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning. Packagings that cannot be cleansed are to be disposed of in the same manner as the product.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport in	

· UN-Number · DOT, TDG, IMDG, IATA	UN1993
· UN proper shipping name · DOT · TDG	Flammable liquids, n.o.s. (Acetonitrile) 1993 Flammable liquids, n.o.s. (Acetonitrile), special provision 640E
· IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (ACETONITRILE)

- · Transport hazard class(es)
- $\cdot DOT$



· Class 3 Flammable liquids 4

· TDG, IMDG, IATA



· Class 3 Flammable liquids

(Contd. on page 8)



Printing date 02/13/2017 Reviewed on 02/10/2017

Trade name: VMA/HVA/5-HIAA by HPLC, REAG 2

	(Contd. of pag
- Label	3
Packing group	
· DOT, TDG, IMDG, IATA	III
Environmental hazards:	
· Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Danger code (Kemler):	30
· EMS Number:	F-E, <u>S-E</u>
· Stowage Category	A
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
· TDG	
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities ( $\widetilde{EQ}$ )	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUIDS, N.O.S., SPECIAL
3	PROVISION 640E (ACETONITRILE), 3, III

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- ·Sara
- · Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

75-05-8 acetonitrile

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Canadian substance listings:
- · Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

75-05-8 acetonitrile

· Canadian Ingredient Disclosure list (limit 1%)

7681-38-1 sodium hydrogensulphate

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 9)



Printing date 02/13/2017 Reviewed on 02/10/2017

Trade name: VMA/HVA/5-HIAA by HPLC, REAG 2

(Contd. of page 8)

#### · Hazard pictograms





GHS02 GHS05

- · Signal word Danger
- Hazard-determining components of labeling:

sodium hydrogensulphate

· Hazard statements

Flammable liquid and vapour.

Causes severe skin burns and eye damage.

· Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Department issuing SDS:

Bio-Rad Laboratories GmbH Heidemannstrasse 164 D-80939 Munich

· Contact:

Technical Support:

E-Mail: cts-ce@bio-rad.com

### · Abbreviations and acronyms:

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

\* Data compared to the previous version altered.

- CA