



01.09.2020

Kit components

Product code	Description
--------------	-------------

1764300	ProteOn™ Maintenance Kit
----------------	---------------------------------

Components:

1764116	ProteOn™ Maintenance Solution 2, 70% Isopropyl Alcohol
1764115	ProteOn™ Maintenance & Post Expt Clean Solution 1, 2% Contrad 70

Safety Data Sheet

according to WHS Regulations

Printing date 01.09.2020

Revision: 15.08.2020

Hazardous according to criteria of Safe Work Australia.

1 Identification

- **Product identifier**
- **Trade name:** ProteOn™ Maintenance Solution 2, 70% Isopropyl Alcohol
- **Article number:** 1764116, 10022904
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Bio-Rad Laboratories Pty. Ltd
Level 5, 446 Victoria Road
Gladesville NSW 2111
Australia
Tel 61-2-9914-2800 (1 800 224 354) Fax 61-2-9914-2888
- **Information department:** sales.australia@bio-rad.com
- **Emergency telephone number:** 61-2-9037-2994

2 Hazard(s) Identification

- **Classification of the substance or mixture**
Flam. Liq. 2 H225 Highly flammable liquid and vapour.
Acute Tox. 5 H333 May be harmful if inhaled.
Eye Irrit. 2A H319 Causes serious eye irritation.
STOT SE 3 H336 May cause drowsiness or dizziness.
- **Label elements**
- **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms**



GHS02 GHS07

- **Signal word** Danger
- **Hazard statements**
H225 Highly flammable liquid and vapour.
H333 May be harmful if inhaled.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
- **Precautionary statements**
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P241 Use explosion-proof electrical/ventilating/lighting equipment.

(Contd. on page 2)

Safety Data Sheet

according to WHS Regulations

Printing date 01.09.2020

Revision: 15.08.2020

Trade name: ProteOn™ Maintenance Solution 2, 70% Isopropyl Alcohol

(Contd. of page 1)

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

3 Composition and Information on Ingredients

- **Chemical characterisation: Mixtures**

- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

67-63-0	propan-2-ol	Flam. Liq. 2, H225 Eye Irrit. 2A, H319; STOT SE 3, H336 Acute Tox. 5, H303; Acute Tox. 5, H333	50-100%
---------	-------------	--	---------

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- **Description of first aid measures**

- **General information** Immediately remove any clothing soiled by the product.

- **After inhalation** Supply fresh air; consult doctor in case of complaints.

- **After skin contact**

Generally the product does not irritate the skin.

Immediately rinse with water.

- **After eye contact** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- **After swallowing** Rinse mouth with water. Seek medical attention and appropriate follow-up.

- **Information for doctor**

- **Most important symptoms and effects, both acute and delayed** No further relevant information available.

- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire Fighting Measures

- **Extinguishing media**

- **Suitable extinguishing agents**

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- **Special hazards arising from the substance or mixture** No further relevant information available.

- **Advice for firefighters**

- **Protective equipment:** Wear self-contained respiratory protective device.

AU

(Contd. on page 3)

Safety Data Sheet

according to WHS Regulations

Printing date 01.09.2020

Revision: 15.08.2020

Trade name: ProteOn™ Maintenance Solution 2, 70% Isopropyl Alcohol

(Contd. of page 2)

6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
Wear protective clothing.
- **Environmental precautions:**
Prevent seepage into sewage system, workpits and cellars.
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and Storage

- **Handling**
- **Precautions for safe handling**
No special measures required.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Keep receptacle tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

67-63-0 propan-2-ol

WES	Short-term value: 1230 mg/m ³ , 500 ppm Long-term value: 983 mg/m ³ , 400 ppm
-----	--

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

Printing date 01.09.2020

Revision: 15.08.2020

Trade name: ProteOn™ Maintenance Solution 2, 70% Isopropyl Alcohol

(Contd. of page 3)

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**
 Keep away from foodstuffs, beverages and feed.
 Immediately remove all soiled and contaminated clothing
 Wash hands before breaks and at the end of work.
 Avoid contact with the eyes.
 Avoid contact with the eyes and skin.
- **Breathing equipment:** Not necessary if room is well-ventilated.
- **Protection of hands:** Protective gloves.
- **Material of gloves** Synthetic gloves
- **Penetration time of glove material**
 The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**
 Safety glasses
 Tightly sealed goggles.

9 Physical and Chemical Properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Liquid
Colour:	Colourless
- **Odour:** Alcohol-like
- **Odour threshold:** Not determined.
- **pH-value:** Not determined.
- **Change in condition**

Melting point/freezing point:	undetermined
Initial boiling point and boiling range:	82 °C
- **Flash point:** < 23 °C
- **Flammability (solid, gaseous)** Not applicable.
- **Ignition temperature:** 425 °C
- **Decomposition temperature:** Not determined.
- **Self igniting:** Product is not selfigniting.
- **Explosive properties:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
- **Explosion limits:**

Lower:	2 Vol %
Upper:	12 Vol %

(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

Printing date 01.09.2020

Revision: 15.08.2020

Trade name: ProteOn™ Maintenance Solution 2, 70% Isopropyl Alcohol

(Contd. of page 4)

· Vapour pressure at 20 °C:	43 hPa
· Density at 20 °C:	0.84947 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Fully miscible
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
dynamic:	Not determined.
kinematic:	Not determined.
· Solvent content:	
Organic solvents:	64.7 %
Water:	35.3 %
· Other information	No further relevant information available.

10 Stability and Reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known

11 Toxicological Information

- **Information on toxicological effects**
- **Acute toxicity**

· **LD/LC50 values that are relevant for classification:**

67-63-0 propan-2-ol

Oral	LD50	4,570 mg/kg (rat)
Dermal	LD50	13,400 mg/kg (Rabbit)
Inhalative	LC50/4 h	30 mg/l (rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Irritant to skin and mucous membranes.
- **Serious eye damage/irritation** Irritating effect.
- **Respiratory or skin sensitisation** No sensitising effects known.
- **Additional toxicological information:**
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

(Contd. on page 6)

Safety Data Sheet

according to WHS Regulations

Printing date 01.09.2020

Revision: 15.08.2020

Trade name: ProteOn™ Maintenance Solution 2, 70% Isopropyl Alcohol

Irritant

(Contd. of page 5)

12 Ecological Information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
 Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.
 Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
 Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
 Dispose of waste in accordance to applicable national, regional, or local regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- | | |
|-------------------------------------|---|
| · UN-Number | |
| · ADG, IMDG, IATA | UN1219 |
| · UN proper shipping name | |
| · ADG | 1219 ISOPROPANOL (ISOPROPYL ALCOHOL) solution
1219 ISOPROPANOL mixture |
| · IMDG, IATA | ISOPROPANOL (ISOPROPYL ALCOHOL) solution |
| · Transport hazard class(es) | |
| · ADG, IMDG, IATA | |
| · Class | 3 Flammable liquids. |
| · Label | 3 |

(Contd. on page 7)

Safety Data Sheet

according to WHS Regulations

Printing date 01.09.2020

Revision: 15.08.2020

Trade name: ProteOn™ Maintenance Solution 2, 70% Isopropyl Alcohol

(Contd. of page 6)

· Packing group	II
· ADG, IMDG, IATA	
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Warning: Flammable liquids.
· Hazard identification number (Kemler code):	33
· EMS Number:	F-E, S-D
· Stowage Category	B
· Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· Transport category	2
· Tunnel restriction code	D/E
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1219 ISOPROPANOL (ISOPROPYL ALCOHOL) SOLUTION, 3, II

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Australian Inventory of Chemical Substances**

All ingredients are listed.

· **Standard for the Uniform Scheduling of Medicines and Poisons**

None of the ingredients is listed.

· **Australia: Priority Existing Chemicals**

None of the ingredients is listed.

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **Seveso category P5c** FLAMMABLE LIQUIDS

· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5,000 t

· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50,000 t

(Contd. on page 8)

Safety Data Sheet

according to WHS Regulations

Printing date 01.09.2020

Revision: 15.08.2020

Trade name: ProteOn™ Maintenance Solution 2, 70% Isopropyl Alcohol

(Contd. of page 7)

- **National regulations**
- **Technical instructions (air):**

Class	Share in %
NK	50-100

- **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H225 Highly flammable liquid and vapour.
H303 May be harmful if swallowed.
H319 Causes serious eye irritation.
H333 May be harmful if inhaled.
H336 May cause drowsiness or dizziness.

- **Department issuing SDS:** Environmental Health and Safety.

- **Contact:**

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

- **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 2: Flammable liquids – Category 2
Acute Tox. 5: Acute toxicity - oral – Category 5
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

- *** Data compared to the previous version altered.**

Safety Data Sheet according to WHS Regulations

Printing date 01.09.2020

Revision: 11.08.2020

Hazardous according to criteria of Safe Work Australia.

1 Identification

- **Product identifier**
- **Trade name:** ProteOn™ Maintenance & Post Expt Clean Solution 1, 2% Contrad 70
- **Article number:** 1764115, 1764118, 10021449, 10022850
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Bio-Rad Laboratories Pty. Ltd
Level 5, 446 Victoria Road
Gladesville NSW 2111
Australia
Tel 61-2-9914-2800 (1 800 224 354) Fax 61-2-9914-2888
- **Information department:** sales.australia@bio-rad.com
- **Emergency telephone number:** 61-2-9037-2994

2 Hazard(s) Identification

- **Classification of the substance or mixture**
Skin Corr. 1A H314 Causes severe skin burns and eye damage.
Eye Dam. 1 H318 Causes serious eye damage.
- **Label elements**
- **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms**



GHS05

- **Signal word** Danger
- **Hazard statements**
H314 Causes severe skin burns and eye damage.
- **Precautionary statements**
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P321 Specific treatment (see on this label).
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Safety Data Sheet

according to WHS Regulations

Printing date 01.09.2020

Revision: 11.08.2020

Trade name: ProteOn™ Maintenance & Post Expt Clean Solution 1, 2% Contrad 70

(Contd. of page 1)

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition and Information on Ingredients

- **Chemical characterisation: Substances**
- **CAS No. Description:**
7732-18-5 water
- **Identification number(s):**
- **EC number:** 231-791-2
- **Chemical characterisation: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.
- **Dangerous components:** Not applicable.
- **Additional information** For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- **Description of first aid measures**
- **General information** Immediately remove any clothing soiled by the product.
- **After inhalation** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact**
Immediately wash with water and soap and rinse thoroughly.
Immediately rinse with water.
- **After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing**
Drink copious amounts of water and provide fresh air. Call for a doctor immediately.
Rinse mouth with water. Seek medical attention and appropriate follow-up.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire Fighting Measures

- **Extinguishing media**
- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters**
- **Protective equipment:** Mount respiratory protective device.

6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures**
Mount respiratory protective device.

(Contd. on page 3)

Safety Data Sheet according to WHS Regulations

Printing date 01.09.2020

Revision: 11.08.2020

Trade name: ProteOn™ Maintenance & Post Expt Clean Solution 1, 2% Contrad 70

(Contd. of page 2)

Wear protective equipment. Keep unprotected persons away.

Wear protective clothing.

· **Environmental precautions:** Dilute with plenty of water.

· **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· **Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

· **Handling**

· **Precautions for safe handling**

No special measures required.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· **Information about protection against explosions and fires:** Keep respiratory protective device available.

· **Conditions for safe storage, including any incompatibilities**

· **Storage**

· **Requirements to be met by storerooms and receptacles:** According to product specification

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:** Keep receptacle tightly sealed.

· **Specific end use(s)** No further relevant information available.

8 Exposure controls and personal protection

· **Additional information about design of technical systems:** No further data; see item 7.

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment**

· **General protective and hygienic measures**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· **Breathing equipment:** Not necessary if room is well-ventilated.

· **Protection of hands:** Protective gloves.

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

Printing date 01.09.2020

Revision: 11.08.2020

Trade name: ProteOn™ Maintenance & Post Expt Clean Solution 1, 2% Contrad 70

(Contd. of page 3)

- **Material of gloves** Synthetic gloves
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**
Safety glasses
Tightly sealed goggles.

9 Physical and Chemical Properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Fluid
Colour:	Colourless
Odour:	Odourless
Odour threshold:	Not determined.
- **pH-value at 20 °C:** 12
- **Change in condition**

Melting point/freezing point:	0 °C
Initial boiling point and boiling range:	undetermined
- **Flash point:**

Not applicable
Not determined.
- **Flammability (solid, gaseous)** Not applicable.
- **Decomposition temperature:** Not determined.
- **Self igniting:** Product is not selfigniting.
- **Explosive properties:** Not determined.
- **Explosion limits:**

Lower:	Not determined.
Upper:	Not determined.
- **Vapour pressure at 20 °C:** 23 hPa
- **Density at 20 °C:** 1 g/cm³
- **Relative density** Not determined.
- **Vapour density** Not determined.
- **Evaporation rate** Not determined.
- **Solubility in / Miscibility with**

Water:	Fully miscible
--------	----------------
- **Partition coefficient: n-octanol/water:** Not determined.
- **Viscosity:**

dynamic:	Not determined.
kinematic:	Not determined.

(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

Printing date 01.09.2020

Revision: 11.08.2020

Trade name: ProteOn™ Maintenance & Post Expt Clean Solution 1, 2% Contrad 70

(Contd. of page 4)

· Solvent content:	
Organic solvents:	0.0 %
Water:	99.8 %
· Solids content:	
Other information	0.2 %
	No further relevant information available.

10 Stability and Reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known

11 Toxicological Information

- **Information on toxicological effects**
- **Acute toxicity**
- **Primary irritant effect:**
- **Skin corrosion/irritation**
Strong caustic effect on skin and mucous membranes.
Caustic effect on skin and mucous membranes.
- **Serious eye damage/irritation**
Strong caustic effect.
Strong irritant with the danger of severe eye injury.
- **Respiratory or skin sensitisation** No sensitising effects known.
- **Additional toxicological information:**
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
Corrosive
Irritant
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

12 Ecological Information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.

(Contd. on page 6)

Safety Data Sheet

according to WHS Regulations

Printing date 01.09.2020

Revision: 11.08.2020

Trade name: ProteOn™ Maintenance & Post Expt Clean Solution 1, 2% Contrad 70

(Contd. of page 5)

Additional ecological information:
General notes:

Generally not hazardous for water.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods
Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Dispose of waste in accordance to applicable national, regional, or local regulations.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

UN-Number

ADG, ADN, IMDG, IATA

Not Reguated

UN proper shipping name

ADG

Not Reguated

Not Reguated

ADN, IMDG, IATA

Not Reguated

Transport hazard class(es)

ADG, ADN, IMDG, IATA

Class

Not Reguated

Packing group

ADG, IMDG, IATA

Not Reguated

Environmental hazards:

Marine pollutant:

No

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

(Contd. on page 7)

Safety Data Sheet

according to WHS Regulations

Printing date 01.09.2020

Revision: 11.08.2020

Trade name: ProteOn™ Maintenance & Post Expt Clean Solution 1, 2% Contrad 70

(Contd. of page 6)

· UN "Model Regulation":	Not Reguated
--------------------------	--------------

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture

- Australian Inventory of Chemical Substances

All ingredients are listed.

- Standard for the Uniform Scheduling of Medicines and Poisons

1310-58-3 potassium hydroxide

S5, S6, S10

- Australia: Priority Existing Chemicals

None of the ingredients is listed.

- Directive 2012/18/EU

- Named dangerous substances - ANNEX I None of the ingredients is listed.

- National regulations

- Water hazard class: Generally not hazardous for water.

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: Environmental Health and Safety.

- Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

- * Data compared to the previous version altered.