

# 08/25/2020 Kit Components

Product code	Description
3578140	iQ-Check® STEC SerO Kit
Components:	
10048790	iQ-Check SerO II Fluorescent Probes Solution
10044102	iQ-Check Negative Control
10048962	iQ-Check® Positive Control
10048791	iQ-Check® Fluorescent Probes
10048792	iQ-Check SerO II Fluorescent Probes Solution
10048796	iQ-Check® Amplification Solution





Printing date 08/25/2020 Reviewed on 04/08/2020

#### 1 Identification

- · Product identifier
- · Trade name: iQ-Check SerO II Fluorescent Probes Solution
- · Catalog or product number: 10048790
- · Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Bio-Rad Laboratories, Life Science Group

2000 Alfred Nobel Drive

Hercules, California 94547

(510)741-1000

- · Information department: lsg\_techserv\_us@bio-rad.com
- Emergency telephone number:

1(800)424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION or ACCIDENT.

510-741-1000

### 2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Not Applicable
- · Hazard pictograms Not Applicable
- · Signal word Not Applicable
- · Hazard statements Not Applicable
- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description**: Mixture of the substances listed below with non-hazardous additions.
- · Listing of dangerous and non-hazardous components: Not applicable.
- · Additional information For the wording of the listed risk phrases refer to section 15.

#### 4 First-aid measures

- · Description of first aid measures
- · General information No special measures required.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing Rinse mouth with water. Seek medical attention and appropriate follow-up.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 2)





Printing date 08/25/2020 Reviewed on 04/08/2020

Trade name: iQ-Check SerO II Fluorescent Probes Solution

(Contd. of page 1)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · Environmental precautions: Dilute with plenty of water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

· PAC-1:

None of the ingredients is listed.

· PAC-2:

None of the ingredients is listed.

· PAC-3:

None of the ingredients is listed.

# 7 Handling and storage

- · Handling
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: According to product specification
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

- 11





Printing date 08/25/2020 Reviewed on 04/08/2020

Trade name: iQ-Check SerO II Fluorescent Probes Solution

(Contd. of page 2)

# 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not required.
- · Protection of hands: Protective gloves.
- · Material of gloves Synthetic gloves
- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

9 Physical and chemical properties		
<ul> <li>Information on basic physical and</li> <li>General Information</li> <li>Appearance:</li> </ul>	chemical properties	
Form:	Liquid	
Color:	Pink	
· Odor:	Odorless	
· Odor threshold:	Not determined.	
· pH-value at 20 °C:	8.3	
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	0 °C 100 °C	
· Flash point:	Not applicable	
· Flammability (solid, gaseous)	Not applicable.	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Not determined.	
· Explosion limits: Lower: Upper:	Not determined. Not determined.	
· Vapor pressure at 20 °C:	23 hPa	
· Density at 20 °C:	1 g/cm³	
	(Contd. on nors. 1)	

(Contd. on page 4)



(Contd. of page 3)



# Safety Data Sheet acc. to OSHA HCS

Printing date 08/25/2020 Reviewed on 04/08/2020

Trade name: iQ-Check SerO II Fluorescent Probes Solution

· Viscosity:

dynamic at 20 °C: 0.952 mPas kinematic: Not determined.

· Solvent content:

 Organic solvents:
 0.9 %

 Water:
 98.7 %

 Solids content:
 0.4 %

· Other information No further relevant information available.

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known

# 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritant effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 5)





Reviewed on 04/08/2020 Printing date 08/25/2020

Trade name: iQ-Check SerO II Fluorescent Probes Solution

(Contd. of page 4)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Target organs: Not applicable.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Generally not hazardous for water.
- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Dispose of waste in accordance to applicable national, regional, or local regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, ADR, ADN, IMDG, IATA	Not Regulated	
UN proper shipping name	Not Doguđata d	
DOT, ADN, IMDG, IATA ADR	Not Regulated Not Regulated	
AUN	Not Regulated Not Regulated	
Transport hazard class(es)	<u> </u>	
DOT, ADR, ADN, IMDG, IATA		
Class	Not Regulated	
Packing group		
DOT, ADR, IMDG, IATA	Not Regulated	





Printing date 08/25/2020 Reviewed on 04/08/2020

Trade name: iQ-Check SerO II Fluorescent Probes Solution

(Contd. of page 5)

- · Environmental hazards:
- · Marine pollutant:

No

· Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL73/78

and the IBC Code

Not applicable.

· UN "Model Regulation":

Not Regulated

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · SARA (Superfund Amendents and Reauthorization Act of 1986 USA)
- Section 302/304 (40CFR355.30 / 40CFR355.40):

None of the ingredients is listed.

· Section 313 (40CFR372.65):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

- · California Proposition 65:
- · Chemicals known to cause cancer:

The product does not contain listed components.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Developmental Toxicity

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

(Contd. on page 7)





Printing date 08/25/2020 Reviewed on 04/08/2020

Trade name: iQ-Check SerO II Fluorescent Probes Solution

(Contd. of page 6)

- · National regulations
- · Technical instructions (air):

Class	Share in %
NK	0.1-1

- · Water hazard class: Generally not hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental Health and Safety.
- · Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

- · Date of preparation / last revision 08/25/2020 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit

· \* Data compared to the previous version altered.

US





Printing date 08/25/2020 Reviewed on 07/25/2020

### 1 Identification

- · Product identifier
- · Trade name: iQ-Check Negative Control
- · Catalog or product number: 10044102, 10044291
- · Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Bio-Rad Laboratories, Life Science Group

2000 Alfred Nobel Drive

Hercules, California 94547

(510)741-1000

- · Information department: lsg\_techserv\_us@bio-rad.com
- · Emergency telephone number:

1(800)424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION or ACCIDENT.

510-741-1000

### 2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Not Applicable
- · Hazard pictograms Not Applicable
- · Signal word Not Applicable
- · Hazard statements Not Applicable
- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description**: Mixture of the substances listed below with non-hazardous additions.
- · Listing of dangerous and non-hazardous components: Not applicable.
- · Additional information For the wording of the listed risk phrases refer to section 15.

#### 4 First-aid measures

- · Description of first aid measures
- · General information No special measures required.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing Rinse mouth with water. Seek medical attention and appropriate follow-up.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 2)





Printing date 08/25/2020 Reviewed on 07/25/2020

Trade name: iQ-Check Negative Control

(Contd. of page 1)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

# 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

- Protective Action Criteria for Chemicals
- · PAC-1:

None of the ingredients is listed.

· PAC-2:

None of the ingredients is listed.

· PAC-3:

None of the ingredients is listed.

# 7 Handling and storage

- · Handling
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: According to product specification
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 3)





Printing date 08/25/2020 Reviewed on 07/25/2020

Trade name: iQ-Check Negative Control

(Contd. of page 2)

- · Control parameters
- Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls

Density at 20 °C:Relative density

Evaporation rate

· Vapor density

- · Personal protective equipment
- · General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not required.
- · Protection of hands: Protective gloves.
- · Material of gloves Synthetic gloves
- · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

9 Physical and chemical properties			
<ul> <li>Information on basic physical and</li> <li>General Information</li> <li>Appearance:         <ul> <li>Form:</li> <li>Color:</li> </ul> </li> <li>Odor:</li> </ul>	Liquid Yellow Nearly odorless		
· Odor threshold:	Not determined.		
· pH-value at 20 °C:	8.3		
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	undetermined 100 °C		
· Flash point:	Not applicable		
· Flammability (solid, gaseous)	Not applicable.		
· Decomposition temperature:	Not determined.		
· Auto igniting:	Product is not selfigniting.		
· Danger of explosion:	Not determined.		
· Explosion limits: Lower: Upper:	Not determined. Not determined.		
· Vapor pressure at 20 °C:	23 hPa		

1.0096 g/cm<sup>3</sup>

Not determined.

Not determined.

Not determined.

(Contd. on page 4)





Printing date 08/25/2020 Reviewed on 07/25/2020

Trade name: iQ-Check Negative Control

		(Contd. of page 3)
· Solubility in / Miscibility with Water:	Fully miscible	
· Partition coefficient (n-octanol/	vater): Not determined.	
· Viscosity: dynamic at 20°C: kinematic:	0.952 mPas Not determined.	
· Solvent content: Water:	98.8 %	
Solids content:  Other information	0.2 % No further relevant information available.	

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritant effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

(Contd. on page 5)





Printing date 08/25/2020 Reviewed on 07/25/2020

Trade name: iQ-Check Negative Control

· Target organs: Not applicable.

(Contd. of page 4)

## 12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Generally not hazardous for water.
- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation Dispose of waste in accordance to applicable national, regional, or local regulations.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

Transport information		
· UN-Number · DOT, ADR, ADN, IMDG, IATA	Not Regulated	
· UN proper shipping name · DOT, ADR · ADN, IMDG, IATA	Not Regulated Not Regulated	
· Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA		
Class	Not Regulated	
· Packing group · DOT, ADR, IMDG, IATA	Not Regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
<ul> <li>Transport in bulk according to Annex II of M. and the IBC Code</li> </ul>	ARPOL73/78 Not applicable.	

(Contd. on page 6)





Printing date 08/25/2020 Reviewed on 07/25/2020

Trade name: iQ-Check Negative Control

(Contd. of page 5)

· UN "Model Regulation":

Not Regulated

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · SARA (Superfund Amendents and Reauthorization Act of 1986 USA)
- Section 302/304 (40CFR355.30 / 40CFR355.40):

None of the ingredients is listed.

Section 313 (40CFR372.65):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

- · California Proposition 65:
- · Chemicals known to cause cancer:

The product does not contain listed components.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Developmental Toxicity

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · National regulations
- · Water hazard class: Generally not hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 7)



Page 7/7

# Safety Data Sheet acc. to OSHA HCS

Printing date 08/25/2020 Reviewed on 07/25/2020

Trade name: iQ-Check Negative Control

(Contd. of page 6)

- · **Department issuing SDS:** Environmental Health and Safety.
- · Contact

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

- · Date of preparation / last revision 08/25/2020 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

· \* Data compared to the previous version altered.

US





Printing date 08/25/2020 Reviewed on 08/12/2020

#### 1 Identification

- · Product identifier
- · Trade name: iQ-Check® Positive Control
- · Catalog or product number: 10048962
- · Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Bio-Rad Laboratories, Life Science Group

2000 Alfred Nobel Drive

Hercules, California 94547

(510)741-1000

- · Information department: lsg\_techserv\_us@bio-rad.com
- · Emergency telephone number:

1(800)424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION or ACCIDENT.

510-741-1000

### 2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Not Applicable
- · Hazard pictograms Not Applicable
- · Signal word Not Applicable
- · Hazard statements Not Applicable
- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

# 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description**: Mixture of the substances listed below with non-hazardous additions.
- · Listing of dangerous and non-hazardous components:

Proprietary Reagent SDD 3

Skin Corr. 1B, H314; Eye Dam. 1, H318

0.1-1.0%

· Additional information For the wording of the listed risk phrases refer to section 15.

### 4 First-aid measures

- · Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing Rinse mouth with water. Seek medical attention and appropriate follow-up.

(Contd. on page 2)





Printing date 08/25/2020 Reviewed on 08/12/2020

Trade name: iQ-Check® Positive Control

(Contd. of page 1)

- · Information for doctor
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · Environmental precautions: Dilute with plenty of water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Handling
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: According to product specification
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 3)





Printing date 08/25/2020 Reviewed on 08/12/2020

Trade name: iQ-Check® Positive Control

(Contd. of page 2)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Personal protective equipment
- General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not required.
- · Protection of hands: Protective gloves.
- · Material of gloves Synthetic gloves
- · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

Information on basic physical and	l chemical properties
General Information	
Appearance:	
Form:	Liquid
Color:	Yellow
Odor:	Odorless
Odor threshold:	Not determined.
pH-value at 20 °C:	8.3
Change in condition	
Melting point/Melting range:	undetermined
Boiling point/Boiling range:	100 ℃
Flash point:	Not applicable
Flammability (solid, gaseous)	Not applicable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C:	23 hPa
Density:	Not determined
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible
Partition coefficient (n-octanol/wa	•

(Contd. on page 4)



(Contd. of page 3)



# Safety Data Sheet acc. to OSHA HCS

Printing date 08/25/2020 Reviewed on 08/12/2020

Trade name: iQ-Check® Positive Control

Viscosity:
 dynamic:
 Not determined.
 kinematic:
 Not determined.
Solvent content:
 Organic solvents:
 0.0 %
 Water:
 98.9 %
Solids content:
 0.6 %

No further relevant information available.

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability

· Other information

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values for hazardous components per OSHA criteria:

### 9036-19-5 poly(oxyethylene) octylphenyl ether

Oral LD50 .21 mg/kg (Selanastrum green algae)

7.2 mg/kg (Danio rerio (zebra fish))

4190 mg/kg (Rat)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritant effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 5)





Printing date 08/25/2020 Reviewed on 08/12/2020

Trade name: iQ-Check® Positive Control

(Contd. of page 4)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Target organs: Not applicable.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

# 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information		
· UN-Number · ADR, ADN, IMDG, IATA	Not Regulated	
· UN proper shipping name	Not Negalated	
· ADR, ADN, IMDG, IATA	Not Regulated	
· Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
· Class	Not Regulated	
· Packing group · ADR, IMDG, IATA	Not Regulated	
· Environmental hazards: · Marine pollutant:	No	
- marnie ponatarit.	(Contd. on n	C\

(Contd. on page 6)





Printing date 08/25/2020 Reviewed on 08/12/2020

Trade name: iQ-Check® Positive Control

(Contd. of page 5)

· Special precautions for user

- Not applicable.
- Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · SARA (Superfund Amendents and Reauthorization Act of 1986 USA)
- Section 302/304 (40CFR355.30 / 40CFR355.40):

None of the ingredients is listed.

Section 313 (40CFR372.65):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

Proprietary Reagent SDD 3
Proprietary Reagent SDD 4

77-86-1 Tris(hydroxymethyl)aminomethane

1934-21-0 trisodium 5-hydroxy-1-(4-sulphophenyl)-4-(4-sulphophenylazo)pyrazole-3-carboxylate

7732-18-5 water

- · California Proposition 65:
- · Chemicals known to cause cancer:

The product does not contain listed components.

· Chemicals known to cause reproductive toxicity for females:

9036-19-5 poly(oxyethylene) octylphenyl ether

· Chemicals known to cause reproductive toxicity for males:

9036-19-5 poly(oxyethylene) octylphenyl ether

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environmental Health and Safety.

(Contd. on page 7)



Page 7/7

## Safety Data Sheet acc. to OSHA HCS

Reviewed on 08/12/2020 Printing date 08/25/2020

Trade name: iQ-Check® Positive Control

(Contd. of page 6)

#### · Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

· Date of preparation / last revision 08/25/2020 / -

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Corr. 1B: Skin corrosion/irritation - Category 1B Eye Dam. 1: Serious eye damage/eye irritation - Category 1

· \* Data compared to the previous version altered.





Printing date 08/25/2020 Reviewed on 08/12/2020

#### 1 Identification

- · Product identifier
- · Trade name: iQ-Check® Fluorescent Probes
- Catalog or product number: 10048791
- · Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Bio-Rad Laboratories, Life Science Group

2000 Alfred Nobel Drive

Hercules, California 94547

(510)741-1000

- · Information department: lsg\_techserv\_us@bio-rad.com
- · Emergency telephone number:

1(800)424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION or ACCIDENT.

510-741-1000

### 2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Not Applicable
- · Hazard pictograms Not Applicable
- · Signal word Not Applicable
- · Hazard statements Not Applicable
- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description**: Mixture of the substances listed below with non-hazardous additions.
- · Listing of dangerous and non-hazardous components: Not applicable.
- · Additional information For the wording of the listed risk phrases refer to section 15.

#### 4 First-aid measures

- · Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing Rinse mouth with water. Seek medical attention and appropriate follow-up.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 2)



Page 2/7

# Safety Data Sheet acc. to OSHA HCS

Printing date 08/25/2020 Reviewed on 08/12/2020

Trade name: iQ-Check® Fluorescent Probes

(Contd. of page 1)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- Handling
- · Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: According to product specification
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 3)





Printing date 08/25/2020 Reviewed on 08/12/2020

Trade name: iQ-Check® Fluorescent Probes

(Contd. of page 2)

- · Exposure controls
- Personal protective equipment
- · General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed.
- · Protection of hands: Protective gloves.
- · Material of gloves Synthetic gloves
- · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

Information on basic physical and	chemical properties
General Information	
Appearance:	
Form:	Liquid
Color:	Colorless
Odor:	Odorless
Odor threshold:	Not determined.
pH-value at 20 °C:	8.3
Change in condition	
Melting point/Melting range:	undetermined
Boiling point/Boiling range:	100 °C
Flash point:	Not applicable
Flammability (solid, gaseous)	Not applicable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C:	23 hPa
Density:	Not determined
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible
Partition coefficient (n-octanol/wa	ter): Not determined.
Viscosity:	
dynamic:	Not determined.





Printing date 08/25/2020 Reviewed on 08/12/2020

Trade name: iQ-Check® Fluorescent Probes

		(Contd. of page 3)
kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.9 %	
Water:	98.7 %	
Solids content:	0.4 %	
· Other information	No further relevant information available.	

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values for hazardous components per OSHA criteria:

Oral LD50 14500 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritant effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Target organs: Not applicable.

**-** U





Printing date 08/25/2020 Reviewed on 08/12/2020

Trade name: iQ-Check® Fluorescent Probes

(Contd. of page 4)

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Generally not hazardous for water.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information		
· UN-Number · DOT, ADR, ADN, IMDG, IATA	Not Regulated	
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	Not Regulated	
· Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA · Class	Not Regulated	
· Packing group · DOT, ADR, IMDG, IATA	Not Regulated	
· Environmental hazards: · Marine pollutant:	No	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Annex II of Ma and the IBC Code	<b>ARPOL73/78</b> Not applicable.	
		(Contd. on page 6





Printing date 08/25/2020 Reviewed on 08/12/2020

Trade name: iQ-Check® Fluorescent Probes

(Contd. of page 5)

· UN "Model Regulation":

Not Regulated

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- SARA (Superfund Amendents and Reauthorization Act of 1986 USA)
- Section 302/304 (40CFR355.30 / 40CFR355.40):

None of the ingredients is listed.

Section 313 (40CFR372.65):

None of the ingredients is listed.

- · TSCA (Toxic Substances Control Act):
  - 56-81-5 glycerol
  - 9048-46-8 Bovine Serum Albumin
  - 1185-53-1 Tris-HCI
    - 77-86-1 Tris(hydroxymethyl)aminomethane
  - 7647-14-5 sodium chloride
  - 7758-11-4 dipotassium hydrogenorthophosphate
- 7778-77-0 potassium dihydrogenphosphate
  - 60-00-4 ethylenediaminetetraacetic acid
- 7732-18-5 water
- · Carcinogenic categories
- EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · National regulations
- · Water hazard class: Generally not hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental Health and Safety.
- · Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

(Contd. on page 7)



Page 7/7

# Safety Data Sheet acc. to OSHA HCS

Printing date 08/25/2020 Reviewed on 08/12/2020

Trade name: iQ-Check® Fluorescent Probes

(Contd. of page 6)

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

· Date of preparation / last revision 08/25/2020 / -

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

\* \* Data compared to the previous version altered.

US





Printing date 08/25/2020 Reviewed on 04/08/2020

#### 1 Identification

- · Product identifier
- · Trade name: iQ-Check SerO II Fluorescent Probes Solution
- · Catalog or product number: 10048792
- · Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Bio-Rad Laboratories, Life Science Group

2000 Alfred Nobel Drive

Hercules, California 94547

(510)741-1000

- · Information department: lsg\_techserv\_us@bio-rad.com
- Emergency telephone number:

1(800)424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION or ACCIDENT.

510-741-1000

### 2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Not Applicable
- · Hazard pictograms Not Applicable
- · Signal word Not Applicable
- · Hazard statements Not Applicable
- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description**: Mixture of the substances listed below with non-hazardous additions.
- · Listing of dangerous and non-hazardous components: Not applicable.
- · Additional information For the wording of the listed risk phrases refer to section 15.

#### 4 First-aid measures

- · Description of first aid measures
- · General information No special measures required.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing Rinse mouth with water. Seek medical attention and appropriate follow-up.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 2)





Printing date 08/25/2020 Reviewed on 04/08/2020

Trade name: iQ-Check SerO II Fluorescent Probes Solution

(Contd. of page 1)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · Environmental precautions: Dilute with plenty of water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

· PAC-1:

None of the ingredients is listed.

· PAC-2:

None of the ingredients is listed.

· PAC-3:

None of the ingredients is listed.

### 7 Handling and storage

- · Handling
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: According to product specification
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

- 11





Printing date 08/25/2020 Reviewed on 04/08/2020

Trade name: iQ-Check SerO II Fluorescent Probes Solution

(Contd. of page 2)

# 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not required.
- · Protection of hands: Protective gloves.
- · Material of gloves Synthetic gloves
- · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

9 Physical and chemical properties	
<ul> <li>Information on basic physical and</li> <li>General Information</li> <li>Appearance:</li> </ul>	chemical properties
Form:	Liquid
Color:	Pink
· Odor:	Odorless
· Odor threshold:	Not determined.
· pH-value at 20 °C:	8.3
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	0 °C 100 °C
· Flash point:	Not applicable
· Flammability (solid, gaseous)	Not applicable.
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits: Lower: Upper:	Not determined. Not determined.
· Vapor pressure at 20 °C:	23 hPa
· Density at 20 °C:	1 g/cm³
	(Contd. on page /

(Contd. on page 4)



(Contd. of page 3)



# Safety Data Sheet acc. to OSHA HCS

Printing date 08/25/2020 Reviewed on 04/08/2020

Trade name: iQ-Check SerO II Fluorescent Probes Solution

· Viscosity:

dynamic at 20 °C: 0.952 mPas kinematic: Not determined.

· Solvent content:

 Organic solvents:
 0.9 %

 Water:
 98.7 %

 Solids content:
 0.4 %

· Other information No further relevant information available.

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known

# 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritant effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 5)





Printing date 08/25/2020 Reviewed on 04/08/2020

Trade name: iQ-Check SerO II Fluorescent Probes Solution

(Contd. of page 4)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Target organs: Not applicable.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Generally not hazardous for water.
- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Dispose of waste in accordance to applicable national, regional, or local regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information		
· UN-Number · DOT, ADR, ADN, IMDG, IATA	Not Regulated	
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	Not Regulated	
· Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA · Class	Not Regulated	
· Packing group · DOT, ADR, IMDG, IATA	Not Regulated	

(Contd. on page 6)





Printing date 08/25/2020 Reviewed on 04/08/2020

Trade name: iQ-Check SerO II Fluorescent Probes Solution

(Contd. of page 5)

- · Environmental hazards:
- · Marine pollutant:

No

· Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL73/78

and the IBC Code

Not applicable.

· UN "Model Regulation":

Not Regulated

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · SARA (Superfund Amendents and Reauthorization Act of 1986 USA)
- Section 302/304 (40CFR355.30 / 40CFR355.40):

None of the ingredients is listed.

· Section 313 (40CFR372.65):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

- · California Proposition 65:
- · Chemicals known to cause cancer:

The product does not contain listed components.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Developmental Toxicity

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

(Contd. on page 7)





Printing date 08/25/2020 Reviewed on 04/08/2020

Trade name: iQ-Check SerO II Fluorescent Probes Solution

(Contd. of page 6)

- · National regulations
- · Technical instructions (air):

Class	Share in %
NK	0.1-1

- · Water hazard class: Generally not hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental Health and Safety.
- · Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

- · Date of preparation / last revision 08/25/2020 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit

· \* Data compared to the previous version altered.

US





Printing date 08/25/2020 Reviewed on 08/12/2020

### 1 Identification

- · Product identifier
- · Trade name: iQ-Check® Amplification Solution
- · Catalog or product number: 10048796
- · Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Bio-Rad Laboratories, Life Science Group

2000 Alfred Nobel Drive

Hercules, California 94547

(510)741-1000

- · Information department: lsg\_techserv\_us@bio-rad.com
- · Emergency telephone number:

1(800)424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION or ACCIDENT.

510-741-1000

### 2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Not Applicable
- · Hazard pictograms Not Applicable
- · Signal word Not Applicable
- · Hazard statements Not Applicable
- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description**: Mixture of the substances listed below with non-hazardous additions.
- · Listing of dangerous and non-hazardous components: Not applicable.
- · Additional information For the wording of the listed risk phrases refer to section 15.

#### 4 First-aid measures

- · Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing Rinse mouth with water. Seek medical attention and appropriate follow-up.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 2)





Printing date 08/25/2020 Reviewed on 08/12/2020

Trade name: iQ-Check® Amplification Solution

(Contd. of page 1)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

## 5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

- · Handling
- · Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: According to product specification
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 3)





Printing date 08/25/2020 Reviewed on 08/12/2020

Trade name: iQ-Check® Amplification Solution

(Contd. of page 2)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Personal protective equipment
- General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not required.
- · Protection of hands: Protective gloves.
- · Material of gloves Synthetic gloves
- · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

· Information on basic physical and	chemical properties	
· General Information	onemour properties	
· Appearance:		
Form:	Liquid	
Color:	Colorless	
· Odor:	Odorless	
· Odor threshold:	Not determined.	
· pH-value at 20 °C:	8.3	
· Change in condition		
Melting point/Melting range:	undetermined	
Boiling point/Boiling range:	100 °C	
· Flash point:	Not applicable	
· Flammability (solid, gaseous)	Not applicable.	
· Ignition temperature:	400 °C	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	0.9 Vol %	
Upper:	0.0 Vol %	
· Vapor pressure at 20 °C:	23 hPa	
· Density:	Not determined	_
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible	





Printing date 08/25/2020 Reviewed on 08/12/2020

Trade name: iQ-Check® Amplification Solution

		(Contd. of page 3)
· Partition coefficient (n-octan	ol/water): Not determined.	
· Viscosity: dynamic: kinematic:	Not determined. Not determined.	
· Solvent content:		
Organic solvents:	11.6 %	
Water:	86.7 %	
Solids content:	1.7 %	
· Other information	No further relevant information available.	

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritant effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Target organs: Not applicable.

(Contd. on page 5)

LIS





Printing date 08/25/2020 Reviewed on 08/12/2020

Trade name: iQ-Check® Amplification Solution

(Contd. of page 4)

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information		
· UN-Number · DOT, ADR, ADN, IMDG, IATA	Not Regulated	
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	Not Regulated	
· Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA · Class	Not Regulated	
· Packing group · DOT, ADR, IMDG, IATA	Not Regulated	
· Environmental hazards: · Marine pollutant:	No	
· Special precautions for user	Not applicable.	
	(Cor	ntd. on page 6)





Printing date 08/25/2020 Reviewed on 08/12/2020

Trade name: iQ-Check® Amplification Solution

(Contd. of page 5)

Transport in bulk according to Annex II of MARPOL73/78

and the IBC Code Not applicable.

· UN "Model Regulation": Not Regulated

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · SARA (Superfund Amendents and Reauthorization Act of 1986 USA)
- Section 302/304 (40CFR355.30 / 40CFR355.40):

None of the ingredients is listed.

· TSCA (To	· TSCA (Toxic Substances Control Act):	
	Proprietary Reagent J11	
77-86-1	Tris(hydroxymethyl)aminomethane	
1185-53-1	Tris-HCl	
	potassium chloride	
7783-20-2	Ammonium Sulfate	
	Proprietary Reagent TR 4	
	Proprietary Reagent TL3	
9012-90-2	Polymerase, DNA	
7732-18-5	water	

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · National regulations
- · Technical instructions (air):

Class	Share in %
NK	5-10

- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 7)



Page 7/7

# Safety Data Sheet acc. to OSHA HCS

Printing date 08/25/2020 Reviewed on 08/12/2020

Trade name: iQ-Check® Amplification Solution

(Contd. of page 6)

- · Department issuing SDS: Environmental Health and Safety.
- Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

- · Date of preparation / last revision 08/25/2020 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

\* Data compared to the previous version altered.

US