

# SAFETY DATA SHEET

3A International Business Park #11-10/16

This safety data sheet complies with the requirements of: SS586: 2008 (2014)

Revision date 13-Dec-2023 Revision Number 1.1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

**Product identifier** 

**Product Name** Nuvia Q Media

Other means of identification

Catalogue Number(s) 12009519, 12018183, 1560411, 1560413, 1560415, 1560417, 10020308

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Laboratory chemicals

Uses advised against No information available

Details of the supplier of the safety data sheet

**Corporate Headquarters** Manufacturer **Legal Entity / Contact Address** 

Bio-Rad Laboratories, Life Science Group Bio-Rad Laboratoires (Singapore) PTE LTD Bio-Rad Laboratories Inc. 1000 Alfred Nobel Drive 2000 Alfred Nobel Drive

Hercules, CA 94547 ICON@IBP Hercules, California 94547 Singapore 609935 USA USA

For further information, please contact

**Technical Service** 6424 0262

ctssingapore@bio-rad.com

Emergency telephone number

24 Hour Emergency Phone Number CHEMTREC Singapore: 65-31581349

# **SECTION 2: Hazards identification**

GHS Classification

Flammable liquids Category 3

Label elements



SGPE / BE Page 1/9

#### **Hazard statements**

H226 - Flammable liquid and vapour

#### **Precautionary Statements - Prevention**

Keep container tightly closed

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

**Precautionary Statements - Response** 

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

Precautionary Statements - Storage Store in a well-ventilated place. Keep cool Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards which do not result in classification

# SECTION 3: Composition/information on ingredients

#### **Substance**

Not applicable

#### **Mixture**

Chemical name	EC No (EU Index No)	CAS No	Weight-%
Ethyl alcohol	(603-002-00-5)	64-17-5	10 - 20
200-578-6			
Sodium chloride	231-598-3	7647-14-5	5 - 10

Non-hazardous Proprietary Balance

ingredients

### **SECTION 4: First aid measures**

#### Description of first aid measures

**General advice** No hazards which require special first aid measures.

**Inhalation** Remove to fresh air.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area.

**Skin contact**Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes.

**Ingestion** Rinse mouth thoroughly with water.

### Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

For emergency responders

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Use

personal protective equipment as required. See section 8 for more information.

Indication of any immediate medical attention and special treatment needed

SGPE / BE Page 2/9

Note to doctors Treat symptomatically.

# **SECTION 5: Firefighting measures**

**Suitable Extinguishing Media** 

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective actions for fire-fighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

### SECTION 6: Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the

product must be grounded. Do not touch or walk through spilled material.

Other information Ventilate the area.

**Environmental precautions** 

**Environmental precautions** Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if

safe to do so. Prevent product from entering drains.

Methods and material for containment and cleaning up

**Methods for containment**Stop leak if you can do it without risk. Do not touch or walk through spilled material. A

vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand

or other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labelled containers.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

**Reference to other sections** See section 8 for more information. See section 13 for more information.

# SECTION 7: Handling and storage

#### Precautions for safe handling

SGPE / BE Page 3/9

vapours or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers.

Use according to package label instructions.

**General hygiene considerations** Do not eat, drink or smoke when using this product. Contaminated work clothing should not

be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat,

sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national

regulations. Store in accordance with local regulations.

# SECTION 8: Exposure controls/personal protection

### **Control parameters**

#### Occupational exposure limits

Chemical name	Singapore	ACGIH TLV
Ethyl alcohol	PEL: 1000 ppm	STEL: 1000 ppm
64-17-5	PEL: 1880 mg/m <sup>3</sup>	

#### Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

### Individual protection measures, such as personal protective equipment

**Eve/face protection** Tight sealing safety goggles.

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots.

**Hand protection** Wear suitable gloves. Impervious gloves.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

**Environmental exposure controls** No information available.

# **SECTION 9: Physical and chemical properties**

Information on basic physical and chemical properties

Physical state No information available

Appearance Suspension Colour light blue

SGPE / BE Page 4/9

Nuvia Q Media

Odour Odourless.

**Odour threshold** No information available

**Property** Values Remarks • Method

Hq

Melting point / freezing point No data available None known

Initial boiling point and boiling range78 °C

44 °C Flash point

**Evaporation rate** No data available None known **Flammability** No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

No data available Vapour pressure None known Relative vapour density No data available None known Relative density No data available None known

Water solubility Immiscible in water

Solubility(ies) No data available None known **Partition coefficient** No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** None known No data available Kinematic viscosity None known

**Dynamic viscosity** No data available None known

Other information No information available

# **SECTION 10: Stability and reactivity**

Reactivity

No information available. Reactivity

**Chemical stability** 

Stability Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None. Sensitivity to static discharge

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Heat, flames and sparks. Conditions to avoid

Incompatible materials

Incompatible materials None known based on information supplied.

Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

# SECTION 11: Toxicological information

Information on likely routes of exposure

Page 5/9

#### **Product Information**

.

**Inhalation** Specific test data for the substance or mixture is not available.

**Eye contact** Specific test data for the substance or mixture is not available.

**Skin contact** Specific test data for the substance or mixture is not available.

**Ingestion** Specific test data for the substance or mixture is not available.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

**Acute toxicity** 

**Numerical measures of toxicity** 

No information available

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 26,842.10 mg/kg ATEmix (inhalation-dust/mist) 817.50 mg/l

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Water	> 90 mL/kg (Rat)		
Ethyl alcohol	= 7060 mg/kg (Rat)		= 116.9 mg/L (Rat)4 h = 133.8 mg/L (Rat)4 h
Sodium chloride	= 3 g/kg (Rat)	> 10000 mg/kg (Rabbit)	> 42 mg/L (Rat)1 h

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

**STOT - repeated exposure**Based on available data, the classification criteria are not met.

**Aspiration hazard** Classification not possible.

# **SECTION 12: Ecological information**

**Ecotoxicity** 

**Ecotoxicity** Harmful to aquatic life.

SGPE / BE Page 6/9

#### Unknown aquatic toxicity

Contains 0 % of components with unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
Ethyl alcohol	-	LC50: 12.0 - 16.0mL/L (96h,	LC50: 9268 - 14221mg/L (48h,
		Oncorhynchus mykiss)	Daphnia magna)
		LC50: >100mg/L (96h,	EC50: =2mg/L (48h, Daphnia
		Pimephales promelas)	magna)
		LC50: 13400 - 15100mg/L (96h,	
		Pimephales promelas)	
Sodium chloride	-	LC50: 5560 - 6080mg/L (96h,	EC50: =1000mg/L (48h,
		Lepomis macrochirus)	Daphnia magna)
		LC50: =12946mg/L (96h,	EC50: 340.7 - 469.2mg/L (48h,
		Lepomis macrochirus)	Daphnia magna)
		LC50: 6020 - 7070mg/L (96h,	
		Pimephales promelas)	
		LC50: =7050mg/L (96h,	
		Pimephales promelas)	
		LC50: 6420 - 6700mg/L (96h,	
		Pimephales promelas)	
		LC50: 4747 - 7824mg/L (96h,	
		Oncorhynchus mykiss)	

### Persistence and degradability

Persistence and degradability

No information available.

There is no data for this product.

**Bioaccumulative potential** 

Bioaccumulation

Chemical name Partition coefficient
Ethyl alcohol -0.35

# **Mobility**

Mobility in soil

No information available.

### PBT and vPvB assessment

Chemical name	PBT and vPvB assessment	
Ethyl alcohol	The substance is not PBT / vPvB	
Sodium chloride	The substance is not PBT / vPvB	

### Other adverse effects

Other adverse effects No information available

# **SECTION 13: Disposal considerations**

### **Disposal methods**

Waste from residues/unused products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld

containers.

# **SECTION 14: Transport information**

SGPE / BE Page 7/9

IMDG Not regulated

Transport in bulk according to No information available

Annex II of MARPOL and the IBC

Code

IATA Not regulated

# SECTION 15: Regulatory information

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Singapore

#### **Environmental Public Health Act**

Dispose of waste product or used containers according to local regulations.

#### Fire Safety (Petroleum and Flammable Materials) Regulations

Verify that licence requirements are met.

that he he requirements are men			
Chemical name	Regulated	Hazard class	
Ethyl alcohol	SCDETH1170L2	3	

#### Hazardous Waste (Control of Export, Import and Transit) Act

It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Take note that wastes may be subject to export, import, or transit controls pursuant to the Basel convention and/or local regulations implementing the Basel convention.

#### Poison

None Listed

# Workplace Safety and Health Act

See section 8 for national exposure control parameters. Comply with the health and safety at work laws.

### **International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

#### **International Inventories**

Contact supplier for inventory compliance status

# **SECTION 16: Other information**

# Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA)

SGPE / BE Page 8/9

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

### Label elements

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P233 - Keep container tightly closed

P363 - Wash contaminated clothing before reuse

P370 + P378 - In case of fire: Use dry chemical, CO2, water spray or alcohol-resistant foam to extinguish

P403 + P235 - Store in a well-ventilated place. Keep cool

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Issuing Date Bio-Rad Laboratories, Environmental Health and Safety

Revision date 13-Dec-2023

**Revision Note** Significant changes throughout SDS. Review all sections.

This safety data sheet complies with the requirements of: SS586: 2008 (2014)

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

SGPE / BE Page 9/9