KIT SAFETY DATA SHEET



Kit Product Name Precision Plus Western C Value Pack Kit

Kit Catalogue Number(s) 1610398

Revision date 06-Mar-2023

Kit Contents

Catalogue Number(s)	Product Name
1610380, 1610380EDU, 1610381, 10022135, 10022188	StrepTactin-HRP Conjugate 0.3 ml
1610376, 1610376S, 1610399, 10022175	Precision Plus Protein Western-C Standards

KITU / BE Page 1/19



SAFETY DATA SHEET

According to WHS Regulations

Revision date 30-Aug-2022 Revision Number 2.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

StrepTactin-HRP Conjugate 0.3 ml **Product Name**

Catalogue Number(s) 1610380, 1610380EDU, 1610381, 10022135, 10022188

Other means of identification

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Laboratory chemicals

Uses advised against No information available

Details of manufacturer or importer

Corporate Headquarters Bio-Rad Laboratories Inc. 1000 Alfred Nobel Drive

Hercules, CA 94547 USA

Manufacturer Bio-Rad Laboratories, Life Science Group Bio-Rad Laboratories Pty Ltd 2000 Alfred Nobel Drive Hercules, California 94547

USA

Legal Entity / Contact Address u1A, 62 Ferndell Street, South Granville NSW 2142

Australia

For further information, please contact

+61 2 9914 2800 or 1800 224 354 **Technical Service**

sales.australia@bio-rad.com

Emergency telephone number

24 Hour Emergency Phone Number CHEMTREC Australia: 61-290372994

Emergency telephone number No information available

SECTION 2: Hazards identification

GHS Classification

Skin sensitisation Category 1A - (H317)

Label elements

Exclamation mark



Signal word Warning

Hazard statements

H317 - May cause an allergic skin reaction

Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapours/spray

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves/protective clothing/eye protection/face protection

IF ON SKIN: Wash with plenty of water and soap

If skin irritation or rash occurs: Get medical advice/attention

Take off all contaminated clothing and wash it before reuse

Precautionary Statements - Disposal

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Other hazards which do not result in classification

Contains animal source material (Cattle)

SECTION 3: Composition/information on ingredients

Substance

Not applicable

Mixture

Chemical name	CAS No	Weight-%
Sodium phosphate dibasic	7558-79-4	0.1 - 0.299
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone	55965-84-9	0.001 - 0.01
2-Chloroacetamide	79-07-2	< 0.001
Hydrochloric acid	7647-01-0	< 0.001
Non-hazardous ingredients	Proprietary	Balance

SECTION 4: First aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Emergency telephone number Poisons Information Centre, Australia: 13 11 26

Poisons Information Centre, New Zealand: 0800 764 766

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a doctor.

Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation

or allergic reactions see a doctor.

Ingestion Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Note to doctorsMay cause sensitisation in susceptible persons. Treat symptomatically.

SECTION 5: Firefighting measures

Suitable Extinguishing Media

surrounding environment.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Product is or contains a sensitiser. May cause sensitisation by skin contact.

Special protective actions for fire-fighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labelled containers.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

SECTION 7: Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off

contaminated clothing and wash it before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children. Store according to product and label instructions.

Incompatible materialsNone known based on information supplied.

SECTION 8: Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	Australia	ACGIH TLV
Hydrochloric acid	Peak: 5 ppm	Ceiling: 2 ppm
7647-01-0	Peak: 7.5 mg/m ³	-

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protectionWear suitable protective clothing.

Hand protection Wear suitable gloves.

exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid

Appearanceaqueous solutionColourcolourlessOdourOdourless.

Odour threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 6-7 Melting point / freezing point 0 °C

Boiling point / boiling range 100 °C

Flash point No data available None known
Evaporation rate No data available None known
Flammability (solid, gas) No data available None known
Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapour pressureNo data availableNone knownVapour densityNo data availableNone knownRelative densityNo data availableNone known

Water solubilityMiscible in waterSolubility(ies)No data availableNone knownPartition coefficientNo data availableNone known

No data available

Autoignition temperature

Decomposition temperature

Kinematic viscosityNo data availableDynamic viscosityNo data availableExplosive propertiesNot applicableOxidising propertiesNot applicable

None known None known None known

None known

Other information

Molecular weightNot applicableVOC contentNot applicable

SECTION 10: Stability and reactivity

Reactivity

Reactivity No information available.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions
None under normal processing.

Conditions to avoid

Conditions to avoidNone known based on information supplied.

Incompatible materials

Incompatible materialsNone known based on information supplied.

Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

Acute toxicity

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact May cause sensitisation by skin contact. Specific test data for the substance or mixture is

not available. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons. (based on components).

Ingestion Specific test data for the substance or mixture is not available

Symptoms Itching. Rashes. Hives.

Numerical measures of toxicity - Product Information

Component Information

Chemical name Oral LD50		Dermal LD50	Inhalation LC50
Sodium phosphate dibasic	= 17 g/kg(Rat)	-	-
5-Chloro-2-methyl-3(2H)-isothia = 53 mg/kg (Ra zolone, mixture with 2-methyl-3(2H)-isothiazolone		= 87.12 mg/kg (Rabbit)	-
2-Chloroacetamide = 138 mg/kg (Rat)		> 2000 mg/kg (Rat)	-
Hydrochloric acid 238 - 277 mg/kg (Rat)		> 5010 mg/kg(Rabbit)	= 1.68 mg/L (Rat)1 h

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationBased on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation May cause sensitisation by skin contact.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicityBased on available data, the classification criteria are not met.

STOT - single exposureBased on available data, the classification criteria are not met.

STOT - repeated exposureBased on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

Ecotoxicity

Ecotoxicity

Unknown aquatic toxicity 0 % of the mixture consists of component(s) of unknown hazards to the aquatic

environment.

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with	0.7
2-methyl-3(2H)-isothiazolone	
2-Chloroacetamide	-0.63

Mobility

Mobility in soilNo information available.MobilityNo information available.

Other adverse effects

Other adverse effects No information available.

SECTION 13: Disposal considerations

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information

ADG Not regulated

IMDG Not regulated

Not regulated

Transport in bulk according to Annex II of MARPOL and the IBC Code

No information available

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

See section 8 for national exposure control parameters

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number

Major hazard (accident/incident planning) regulation

Verify that licence requirements are met

Named hazardous chemicals

Chemical name	Threshold quantity (T)	
Hydrochloric acid - 7647-01-0	01-0 250 tonne TQ anhydrous	
	250 tonne TQ refrigerated liquid	

National pollutant inventory

Subject to reporting requirement

Chemical name	National pollutant inventory
Hydrochloric acid - 7647-01-0	10 tonne/yr Threshold category 1
	400 tonne/yr Threshold category 2a
	1 tonne/h Threshold category 2a

2000 tonne/yr Threshold category 2b
60000 MWH Threshold category 2b
20 MW Threshold category 2b

International Inventories

Contact supplier for inventory compliance status

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

SECTION 16: Other information

Prepared By Bio-Rad Laboratories. Environmental Health and Safety

30-Aug-2022 **Revision date**

Revision Note Reformatted and updated existing information.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA (time-weighted average) STEL (Short Term Exposure Limit) STEL

Ceiling Maximum limit value Skin designation

Carcinogen

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet



SAFETY DATA SHEET

According to WHS Regulations

Revision date 06-Mar-2023 **Revision Number** 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Precision Plus Protein Western-C Standards **Product Name**

Catalogue Number(s) 1610376, 1610376S, 1610399, 10022175

Other means of identification

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Laboratory chemicals

Uses advised against No information available

Details of manufacturer or importer

Corporate Headquarters Bio-Rad Laboratories Inc. 1000 Alfred Nobel Drive

Hercules, CA 94547 USA

Manufacturer Bio-Rad Laboratories, Life Science Group Bio-Rad Laboratories Pty Ltd

2000 Alfred Nobel Drive Hercules, California 94547

USA

Legal Entity / Contact Address

u1A, 62 Ferndell Street, South Granville NSW 2142

Australia

For further information, please contact

Technical Service +61 2 9914 2800 or 1800 224 354

sales.australia@bio-rad.com

Emergency telephone number

24 Hour Emergency Phone Number CHEMTREC Australia: 61-290372994

Emergency telephone number No information available

SECTION 2: Hazards identification

GHS Classification

Serious eye damage/eye irritation Category 2 - (H319)

Label elements

Exclamation mark



Page 11/19

Signal word

Warning

Hazard statements

H319 - Causes serious eye irritation

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Precautionary Statements - Disposal

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Other hazards which do not result in classification

May be harmful if inhaled Causes mild skin irritation Harmful to aquatic life with long lasting effects Harmful to aquatic life

SECTION 3: Composition/information on ingredients

Substance

Not applicable

Mixture

Chemical name	CAS No	Weight-%
1,2,3-Propanetriol	56-81-5	20 - 35
Sodium lauryl sulfate	151-21-3	1 - 2.5
Non-hazardous ingredients	Proprietary	Balance

SECTION 4: First aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Emergency telephone number Poisons Information Centre, Australia: 13 11 26

Poisons Information Centre, New Zealand: 0800 764 766

Inhalation Remove to fresh air.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

persists.

Skin contact Wash skin with soap and water.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Call a doctor.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Symptoms May cause redness and tearing of the eyes. Burning sensation. Prolonged contact may

cause redness and irritation.

Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

SECTION 5: Firefighting measures

Suitable Extinguishing Media

surrounding environment.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the

None known.

chemical

Special protective actions for fire-fighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Other information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labelled containers.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

SECTION 7: Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store according to

product and label instructions.

Incompatible materials Metals.

SECTION 8: Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	Australia	ACGIH TLV
1,2,3-Propanetriol 56-81-5	TWA: 10 mg/m ³	
30-01-3		

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear suitable protective clothing.

Hand protection Wear suitable gloves.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid

Appearance aqueous solution colourless
Odour Odourless.

Odour threshold No information available

Property Values Remarks • Method

pH 6.8

Melting point / freezing point No data available None known

Boiling point / boiling range > 100 °C **Flash point** > 160 °C

Evaporation rate

No data available

None known

None known

None known

Flammability Limit in Air

None known No data available

Upper flammability or explosive No data limits

limits

Lower flammability or explosive

No data available

limits

Vapour pressureNo data availableNone knownVapour densityNo data availableNone knownRelative densityNo data availableNone known

No data available

Water solubility
Solubility(ies)
Miscible in water
No data available
Partition coefficient
No data available

Autoignition temperature Decomposition temperature

Kinematic viscosity

Dynamic viscosity

Explosive properties

Oxidising properties

No data available
Not applicable
Not applicable

Oxidising properties

Other informationNot applicableMolecular weightNot applicableVOC contentNot applicable

SECTION 10: Stability and reactivity

Reactivity

Reactivity No information available.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions Avoid contact with metals. This product contains Sodium azide. Sodium azide can react with

Copper, Brass, Lead, and solder in piping systems to form explosive compounds and toxic

None known

None known

None known

None known

None known

None known

gases.

Conditions to avoid

Conditions to avoidNone known based on information supplied.

Incompatible materials

Incompatible materials Metals.

Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

Acute toxicity

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract. May be harmful if inhaled.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

Skin contact Specific test data for the substance or mixture is not available. May cause irritation.

Prolonged contact may cause redness and irritation. Causes mild skin irritation.

Ingestion Specific test data for the substance or mixture is not available Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhoea

Symptoms May cause redness and tearing of the eyes. Prolonged contact may cause redness and

irritation.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 64,400.00 mg/kg ATEmix (inhalation-dust/mist) 48.70 mg/l

Component Information

Chemical name Oral LD50		Dermal LD50	Inhalation LC50		
	1,2,3-Propanetriol = 12600 mg/kg (Rat)		> 10 g/kg (Rabbit)	> 2.75 mg/L (Rat)4 h	
Sodium lauryl sulfate = 1288 mg/kg (Rat)		= 200 mg/kg (Rabbit)	> 3900 mg/m³(Rat)1 h		

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation May cause skin irritation. Classification based on data available for ingredients.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicityBased on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposureBased on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

Ecotoxicity

Ecotoxicity Harmful to aquatic life with long lasting effects.

Unknown aquatic toxicity 0 % of the mixture consists of component(s) of unknown hazards to the aquatic

environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
1,2,3-Propanetriol	-	LC50: 51 - 57mL/L (96h,	-	-
		Oncorhynchus mykiss)		
Sodium lauryl sulfate	EC50: =53mg/L (72h,	LC50: 15 - 18.9mg/L (96h,	-	EC50: =1.8mg/L (48h,
	Desmodesmus	Pimephales promelas)		Daphnia magna)
	subspicatus)	LC50: 8 - 12.5mg/L (96h,		_
	EC50: 30 - 100mg/L (96h,	Pimephales promelas)		
	Desmodesmus	LC50: 22.1 - 22.8mg/L		

subspicatus) EC50: =117mg/L (96h, Pseudokirchneriella subcapitata) EC50: 3.59 - 15.6mg/L (96h, Pseudokirchneriella subcapitata) LC50: 4.3 - 8.5mg/L (96h, Oncorhynchus mykiss) LC50: =4.2mg/L (96h, Oncorhynchus mykiss) LC50: =4.2mg/L (96h, Oncorhynchus mykiss) LC50: 9.9 - 20.1mg/L (96h, Brachydanio rerio) LC50: 4.06 - 5.75mg/L (96h, Brachydanio rerio) LC50: 4.06 - 5.75mg/L (96h, Lepomis macrochirus) LC50: 4.2 - 4.8mg/L (96h, Lepomis macrochirus) LC50: 5.3 - 7.5mg/L (96h, Lepomis macrochirus) LC50: 5.5 - 7.5mg/L (96h, Lepomis macrochirus) LC50: 5.5 - 7.5mg/L (96h, Pimephales promelas) LC50: 10.2 - 22.5mg/L (96h, Pimephales promelas) LC50: 1.50: 6.2 - 9.6mg/L (96h, Pimephales promelas) LC50: 1.3 - 18.3mg/L (96h, Pimephales promelas) LC50: 1.3 - 16.6mg/L (96h, Poecilia reticulata) LC50: 1.3 - 16.6mg/L (96h, Popecilia reticulata) LC50: 1.3 - 13.1mg/L (96h, Cyprinus carpio)			
Pseudokirchneriella subcapitata) EC50: 4.3 * 8.5mg/L (96h, Oncorhynchus mykiss) LC50: =4.62mg/L (96h, Oncorhynchus mykiss) LC50: =4.2mg/L (96h, Oncorhynchus mykiss) LC50: =4.2mg/L (96h, Oncorhynchus mykiss) LC50: =7.97mg/L (96h, Oncorhynchus mykiss) LC50: =7.97mg/L (96h, Brachydanio rerio) LC50: 9.9 * 20.1mg/L (96h, Lepomis macrochirus) LC50: 4.2 * 4.8mg/L (96h, Lepomis macrochirus) LC50: 4.5 * 5.8 * 7.5mg/L (96h, Lepomis macrochirus) LC50: 5.8 * 7.5mg/L (96h, Lepomis macrochirus) LC50: 1.0.2 * 22.5mg/L (96h, Pimephales promelas) LC50: 10.2 * 29.6mg/L (96h, Pimephales promelas) LC50: 13.5 * 18.3mg/L (96h, Poecilia reticulata) LC50: =1.31mg/L (96h, Poecilia reticulata) LC50: =1.31mg/L (96h, Poecilia reticulata)	subspicatus)	(96h, Pimephales	
subcapitata) EC50: 3.59 - 15.6mg/L (96h, Pseudokirchneriella subcapitata) C50: =4.2mg/L (96h, Oncorhynchus mykiss) LC50: =4.2mg/L (96h, Oncorhynchus mykiss) LC50: =7.97mg/L (96h, Oncorhynchus mykiss) LC50: =7.97mg/L (96h, Oncorhynchus mykiss) LC50: =7.97mg/L (96h, Brachydanio rerio) LC50: 9.9 - 20.1mg/L (96h, Brachydanio rerio) LC50: 4.6 - 5.75mg/L (96h, Lepomis macrochirus) LC50: 4.2 - 4.8mg/L (96h, Lepomis macrochirus) LC50: 5.4 - 7.5mg/L (96h, Lepomis macrochirus) LC50: 5.5 - 7.5mg/L (96h, Pimephales promelas) LC50: 5.6 - 7.5mg/L (96h, Pimephales promelas) LC50: 10.2 - 22.5mg/L (96h, Pimephales promelas) LC50: 6.2 - 9.6mg/L (96h, Pimephales promelas) LC50: 13.5 - 18.3mg/L (96h, Poecilia reticulata) LC50: 10.8 - 16.6mg/L (96h, Poecilia reticulata) LC50: 13.1mg/L (96h, Poecilia reticulata) LC50: 13.1mg/L	EC50: =117mg/L (96h	n, promelas)	
EC50: 3.59 - 15.6mg/L (96h, Pseudokirchneriella subcapitata) LC50: =4.62mg/L (96h, Oncorhynchus mykiss) LC50: =7.97mg/L (96h, Oncorhynchus mykiss) LC50: =7.97mg/L (96h, Brachydanio rerio) LC50: 9.9 - 20.1mg/L (96h, Lepomis macrochirus) LC50: 4.2 - 4.8mg/L (96h, Lepomis macrochirus) LC50: 4.2 - 4.8mg/L (96h, Lepomis macrochirus) LC50: 5.8 - 7.5mg/L (96h, Lepomis macrochirus) LC50: 5.8 - 7.5mg/L (96h, Pimephales promelas) LC50: 10.2 - 22.5mg/L (96h, Pimephales promelas) LC50: 13.5 - 18.3mg/L (96h, Pimephales promelas) LC50: 13.5 - 18.3mg/L (96h, Pimephales promelas) LC50: 13.5 - 18.6mg/L (96h, Pimephales promelas) LC50: 10.8 - 16.6mg/L (96h, Pimephales promelas)	Pseudokirchneriella	LC50: 4.3 - 8.5mg/L (96h,	
(96h, Pseudokirchneriella subcapitata) Oncortynchus mykiss) LC50: =4.2mg/L (96h, Oncortynchus mykiss) LC50: =7.97mg/L (96h, Brachydanio rerio) LC50: 9.9 - 20.1mg/L (96h, Brachydanio rerio) LC50: 4.06 - 5.75mg/L (96h, Lepomis macrochirus) LC50: 4.2 - 4.8mg/L (96h, Lepomis macrochirus) LC50: -4.5mg/L (96h, Lepomis macrochirus) LC50: -4.5mg/L (96h, Lepomis macrochirus) LC50: -2.5mg/L (96h, Pimephales promelas) LC50: 5.8 - 7.5mg/L (96h, Pimephales promelas) LC50: 6.2 - 9.6mg/L (96h, Pimephales promelas) LC50: 1.3.5 - 18.3mg/L (96h, Pimephales promelas) LC50: 13.5 - 18.3mg/L (96h, Pimephales promelas) LC50: 10.8 - 16.6mg/L (96h, Poecilia reticulata) LC50: 10.8 - 16.6mg/L (96h, Poecilia reticulata) LC50: =1.31mg/L (96h,	subcapitata)	Oncorhynchus mykiss)	
subcapitata) LC50: =4.2mg/L (96h, Oncorhynchus mykiss) LC50: =7.97mg/L (96h, Brachydanio rerio) LC50: 9.9 - 20.1mg/L (96h, Brachydanio rerio) LC50: 4.06 - 5.75mg/L (96h, Lepomis macrochirus) LC50: 4.2 - 4.8mg/L (96h, Lepomis macrochirus) LC50: =4.5mg/L (96h, Lepomis macrochirus) LC50: 5.8 - 7.5mg/L (96h, Lepomis macrochirus) LC50: 5.8 - 7.5mg/L (96h, Pimephales promelas) LC50: 10.2 - 22.5mg/L (96h, Pimephales promelas) LC50: 6.2 - 9.6mg/L (96h, Pimephales promelas) LC50: 13.5 - 18.3mg/L (96h, Poecilia reticulata) LC50: 10.8 - 16.6mg/L (96h, Poecilia reticulata) LC50: 1.31mg/L (96h,	EC50: 3.59 - 15.6mg/	L LC50: =4.62mg/L (96h,	
Oncorhynchus mykiss) LC50: =7.97mg/L (96h, Brachydanio rerio) LC50: 9.9 - 20.1mg/L (96h, Brachydanio rerio) LC50: 4.06 - 5.75mg/L (96h, Lepomis macrochirus) LC50: 4.2 - 4.8mg/L (96h, Lepomis macrochirus) LC50: =4.5mg/L (96h, Lepomis macrochirus) LC50: 5.8 - 7.5mg/L (96h, Pimephales promelas) LC50: 10.2 - 22.5mg/L (96h, Pimephales promelas) LC50: 6.2 - 9.6mg/L (96h, Pimephales promelas) LC50: 13.5 - 18.3mg/L (96h, Poecilia reticulata) LC50: 10.8 - 16.6mg/L (96h, Poecilia reticulata) LC50: =1.31mg/L (96h,	(96h, Pseudokirchnerie	ella Oncorhynchus mykiss)	
LC50: =7.97mg/L (96h, Brachydanio rerio) LC50: 9.9 - 20.1mg/L (96h, Brachydanio rerio) LC50: 4.06 - 5.75mg/L (96h, Lepomis macrochirus) LC50: 4.2 - 4.8mg/L (96h, Lepomis macrochirus) LC50: =4.5mg/L (96h, Lepomis macrochirus) LC50: 5.8 - 7.5mg/L (96h, Pimephales promelas) LC50: 10.2 - 22.5mg/L (96h, Pimephales promelas) LC50: 6.2 - 9.6mg/L (96h, Pimephales promelas) LC50: 13.5 - 18.3mg/L (96h, Poecilia reticulata) LC50: 10.8 - 16.6mg/L (96h, Poecilia reticulata) LC50: =1.31mg/L (96h,	subcapitata)	LC50: =4.2mg/L (96h,	
Brachydanio rerio) LC50: 9.9 - 20.1mg/L (96h, Brachydanio rerio) LC50: 4.06 - 5.75mg/L (96h, Lepomis macrochirus) LC50: 4.2 - 4.8mg/L (96h, Lepomis macrochirus) LC50: =4.5mg/L (96h, Lepomis macrochirus) LC50: 5.8 - 7.5mg/L (96h, Pimephales promelas) LC50: 10.2 - 22.5mg/L (96h, Pimephales promelas) LC50: 6.2 - 9.6mg/L (96h, Pimephales promelas) LC50: 13.5 - 18.3mg/L (96h, Poecilia reticulata) LC50: 10.8 - 16.6mg/L (96h, Poecilia reticulata) LC50: =1.31mg/L (96h,		Oncorhynchus mykiss)	
Brachydanio rerio) LC50: 9.9 - 20.1mg/L (96h, Brachydanio rerio) LC50: 4.06 - 5.75mg/L (96h, Lepomis macrochirus) LC50: 4.2 - 4.8mg/L (96h, Lepomis macrochirus) LC50: =4.5mg/L (96h, Lepomis macrochirus) LC50: 5.8 - 7.5mg/L (96h, Pimephales promelas) LC50: 10.2 - 22.5mg/L (96h, Pimephales promelas) LC50: 6.2 - 9.6mg/L (96h, Pimephales promelas) LC50: 13.5 - 18.3mg/L (96h, Poecilia reticulata) LC50: 10.8 - 16.6mg/L (96h, Poecilia reticulata) LC50: =1.31mg/L (96h,		LC50: =7.97mg/L (96h,	
(96h, Brachydanio rerio) LC50: 4.06 - 5.75mg/L (96h, Lepomis macrochirus) LC50: 4.2 - 4.8mg/L (96h, Lepomis macrochirus) LC50: =4.5mg/L (96h, Lepomis macrochirus) LC50: 5.8 - 7.5mg/L (96h, Pimephales promelas) LC50: 10.2 - 22.5mg/L (96h, Pimephales promelas) LC50: 6.2 - 9.6mg/L (96h, Pimephales promelas) LC50: 13.5 - 18.3mg/L (96h, Poecilia reticulata) LC50: 10.8 - 16.6mg/L (96h, Poecilia reticulata) LC50: =1.31mg/L (96h,			
LC50: 4.06 - 5.75mg/L (96h, Lepomis macrochirus) LC50: 4.2 - 4.8mg/L (96h, Lepomis macrochirus) LC50: =4.5mg/L (96h, Lepomis macrochirus) LC50: 5.8 - 7.5mg/L (96h, Pimephales promelas) LC50: 10.2 - 22.5mg/L (96h, Pimephales promelas) LC50: 6.2 - 9.6mg/L (96h, Pimephales promelas) LC50: 13.5 - 18.3mg/L (96h, Poecilia reticulata) LC50: 10.8 - 16.6mg/L (96h, Poecilia reticulata) LC50: =1.31mg/L (96h,		LC50: 9.9 - 20.1mg/L	
(96h, Lepomis macrochirus) LC50: 4.2 - 4.8mg/L (96h, Lepomis macrochirus) LC50: =4.5mg/L (96h, Lepomis macrochirus) LC50: 5.8 - 7.5mg/L (96h, Pimephales promelas) LC50: 10.2 - 22.5mg/L (96h, Pimephales promelas) LC50: 6.2 - 9.6mg/L (96h, Pimephales promelas) LC50: 13.5 - 18.3mg/L (96h, Poecilia reticulata) LC50: 10.8 - 16.6mg/L (96h, Poecilia reticulata) LC50: =1.31mg/L (96h,		(96h, Brachydanio rerio)	
macrochirus) LC50: 4.2 - 4.8mg/L (96h, Lepomis macrochirus) LC50: =4.5mg/L (96h, Lepomis macrochirus) LC50: 5.8 - 7.5mg/L (96h, Pimephales promelas) LC50: 10.2 - 22.5mg/L (96h, Pimephales promelas) LC50: 6.2 - 9.6mg/L (96h, Pimephales promelas) LC50: 13.5 - 18.3mg/L (96h, Poecilia reticulata) LC50: 10.8 - 16.6mg/L (96h, Poecilia reticulata) LC50: =1.31mg/L (96h,		LC50: 4.06 - 5.75mg/L	
LC50: 4.2 - 4.8mg/L (96h, Lepomis macrochirus) LC50: =4.5mg/L (96h, Lepomis macrochirus) LC50: 5.8 - 7.5mg/L (96h, Pimephales promelas) LC50: 10.2 - 22.5mg/L (96h, Pimephales promelas) LC50: 6.2 - 9.6mg/L (96h, Pimephales promelas) LC50: 13.5 - 18.3mg/L (96h, Poecilia reticulata) LC50: 10.8 - 16.6mg/L (96h, Poecilia reticulata) LC50: =1.31mg/L (96h,		(96h, Lepomis	
Lepomis macrochirus) LC50: =4.5mg/L (96h, Lepomis macrochirus) LC50: 5.8 - 7.5mg/L (96h, Pimephales promelas) LC50: 10.2 - 22.5mg/L (96h, Pimephales promelas) LC50: 6.2 - 9.6mg/L (96h, Pimephales promelas) LC50: 13.5 - 18.3mg/L (96h, Poecilia reticulata) LC50: 10.8 - 16.6mg/L (96h, Poecilia reticulata) LC50: =1.31mg/L (96h,		macrochirus)	
LC50: =4.5mg/L (96h, Lepomis macrochirus) LC50: 5.8 - 7.5mg/L (96h, Pimephales promelas) LC50: 10.2 - 22.5mg/L (96h, Pimephales promelas) LC50: 6.2 - 9.6mg/L (96h, Pimephales promelas) LC50: 13.5 - 18.3mg/L (96h, Poecilia reticulata) LC50: 10.8 - 16.6mg/L (96h, Poecilia reticulata) LC50: =1.31mg/L (96h,		LC50: 4.2 - 4.8mg/L (96h,	
Lepomis macrochirus) LC50: 5.8 - 7.5mg/L (96h, Pimephales promelas) LC50: 10.2 - 22.5mg/L (96h, Pimephales promelas) LC50: 6.2 - 9.6mg/L (96h, Pimephales promelas) LC50: 13.5 - 18.3mg/L (96h, Poecilia reticulata) LC50: 10.8 - 16.6mg/L (96h, Poecilia reticulata) LC50: =1.31mg/L (96h,		Lepomis macrochirus)	
LC50: 5.8 - 7.5mg/L (96h, Pimephales promelas) LC50: 10.2 - 22.5mg/L (96h, Pimephales promelas) LC50: 6.2 - 9.6mg/L (96h, Pimephales promelas) LC50: 13.5 - 18.3mg/L (96h, Poecilia reticulata) LC50: 10.8 - 16.6mg/L (96h, Poecilia reticulata) LC50: =1.31mg/L (96h,		LC50: =4.5mg/L (96h,	
Pimephales promelas) LC50: 10.2 - 22.5mg/L (96h, Pimephales promelas) LC50: 6.2 - 9.6mg/L (96h, Pimephales promelas) LC50: 13.5 - 18.3mg/L (96h, Poecilia reticulata) LC50: 10.8 - 16.6mg/L (96h, Poecilia reticulata) LC50: =1.31mg/L (96h,		Lepomis macrochirus)	
LC50: 10.2 - 22.5mg/L		LC50: 5.8 - 7.5mg/L (96h,	
(96h, Pimephales promelas) LC50: 6.2 - 9.6mg/L (96h, Pimephales promelas) LC50: 13.5 - 18.3mg/L (96h, Poecilia reticulata) LC50: 10.8 - 16.6mg/L (96h, Poecilia reticulata) LC50: =1.31mg/L (96h,		Pimephales promelas)	
promelas) LC50: 6.2 - 9.6mg/L (96h, Pimephales promelas) LC50: 13.5 - 18.3mg/L (96h, Poecilia reticulata) LC50: 10.8 - 16.6mg/L (96h, Poecilia reticulata) LC50: =1.31mg/L (96h,		LC50: 10.2 - 22.5mg/L	
LC50: 6.2 - 9.6mg/L (96h, Pimephales promelas) LC50: 13.5 - 18.3mg/L (96h, Poecilia reticulata) LC50: 10.8 - 16.6mg/L (96h, Poecilia reticulata) LC50: =1.31mg/L (96h,		(96h, Pimephales	
Pimephales promelas) LC50: 13.5 - 18.3mg/L (96h, Poecilia reticulata) LC50: 10.8 - 16.6mg/L (96h, Poecilia reticulata) LC50: =1.31mg/L (96h,		promelas)	
LC50: 13.5 - 18.3mg/L (96h, Poecilia reticulata) LC50: 10.8 - 16.6mg/L (96h, Poecilia reticulata) LC50: =1.31mg/L (96h,		LC50: 6.2 - 9.6mg/L (96h,	
(96h, Poecilia reticulata) LC50: 10.8 - 16.6mg/L (96h, Poecilia reticulata) LC50: =1.31mg/L (96h,		Pimephales promelas)	
LC50: 10.8 - 16.6mg/L (96h, Poecilia reticulata) LC50: =1.31mg/L (96h,		LC50: 13.5 - 18.3mg/L	
(96h, Poecilia reticulata) LC50: =1.31mg/L (96h,		(96h, Poecilia reticulata)	
LC50: =1.31mg/L (96h,			
Cyprinus carpio)		LC50: =1.31mg/L (96h,	
		Cyprinus carpio)	

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
1,2,3-Propanetriol	-1.75
Sodium lauryl sulfate	1.6

Mobility

Mobility in soilNo information available.MobilityNo information available.

Other adverse effects

Other adverse effects No information available.

SECTION 13: Disposal considerations

Waste treatment methods

Waste from residues/unused products

Flush pipes with water frequently if discarding solutions containing Sodium azide into metal piping systems. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information

ADG Not regulated

IATA Not regulated

IMDG Not regulated

Transport in bulk according to Annex II of MARPOL and the IBC Code

No information available

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

See section 8 for national exposure control parameters

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

International Inventories

Contact supplier for inventory compliance status

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

SECTION 16: Other information

Prepared By Bio-Rad Laboratories, Environmental Health and Safety

Revision date 06-Mar-2023

Revision Note Significant changes throughout SDS. Review all sections.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

C Carcinogen

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet