



Safety Data Sheet in accordance with HSNO

Printing date 27.07.2020 Revision: 24.07.2020

SECTION 1: Identification of the substance or mixture and of the supplier

· 1.1 Product identifier

· Trade name: Affi-Gel® Hz Oxidizer

· Article number: 1536055, 9701044

· CAS Number: 7790-28-5

• **EC number:** 232-197-6

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture Laboratory chemicals

· 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:
 Bio-Rad Laboratories Pty Ltd
 189 Bush Road
 Albany, Auckland

Albany, Auckland New Zealand

· Information department: sales.nz@bio-rad.com

Phone 64-9-415-2280 FAX 64-9-415-2284

• Information department: sales.nz@bio-rad.com • 1.4 Emergency telephone number: 64-9801-0034

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Ox. Sol. 2 H272 May intensify fire; oxidiser. Acute Tox. 2 H310 Fatal in contact with skin.

Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H335 May cause respiratory irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS03 GHS06

- · Signal word Danger
- · Hazard-determining components of labelling: sodium periodate
- · Hazard statements

H272 May intensify fire; oxidiser.

H310 Fatal in contact with skin.

H315 Causes skin irritation.

H335 May cause respiratory irritation.

(Contd. on page 2)

Page 2/8

Safety Data Sheet in accordance with HSNO

Printing date 27.07.2020 Revision: 24.07.2020

Trade name: Affi-Gel® Hz Oxidizer

(Contd. of page 1)

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P220 Keep away from clothing and other combustible materials.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/Information on ingredients

- · 3.1 Chemical characterisation: Substances
- · CAS No. Description:

7790-28-5 sodium periodate

- Identification number(s):
- · EC number: 232-197-6
- · Additonal information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information Immediately remove any clothing soiled by the product.
- · After inhalation Supply fresh air: consult doctor in case of complaints.
- · After skin contact

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing Rinse mouth with water. Seek medical attention and appropriate follow-up.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Fire fighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.



Page 3/8

Safety Data Sheet in accordance with HSNO

Printing date 27.07.2020 Revision: 24.07.2020

Trade name: Affi-Gel® Hz Oxidizer

(Contd. of page 2)

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

No special measures required.

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

- Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: According to product specification
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · 8.1 Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- · Protection of hands: Protective gloves.
- · Material of gloves Synthetic gloves

(Contd. on page 4)





Safety Data Sheet in accordance with HSNO

Printing date 27.07.2020 Revision: 24.07.2020

Trade name: Affi-Gel® Hz Oxidizer

(Contd. of page 3)

• Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

9.1 Information on basic physical and	d chemical properties	
General Information	P. P. S.	
Appearance:		
Form:	Solid.	
Colour:	White	
Odour:	Odourless	
Odour threshold:	Not determined.	
oH-value:	Not applicable.	
Change in condition		
Melting point/freezing point:	300 ℃	
Initial boiling point and boiling rang	ge: undetermined	
Flash point:	Not applicable	
	Not determined.	
Flammability (solid, gaseous)	Product is not flammable.	
Decomposition temperature:	Not determined.	
Self igniting:	Not determined.	
Explosive properties:	Not determined.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	Not applicable.	
Density at 20 °C:	3.865 g/cm³	
Relative density	Not determined.	
Vapour density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water:	Fully miscible	
Partition coefficient: n-octanol/water	Not determined.	
Viscosity:		
dynamic:	Not applicable.	
kinematic:	Not applicable.	
Solids content:	100.0 %	



Page 5/8

Safety Data Sheet in accordance with HSNO

Printing date 27.07.2020 Revision: 24.07.2020

Trade name: Affi-Gel® Hz Oxidizer

(Contd. of page 4)

· 9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity

Fatal in contact with skin.

· LD/LC50 values that are relevant for classification:

7790-28-5 sodium periodate

Dermal LD50 58 mg/kg (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure

May cause respiratory irritation.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

(Contd. on page 6)





Safety Data Sheet in accordance with HSNO

Printing date 27.07.2020 Revision: 24.07.2020

Trade name: Affi-Gel® Hz Oxidizer

(Contd. of page 5)

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Dispose of waste in accordance to applicable national, regional, or local regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14.1 UN-Number ADR, IMDG, IATA	UN1479
14.2 UN proper shipping name ADR	1479 OXIDIZING SOLID, N.O.S. 1479 OXIDIZING SOLID, N.O.S.
IMDG IATA	OXIDIZING SOLID, N.O.S. OXIDIZING SOLID, N.O.S. (sodium periodate)
14.3 Transport hazard class(es)	
ADR, IMDG, IATA Class Label	5.1 Oxidising substances. 5.1
14.4 Packing group ADR, IMDG, IATA	II .
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user Hazard identification number (Kemler code): Stowage Category Segregation Code	Warning: Oxidising substances. 50 B SG38 Stow "separated from" SGG2-ammonium compounds. SG49 Stow "separated from" SGG6-cyanides SG60 Stow "separated from" SGG16-peroxides SG61 Stow "separated from" SGG15-powdered metals
14.7 Transport in bulk according to Annex II of Ma	·

(Contd. on page 7)





Safety Data Sheet in accordance with HSNO

Printing date 27.07.2020 Revision: 24.07.2020

Trade name: Affi-Gel® Hz Oxidizer

(Contd. of page 6)

· Transport/Additional information:

· Limited quantities (LQ) 1 kg Excepted quantities (EQ) Code: E2

> Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g

· Transport category · Tunnel restriction code Ε

· Limited quantities (LQ) 1 kg · Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g

UN 1479 OXIDIZING SOLID, N.O.S., 5.1, II · UN "Model Regulation":

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · New Zealand Inventory of Chemicals

Substance is listed.

· HSNO Approval numbers

HSR001353

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- · Seveso category

H2 ACUTE TOXIC

P8 OXIDISING LIQUIDS AND SOLIDS

- · Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · National regulations
- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental Health and Safety.
- Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000 (Contd. on page 8)



Page 8/8

Safety Data Sheet in accordance with HSNO

Printing date 27.07.2020 Revision: 24.07.2020

Trade name: Affi-Gel® Hz Oxidizer

(Contd. of page 7)

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Ox. Sol. 2: Oxidizing solids – Category 2

Acute Tox. 2: Acute toxicity - dermal - Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

* Data compared to the previous version altered.