

# **SAFETY DATA SHEET**

According to WHS Regulations

Revision date 18-Jan-2023 Revision Number 1.1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

**Product identifier** 

**Product Name** Affi-Gel Hz Hydrazide

1536047, 1536050, 9701043 Catalogue Number(s)

Other means of identification

Proper shipping name **ISOPROPANOL** 

**UN** number UN1219

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Laboratory chemicals

Uses advised against No information available

Details of manufacturer or importer

**Corporate Headquarters** Bio-Rad Laboratories Inc. 1000 Alfred Nobel Drive Hercules, CA 94547

USA

**Manufacturer** 

2000 Alfred Nobel Drive Hercules, California 94547 USA

**Legal Entity / Contact Address** Bio-Rad Laboratories, Life Science Group Bio-Rad Laboratories Pty Ltd

u1A, 62 Ferndell Street, South Granville NSW 2142

Australia

For further information, please contact

+61 2 9914 2800 or 1800 224 354 **Technical Service** 

sales.australia@bio-rad.com

Emergency telephone number

24 Hour Emergency Phone Number CHEMTREC Australia: 61-290372994

Emergency telephone number No information available

## **SECTION 2: Hazards identification**

### GHS Classification

Flammable liquids	Category 2 - (H225)
Serious eye damage/eye irritation	Category 2 - (H319)
Specific target organ toxicity — single exposure	Category 3 - (H336)

#### Label elements

Flame

**Exclamation mark** 

UGHS / BE Page 1/10



### Signal word

Danger

#### **Hazard statements**

H225 - Highly flammable liquid and vapour

H319 - Causes serious eye irritation

H336 - May cause drowsiness or dizziness

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling

Avoid breathing dust/fume/gas/mist/vapours/spray

Use only outdoors or in a well-ventilated area

Ground and bond container and receiving equipment

Use non-sparking tools

Take action to prevent static discharges

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Wear protective gloves/protective clothing/eye protection/face protection

### **Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eve irritation persists: Get medical advice/attention

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Call a POISON CENTRE or doctor if you feel unwell

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed

#### **Precautionary Statements - Disposal**

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

#### Other hazards which do not result in classification

May be harmful if inhaled

## **SECTION 3: Composition/information on ingredients**

#### Substance

Not applicable

### <u>Mixture</u>

Chemical name	CAS No	Weight-%
Isopropyl alcohol	67-63-0	50 - 100
Non-hazardous ingredients	Proprietary	Balance

## SECTION 4: First aid measures

### **Description of first aid measures**

General advice

Show this safety data sheet to the doctor in attendance.

JGHS / BE Page 2/10

**Emergency telephone number** Poisons Information Centre, Australia: 13 11 26

Poisons Information Centre, New Zealand: 0800 764 766

**Inhalation** Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

**Skin contact**Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes.

**Ingestion** Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Call a doctor.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid

contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapour

concentrations may cause symptoms like headache, dizziness, tiredness, nausea and

vomiting.

Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

## **SECTION 5: Firefighting measures**

Suitable Extinguishing Media

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

**Unsuitable extinguishing media** No information available.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective actions for fire-fighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

Hazchem code •2YE

### SECTION 6: Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the

UGHS / BE Page 3/10

product must be grounded. Do not touch or walk through spilled material.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

**Environmental precautions** 

**Environmental precautions** Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if

safe to do so. Prevent product from entering drains.

#### Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A

vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand

or other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labelled containers.

#### Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

## SECTION 7: Handling and storage

#### Precautions for safe handling

Advice on safe handling Use personal protection equipment. Avoid breathing vapours or mists. Keep away from

heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. In case of insufficient ventilation, wear suitable respiratory equipment.

General hygiene considerations

Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat,

sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store according to product and label

instructions.

**Incompatible materials**None known based on information supplied.

## **SECTION 8: Exposure controls/personal protection**

#### Control parameters

#### **Exposure Limits**

JGHS / BE Page 4/10

Chemical name	Australia	ACGIH TLV
Isopropyl alcohol	TWA: 400 ppm	STEL: 400 ppm
67-63-0	TWA: 983 mg/m <sup>3</sup>	TWA: 200 ppm
	STEL: 500 ppm	
	STEL: 1230 mg/m <sup>3</sup>	

#### **Biological occupational exposure limits**

Chemical name	Australia	ACGIH
Isopropyl alcohol	-	40 mg/L - urine (Acetone) - end of shift
67-63-0		at end of workweek

#### **Appropriate engineering controls**

Engineering controls Showers

Eyewash stations Ventilation systems.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles.

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots.

**Hand protection** Wear suitable gloves. Impervious gloves.

exceeded or irritation is experienced, ventilation and evacuation may be required.

**Environmental exposure controls** No information available.

## SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical stateLiquidAppearanceSlurryColourcolourlessOdourAlcohol.

Odour threshold No information available

Property Values Remarks • Method

None known

Melting point / freezing point -89.5 °C
Boiling point / boiling range 82 °C
Flash point 13 °C

Evaporation rateNo data availableNone knownFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapour pressureNo data availableNone knownVapour densityNo data availableNone knownRelative densityNo data availableNone known

Water solubility Partially miscible

Solubility(ies)No data availableNone knownPartition coefficientNo data availableNone known

UGHS / BE Page 5/10

None known

None known

None known

**Autoignition temperature** 

**Decomposition temperature** 

Kinematic viscosity No data available **Dynamic viscosity** No data available Not applicable **Explosive properties Oxidising properties** Not applicable

399 °C

Other information

Molecular weight Not applicable **VOC** content Not applicable

## SECTION 10: Stability and reactivity

Reactivity

No information available. Reactivity

Chemical stability

Stability Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None.

Sensitivity to static discharge Yes

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid Heat, flames and sparks.

Incompatible materials

Incompatible materials None known based on information supplied.

**Hazardous decomposition products** 

Hazardous decomposition products None known based on information supplied.

## SECTION 11: Toxicological information

#### **Acute toxicity**

### Information on likely routes of exposure

#### **Product Information**

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract. May cause drowsiness or dizziness. May be harmful if inhaled.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

Skin contact Specific test data for the substance or mixture is not available. May cause irritation.

Prolonged contact may cause redness and irritation.

Specific test data for the substance or mixture is not available Ingestion may cause Ingestion

gastrointestinal irritation, nausea, vomiting and diarrhoea

UGHS / BE Page 6/10

**Symptoms** 

May cause redness and tearing of the eyes. Inhalation of high vapour concentrations may

cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (inhalation-vapour) 31.00 mg/l

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Isopropyl alcohol	= 1870 mg/kg (Rat)	= 4059 mg/kg ( Rabbit )	> 10000 ppm (Rat) 6 h

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** May cause skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT - single exposure** May cause drowsiness or dizziness.

**STOT - repeated exposure**Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

**Ecotoxicity** 

**Ecotoxicity** 

Unknown aquatic toxicity 0 % of the mixture consists of component(s) of unknown hazards to the aquatic

environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Isopropyl alcohol	EC50: >1000mg/L (96h,	LC50: =9640mg/L (96h,	-	EC50: =13299mg/L (48h,
	Desmodesmus	Pimephales promelas)		Daphnia magna)
	subspicatus)	LC50: =11130mg/L (96h,		
	EC50: >1000mg/L (72h,	Pimephales promelas)		
	Desmodesmus	LC50: >1400000µg/L		
	subspicatus)	(96h, Lepomis		
		macrochirus)		

Persistence and degradability

Persistence and degradability No information available.

UGHS / BE Page 7/10

#### Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

**Component Information** 

Chemical name	Partition coefficient	
Isopropyl alcohol	0.05	

**Mobility** 

Mobility in soil

No information available.

No information available.

Other adverse effects

Other adverse effects No information available.

## **SECTION 13: Disposal considerations**

#### Waste treatment methods

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture of weld

containers.

## **SECTION 14: Transport information**

<u>ADG</u>

UN number UN1219
Proper shipping name UN1219
ISOPROPANOL

Transport hazard class(es) 3
Packing group | |

**Description** UN1219, ISOPROPANOL, 3, II

Hazchem code •2YE

<u>IATA</u>

UN number or ID number UN1219 UN proper shipping name Usopropanol

Transport hazard class(es) 3
Packing group II
ERG Code 3L
Special Provisions A180

**Description** UN1219, Isopropanol, 3, II

**IMDG** 

UN number or ID number UN1219

UN proper shipping name ISOPROPANOL Transport hazard class(es) 3

Packing group II
EmS-No F-E, S-D
Marine pollutant NP

**Description** UN1219, ISOPROPANOL, 3, II, (13°C C.C.)

Transport in bulk according to Annex II of MARPOL and the IBC Code

No information available

UGHS / BE Page 8/10

## SECTION 15: Regulatory information

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **National regulations**

#### Australia

See section 8 for national exposure control parameters

#### Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

#### Major hazard (accident/incident planning) regulation

Verify that licence requirements are met

Hazardous chemical Threshold quantity (T)

Liquids that meet the criteria for Class 3 Packing Group II or III 50 000
Liquids with flash points <61°C kept above their boiling points at 200

ambient conditions

#### National pollutant inventory

Subject to reporting requirement

_ careje control to provide a quantitative	
Chemical name	National pollutant inventory
Isopropyl alcohol - 67-63-0	20 MW Threshold category 2b total
	60000 MWH Threshold category 2b total
	1 tonne/h Threshold category 2a total
	25 tonne/yr Threshold category 1a total
	400 tonne/yr Threshold category 2a total
	2000 tonne/yr Threshold category 2b total

#### **International Inventories**

Contact supplier for inventory compliance status

#### **International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

## **SECTION 16: Other information**

Prepared By Bio-Rad Laboratories, Environmental Health and Safety

Revision date 18-Jan-2023

**Revision Note** Reformatted and updated existing information.

### Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

C Carcinogen

Key literature references and sources for data used to compile the SDS

JGHS / BE Page 9/10

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet** 

UGHS / BE Page 10/10