



Printing date 06.02.2021 Revision: 12.08.2020

Hazardous according to criteria of Safe Work Australia.

1 Identification

- · Product identifier
- · Trade name: iQ™ Multiplex Powermix
- · Article number: 1708848, 1708849, 1725011CUST
- · Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Bio-Rad Laboratories Pty. Ltd Level 5, 446 Victoria Road Gladesville NSW 2111

Australia

Tel 61-2-9914-2800 (1 800 224 354) Fax 61-2-9914-2888

- · Information department: sales.australia @bio-rad.com
- · Emergency telephone number: 61-2-9037-2994

2 Hazard(s) Identification

· Classification of the substance or mixture

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).
- · Hazard pictograms



- · Signal word Warning
- · Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P264 Wash thoroughly after handling.
P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 2)





Printing date 06.02.2021 Revision: 12.08.2020

Trade name: iQ™ Multiplex Powermix

(Contd. of page 1)

· **vPvB:** Not applicable.

3 Composition and Information on Ingredients

- · Chemical characterisation: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous	components:
-------------	-------------

56-81-5	glycerol	Acute Tox. 5, H303; Acute Tox. 5, H333	10-20%
	Proprietary Amino Acid	Eye Irrit. 2A, H319	10%
	Proprietary Non Ionic Detergent	Eye Dam. 1, H318	1%

· Additional information For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- · Description of first aid measures
- · General information No special measures required.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eye contact Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing Rinse mouth with water. Seek medical attention and appropriate follow-up.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire Fighting Measures

- · Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand. diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

(Contd. on page 3)



Page 3/8

Safety Data Sheet according to WHS Regulations

Printing date 06.02.2021 Revision: 12.08.2020

Trade name: iQ™ Multiplex Powermix

See Section 13 for disposal information.

(Contd. of page 2)

7 Handling and Storage

- · Handling
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: According to product specification
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

56-81-5 glycerol

WES Long-term value: 10 mg/m³

- · Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not necessary if room is well-ventilated.
- · Protection of hands: Protective gloves.
- · Material of gloves Synthetic gloves
- · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Safety glasses

Tightly sealed goggles.

(Contd. on page 4)





Printing date 06.02.2021 Revision: 12.08.2020

Trade name: iQ™ Multiplex Powermix

(Contd. of page 3)

Colour: Odour: Odour threshold: oH-value at 20 °C: Change in condition	Fluid According to product specification Odourless Not determined. 8.6 undetermined
Appearance: Form: Colour: Odour: Odour threshold: OH-value at 20 °C: Change in condition Melting point/freezing point:	According to product specification Odourless Not determined. 8.6
Form: Colour: Odour: Odour: Odour threshold: OH-value at 20 °C: Change in condition Melting point/freezing point:	According to product specification Odourless Not determined. 8.6
Colour: Odour: Odour: Odour threshold: OH-value at 20 °C: Change in condition Melting point/freezing point:	According to product specification Odourless Not determined. 8.6
Odour: Odour threshold: OH-value at 20 °C: Change in condition Melting point/freezing point:	Odourless Not determined. 8.6
oH-value at 20 °C: Change in condition Melting point/freezing point:	8.6
Change in condition Melting point/freezing point:	
Melting point/freezing point:	undetermined
	undetermined
Initial boiling point and boiling range:	
	undetermined
Flash point:	Not applicable
	Not determined.
Flammability (solid, gaseous)	Not applicable.
gnition temperature:	400 °C
Decomposition temperature:	Not determined.
Self igniting:	Product is not selfigniting.
Explosive properties:	Not determined.
Explosion limits:	
	0.9 Vol %
Upper:	Not determined.
Vapour pressure at 20 °C:	23 hPa
Density:	Not determined
Relative density	Not determined.
,	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
	Not determined.
kinematic:	Not determined.
Solvent content:	
	20.0 %
Water:	55.5 %





Printing date 06.02.2021 Revision: 12.08.2020

Trade name: iQ™ Multiplex Powermix

(Contd. of page 4)

· Other information

No further relevant information available.

10 Stability and Reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known

11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity

· LD/LC50 values that are relevant for classification:			
56-81-5 g	56-81-5 glycerol		
Oral	LD50	4,090 mg/kg (mouse)	
		12,600 mg/kg (rat)	
Dermal	LD50	10,000 mg/kg (Rabbit)	
Inhalative	LC50/4 h	>30 mg/l (Rat)	
Proprietary carbohydrate			
Oral	LD50	29,700 mg/kg (rat)	
Proprietary Amino Acid			
Oral	LD50	7,930 mg/kg (rat)	
Dermal	LD50	5,200 mg/kg (rat)	
		•	

- · Primary irritant effect:
- · Skin corrosion/irritation Irritant to skin and mucous membranes.
- · Serious eye damage/irritation Irritating effect.
- · Respiratory or skin sensitisation No sensitising effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

12 Ecological Information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

(Contd. on page 6)





Printing date 06.02.2021 Revision: 12.08.2020

Trade name: iQ™ Multiplex Powermix

(Contd. of page 5)

- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation Dispose of waste in accordance to applicable national, regional, or local regulations.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information	
· UN-Number · ADG, ADN, IMDG, IATA	Not Reguated
· UN proper shipping name · ADG	Not Reguated Not Reguated
· ADN, IMDG, IATA	Not Reguated
· Transport hazard class(es)	
· ADG, ADN, IMDG, IATA · Class	Not Reguated
· Packing group · ADG, IMDG, IATA	Not Reguated
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of Marpol and IBC Code	d the Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Not Reguated

(Contd. on page 7)





Printing date 06.02.2021 Revision: 12.08.2020

Trade name: iQ™ Multiplex Powermix

(Contd. of page 6)

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Australian	Inventory of Chemical Substances	
7732-18-5	water	
56-81-5	glycerol	
	Tris(hydroxymethyl)aminomethane	
7447-40-7	potassium chloride	
7647-14-5	sodium chloride	
7786-30-3	Magnesium Chloride	
· Standard t	for the Uniform Scheduling of Medicines and Poisons	
77-86-1	Tris(hydroxymethyl)aminomethane	S4
7447-40-7	potassium chloride	S4
· Australia:	· Australia: Priority Existing Chemicals	
None of the	e ingredients is listed.	

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations
- · Technical instructions (air):

Class	Share in %
NK	10-20

- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H303 May be harmful if swallowed.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H333 May be harmful if inhaled.

- · Department issuing SDS: Environmental Health and Safety.
- · Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

· Abbreviations and acronvms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

(Contd. on page 8)



Page 8/8

Safety Data Sheet according to WHS Regulations

Printing date 06.02.2021 Revision: 12.08.2020

Trade name: iQ™ Multiplex Powermix

(Contd. of page 7)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 5: Acute toxicity - oral – Category 5

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

* * Data compared to the previous version altered.

u -