

Printing date 02/13/2017 Reviewed on 02/10/2017

# 1 Identification

· 1.1 Product identifier

· Trade name: KETOCHROME/17-OHCS by Column Test, REAG A

· Article number: 1843012

· CAS Number: 16940-66-2 · EC number: 241-004-4

· Application of the substance / the mixture In-Vitro-laboratory reagent or component

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Bio-Rad Laboratories, Inc 4000 Alfred Nobel Drive Hercules, California 94547

USA

Phone: 510-724-7000

Toll-Free: 1-800-2-BIORAD (800-224-6723)

Fax: 510-741-6373

Information department:

Technical Support:

Email: support@bio-rad.com

1.4 Emergency telephone number:
GBK Gefahrgut Büro GmbH
Tel.: 0049(0)6123-84463

### 2 Hazard(s) identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Water-react. 1 H260 In contact with water releases flammable gases, which may ignite spontaneously.

Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 3 H311 Toxic in contact with skin.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labeled according to the CLP regulation.

· Hazard pictograms







GHS06

GHS02 GHS05

· **Signal word** Danger

· Hazard-determining components of labeling:

sodium tetrahydroborate

Hazard statements

H260 In contact with water releases flammable gases, which may ignite spontaneously.

H301+H311 Toxic if swallowed or in contact with skin.

H314 Causes severe skin burns and eye damage.

(Contd. on page 2)



Printing date 02/13/2017 Reviewed on 02/10/2017

Trade name: KETOCHROME/17-OHCS by Column Test, REAG A

(Contd. of page 1)

· Precautionary statements

*P223* Do not allow contact with water.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3 Fire = 0Reactivity = 2

The substance demonstrates unusual reactivity with water.

· HMIS-ratings (scale 0 - 4)



3 Health = 30 Fire = 0

REACTIVITY 2 Reactivity = 2

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

### 3 Composition/information on ingredients

- · 3.1 Chemical characterization: Substances
- · CAS No. Description

16940-66-2 sodium tetrahydroborate

- · Identification number(s)
- · EC number: 241-004-4
- · Dangerous components: Void

### 4 First-aid measures

- · 4.1 Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

In case of irregular breathing or respiratory arrest provide artificial respiration.

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Do not induce vomiting; immediately call for medical help.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

· 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)



Printing date 02/13/2017 Reviewed on 02/10/2017

Trade name: KETOCHROME/17-OHCS by Column Test, REAG A

(Contd. of page 2)

· 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Fire-fighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: Water
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

#### 6 Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:	
	0.49 mg/m3
· PAC-2:	
	5.3 mg/m3
· PAC-3:	
	32 mg/m3

# 7 Handling and storage

- · 7.1 Precautions for safe handling Thorough dedusting.
- · Information about protection against explosions and fires: Keep ignition sources away Do not smoke.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility:

Do not store together with oxidizing and acidic materials as well as heavy-metal compounds.

· Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· 7.3 Specific end use(s) No further relevant information available.

- US



Printing date 02/13/2017 Reviewed on 02/10/2017

Trade name: KETOCHROME/17-OHCS by Column Test, REAG A

(Contd. of page 3)

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · 8.1 Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Safety glasses



Tightly sealed goggles

· Body protection: Protective work clothing

### 9 Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Solid Color: White

· Odor: Characteristic · Odor threshold: Not determined.

• **pH-value:** 11

(Contd. on page 5)



Printing date 02/13/2017 Reviewed on 02/10/2017

Trade name: KETOCHROME/17-OHCS by Column Test, REAG A

	(Contd. of page
Change in condition	
Melting point/Melting range:	500 °C (932 °F)
Boiling point/Boiling range:	Undetermined.
Flash point:	Not applicable.
Flammability (solid, gaseous):	Contact with water liberates extremely flammable gases.
Ignition temperature:	220 °C (428 °F)
Decomposition temperature:	Not determined.
· Auto igniting:	Not determined.
Danger of explosion:	Not determined.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not applicable.
Density at 20 °C (68 °F):	1.07 g/cm³ (8.92915 lbs/gal)
Bulk density at 20 °C (68 °F):	$400-500 \text{ kg/m}^3$
Relative density	Not determined.
· Vapor density	Not applicable.
· Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water at 25 °C (77 °F):	550  g/l
Partition coefficient (n-octanol/wa	ter): Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
9.2 Other information	No further relevant information available.

# 10 Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions

Reacts with strong acids and oxidizing agents.

Reacts with heavy metals.

Contact with water releases flammable gases.

- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Hydrogen

# 11 Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:

Toxic if swallowed or in contact with skin.

(Contd. on page 6)



Printing date 02/13/2017 Reviewed on 02/10/2017

Trade name: KETOCHROME/17-OHCS by Column Test, REAG A

(Contd. of page 5)

- · Primary irritant effect:
- on the skin:

Causes severe skin burns and eye damage.

on the eye:

Causes serious eye damage.

- · Sensitization: Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · Carcinogenic categories

# · IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

### 12 Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

### 14 Transport information

- · 14.1 UN-Number
- · **DOT, ADR, IMDG, IATA** UN1426
- · 14.2 UN proper shipping name
- DOT Sodium borohydride
   ADR Sodium borohydride

(Contd. on page 7)



Printing date 02/13/2017 Reviewed on 02/10/2017

Trade name: KETOCHROME/17-OHCS by Column Test, REAG A

	(Contd. of page
IMDG, IATA	SODIUM BOROHYDRIDE
14.3 Transport hazard class(es)	
DOT	
DANGEROUS (TE)	
4	
Class	4.3 Substances which, in contact with water, emit
	flammable gases
Label	4.3
ADR, IMDG, IATA	
Class	4.3 Substances which, in contact with water, emit
Label	flammable gases 4.3
	7.3
14.4 Packing group DOT, ADR, IMDG, IATA	I
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Substances which, in contact with water, emit
	flammable gases
Danger code (Kemler): EMS Number:	- F-G,S-O
Stowage Category	E
Handling Code	H1 Keep as dry as reasonably practicable
Segregation Code	SG26 In addition: from goods of classes 2.1 and 3 when
	stowed on deck of a containership a minimum distance of two container spaces athwartship shall be maintained,
	when stowed on ro-ro ships a distance of 6 m athwartship
	shall be maintained.
	SG35 Stow "separated from" acids.
14.7 Transport in bulk according to Anno MARPOL73/78 and the IBC Code	ex II of Not applicable.
	ної аррисавіє.
Transport/Additional information:	
ADR Excepted quantities (EQ)	Code: E0
Encepted quantities (DQ)	Not permitted as Excepted Quantity
<i>IMDG</i>	
Limited quantities (LQ)	0
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
UN "Model Regulation":	UN 1426 SODIUM BOROHYDRIDE, 4.3, I



Printing date 02/13/2017 Reviewed on 02/10/2017

Trade name: KETOCHROME/17-OHCS by Column Test, REAG A

(Contd. of page 7)

# 15 Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

Substance is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

- · Cancerogenity categories
- · EPA (Environmental Protection Agency)

I (oral)

· TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Bio-Rad Laboratories GmbH

Heidemannstrasse 164

D-80939 Munich

· Contact:

Technical Support:

E-Mail: cts-ce@bio-rad.com

- · Date of preparation / last revision 02/13/2017 / 41
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 9)



Printing date 02/13/2017

Reviewed on 02/10/2017

### Trade name: KETOCHROME/17-OHCS by Column Test, REAG A

(Contd. of page 8)

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Water-react. 1: Substances and mixtures which in contact with water emit flammable gases - Category 1

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Eye Dam. 1: Serious eye damage/eye irritation – Category 1

\* \* Data compared to the previous version altered.

- US