



08/20/2020

### Kit Components

Product code	Description
<b>7007101</b> <b>7007152</b> <b>7007102</b> <b>7007158</b> <b>7007151</b>	<b>Experion™ Pro260 Reagents for 10/25 Chips</b>

#### Components:

9706150	Experion™ Pro260 Stain
7007270	Experion Pro260 Sample Buffer
9706153	Experion™ Pro260 Gel
7007256	Experion™ Pro260 Ladder

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/20/2020

Reviewed on 08/13/2020

## 1 Identification

- **Product identifier**
- **Trade name:** *Experion™ Pro260 Stain*
- **Catalog or product number:** 9706150, 10000254
- **Application of the substance / the mixture** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Bio-Rad Laboratories, Life Science Group  
2000 Alfred Nobel Drive  
Hercules, California 94547 (510)741-1000
- **Information department:** lsg\_techserv\_us@bio-rad.com
- **Emergency telephone number:**  
1(800)424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION or ACCIDENT.  
510-741-1000

## 2 Hazard(s) identification

- **Classification of the substance or mixture**  
The product is not classified, according to the Globally Harmonized System (GHS).
- **Label elements**
- **GHS label elements** Not Applicable
- **Hazard pictograms** Not Applicable
- **Signal word** Not Applicable
- **Hazard statements** Not Applicable
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

## 3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of the substances listed below with non-hazardous additions.

### · Listing of dangerous and non-hazardous components:

67-68-5	dimethyl sulfoxide		50-100%
151-21-3	sodium dodecyl sulphate	Flam. Sol. 2, H228 Acute Tox. 3, H301; Acute Tox. 3, H311 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	5-<10%

- **Additional information** For the wording of the listed risk phrases refer to section 15.

## 4 First-aid measures

- **Description of first aid measures**
- **General information** No special measures required.

(Contd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/20/2020

Reviewed on 08/13/2020

Trade name: Experion™ Pro260 Stain

(Contd. of page 1)

- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Generally the product does not irritate the skin.
- **After eye contact** Rinse opened eye for several minutes under running water.
- **After swallowing** Rinse mouth with water. Seek medical attention and appropriate follow-up.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective clothing.
- **Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**  
No dangerous substances are released.  
See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

### · PAC-1:

dimethyl sulfoxide	150 ppm
sodium dodecyl sulphate	3.9 mg/m <sup>3</sup>

### · PAC-2:

67-68-5 dimethyl sulfoxide	290 ppm
151-21-3 sodium dodecyl sulphate	43 mg/m <sup>3</sup>

### · PAC-3:

67-68-5 dimethyl sulfoxide	1,800 ppm
151-21-3 sodium dodecyl sulphate	260 mg/m <sup>3</sup>

US  
(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/20/2020

Reviewed on 08/13/2020

Trade name: Experion™ Pro260 Stain

(Contd. of page 2)

## 7 Handling and storage

- **Handling**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** According to product specification
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.  
At this time, the remaining constituent has no known exposure limits.

### 67-68-5 dimethyl sulfoxide

WEEL Long-term value: 250 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures** The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:** Not required.
- **Protection of hands:** Protective gloves.
- **Material of gloves** Synthetic gloves
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Safety glasses

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**
  - Form: Liquid
  - Color: Blue
- **Odor:** Odorless
- **Odor threshold:** Not determined.
- **pH-value:** Not determined.

(Contd. on page 4)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/20/2020

Reviewed on 08/13/2020

Trade name: Experion™ Pro260 Stain

(Contd. of page 3)

· <b>Change in condition</b>	
Melting point/Melting range:	undetermined
Boiling point/Boiling range:	189 °C
· <b>Flash point:</b>	> 60 °C
· <b>Flammability (solid, gaseous)</b>	Not applicable.
· <b>Ignition temperature:</b>	270 °C
· <b>Decomposition temperature:</b>	Not determined.
· <b>Auto igniting:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Not determined.
· <b>Explosion limits:</b>	
Lower:	1.8 Vol %
Upper:	63 Vol %
· <b>Vapor pressure at 20 °C:</b>	2.5 hPa
· <b>Density:</b>	Not determined
· <b>Relative density</b>	Not determined.
· <b>Vapor density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with Water:</b>	Fully miscible
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
dynamic:	Not determined.
kinematic:	Not determined.
· <b>Solvent content:</b>	
Organic solvents:	93.2 %
Solids content:	6.8 %
· <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known

US  
(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/20/2020

Reviewed on 08/13/2020

Trade name: Experion™ Pro260 Stain

(Contd. of page 4)

## 11 Toxicological information

### Information on toxicological effects

#### Acute toxicity:

#### LD/LC50 values for hazardous components per OSHA criteria:

##### 67-68-5 dimethyl sulfoxide

Oral	LD50	14,500 mg/kg (rat)
------	------	--------------------

##### 151-21-3 sodium dodecyl sulphate

Oral	LD50	1,288 mg/kg (rat)
------	------	-------------------

Dermal	LD50	580 mg/kg (Rabbit)
--------	------	--------------------

#### Primary irritant effect:

• **on the skin:** No irritant effect.

• **on the eye:** No irritant effect.

• **Sensitization:** No sensitizing effects known.

#### Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

#### Carcinogenic categories

##### IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

##### NTP (National Toxicology Program)

None of the ingredients is listed.

##### OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

• **Target organs:** Not applicable.

## 12 Ecological information

### Toxicity

• **Aquatic toxicity:** No further relevant information available.

• **Persistence and degradability** No further relevant information available.

#### Behavior in environmental systems:

• **Bioaccumulative potential** No further relevant information available.

• **Mobility in soil** No further relevant information available.

#### Additional ecological information:

##### General notes:

Water hazard class 2 (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

#### Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

(Contd. on page 6)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/20/2020

Reviewed on 08/13/2020

Trade name: Experion™ Pro260 Stain

(Contd. of page 5)

· **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

· **Waste treatment methods**

· **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Dispose of waste in accordance to applicable national, regional, or local regulations.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

· **UN-Number**

· **DOT, ADR, ADN, IMDG, IATA**

Not Regulated

· **UN proper shipping name**

· **DOT, ADN, IMDG, IATA**

Not Regulated

· **ADR**

Not Regulated

Not Regulated

· **Transport hazard class(es)**

· **DOT, ADR, ADN, IMDG, IATA**

· **Class**

Not Regulated

· **Packing group**

· **DOT, ADR, IMDG, IATA**

Not Regulated

· **Environmental hazards:**

· **Marine pollutant:**

No

· **Special precautions for user**

Not applicable.

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

· **Transport/Additional information:**

Not dangerous according to the above specifications.

· **UN "Model Regulation":**

Not Regulated

## 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **SARA (Superfund Amendments and Reauthorization Act of 1986 - USA)**

· **Section 302/304 (40CFR355.30 / 40CFR355.40):**

None of the ingredients is listed.

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/20/2020

Reviewed on 08/13/2020

Trade name: Experion™ Pro260 Stain

(Contd. of page 6)

· **Section 313 (40CFR372.65):**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**

67-68-5 dimethyl sulfoxide

ACTIVE

151-21-3 sodium dodecyl sulphate

ACTIVE

· **Hazardous Air Pollutants**

None of the ingredients is listed.

· **California Proposition 65:**

· **Chemicals known to cause cancer:**

The product does not contain listed components.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Developmental Toxicity**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **National regulations**

· **Technical instructions (air):**

Class	Share in %
NK	50-100

· **Water hazard class:** Water hazard class 2 (Self-assessment): hazardous for water.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Environmental Health and Safety.

· **Contact:**

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

(Contd. on page 8)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 08/20/2020

Reviewed on 08/13/2020

**Trade name: Experion™ Pro260 Stain**

(Contd. of page 7)

• **Date of preparation / last revision** 08/20/2020 / -

• **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Sol. 2: Flammable solids – Category 2

Acute Tox. 3: Acute toxicity – Category 3

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

• **\* Data compared to the previous version altered.**

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/20/2020

Reviewed on 08/13/2020

## 1 Identification

- **Product identifier**
- **Trade name:** *Experion Pro260 Sample Buffer*
- **Catalog or product number:** 7007270, 10000255, 10016796, 9706151
- **Application of the substance / the mixture** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Bio-Rad Laboratories, Life Science Group  
2000 Alfred Nobel Drive  
Hercules, California 94547 (510)741-1000
- **Information department:** *lsg\_techserv\_us@bio-rad.com*
- **Emergency telephone number:**  
1(800)424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION or ACCIDENT.  
510-741-1000

## 2 Hazard(s) identification

- **Classification of the substance or mixture**  
*Eye Irrit. 2A H319 Causes serious eye irritation.*
- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS07

- **Signal word** *Warning*
- **Hazard statements**  
*H319 Causes serious eye irritation.*
- **Precautionary statements**  
*P264 Wash thoroughly after handling.*  
*P280 Wear eye protection / face protection.*  
*P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*  
*P337+P313 If eye irritation persists: Get medical advice/attention.*
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/20/2020

Reviewed on 08/13/2020

Trade name: Experion Pro260 Sample Buffer

(Contd. of page 1)

## 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with non-hazardous additions.

- **Listing of dangerous and non-hazardous components:**

56-81-5	glycerol		10-20%
2044-56-6	Lithium dodecyl sulphate	Flam. Sol. 2, H228 Eye Dam. 1, H318 Acute Tox. 4, H302; Skin Irrit. 2, H315; STOT SE 3, H335 Aquatic Acute 3, H402	2.5-<3%

- **Additional information** For the wording of the listed risk phrases refer to section 15.

## 4 First-aid measures

- **Description of first aid measures**
- **General information** No special measures required.
- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Generally the product does not irritate the skin.
- **After eye contact** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing** Rinse mouth with water. Seek medical attention and appropriate follow-up.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective clothing.
- **Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**  
No dangerous substances are released.  
See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/20/2020

Reviewed on 08/13/2020

Trade name: Experion Pro260 Sample Buffer

(Contd. of page 2)

## Protective Action Criteria for Chemicals

### PAC-1:

glycerol

45 mg/m<sup>3</sup>

### PAC-2:

56-81-5 glycerol

180 mg/m<sup>3</sup>

### PAC-3:

56-81-5 glycerol

1,100 mg/m<sup>3</sup>

## 7 Handling and storage

- **Handling**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** According to product specification
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.  
At this time, the remaining constituent has no known exposure limits.

### 56-81-5 glycerol

PEL Long-term value: 15\* 5\*\* mg/m<sup>3</sup>  
mist; \*total dust \*\*respirable fraction

TLV TLV withdrawn-insufficient data human occup. exp.

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes.  
Avoid contact with the eyes and skin.
- **Breathing equipment:** Not necessary if room is well-ventilated. Adequate ventilation required.
- **Protection of hands:** Protective gloves.
- **Material of gloves** Synthetic gloves

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/20/2020

Reviewed on 08/13/2020

Trade name: Experion Pro260 Sample Buffer

(Contd. of page 3)

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**

Safety glasses

Tightly sealed goggles.

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form: Liquid

Color: Colorless

- **Odor:** Odorless

- **Odor threshold:** Not determined.

- **pH-value at 20 °C:** 6.9

- **Change in condition**

Melting point/Melting range: undetermined

Boiling point/Boiling range: 100 °C

- **Flash point:** > 100 °C

- **Flammability (solid, gaseous)** Not applicable.

- **Ignition temperature:** 400 °C

- **Decomposition temperature:** Not determined.

- **Auto igniting:** Product is not selfigniting.

- **Danger of explosion:** Not determined.

- **Explosion limits:**

Lower: 0.9 Vol %

Upper: Not determined.

- **Vapor pressure at 20 °C:** 23 hPa

- **Density:** Not determined

- **Relative density** Not determined.

- **Vapor density** Not determined.

- **Evaporation rate** Not determined.

- **Solubility in / Miscibility with**

Water: Fully miscible

- **Partition coefficient (n-octanol/water):** Not determined.

- **Viscosity:**

dynamic: Not determined.

kinematic: Not determined.

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/20/2020

Reviewed on 08/13/2020

Trade name: Experion Pro260 Sample Buffer

(Contd. of page 4)

· <b>Solvent content:</b>	
<b>Organic solvents:</b>	10.4 %
<b>Water:</b>	86.9 %
· <b>Solids content:</b>	2.8 %
· <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values for hazardous components per OSHA criteria:**

### 56-81-5 glycerol

Oral	LD50	4,090 mg/kg (mouse) 12,600 mg/kg (rat)
Dermal	LD50	10,000 mg/kg (Rabbit)
Inhalative	LC50/4 h	>30 mg/l (Rat)

- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritant effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:  
Irritant

- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

(Contd. on page 6)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 08/20/2020

Reviewed on 08/13/2020

**Trade name: Experion Pro260 Sample Buffer**

· **Target organs:** Eye.

(Contd. of page 5)

### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
 Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.  
 Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**  
 Must not be disposed of together with household garbage. Do not allow product to reach sewage system.  
 Dispose of waste in accordance to applicable national, regional, or local regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

### 14 Transport information

- |   |   |
|---|---|
| · <b>UN-Number</b><br>· <b>DOT, ADR, ADN, IMDG, IATA</b>                                    | Not Regulated                                   |
| · <b>UN proper shipping name</b><br>· <b>DOT, ADN, IMDG, IATA</b><br>· <b>ADR</b>           | Not Regulated<br>Not Regulated<br>Not Regulated |
| · <b>Transport hazard class(es)</b><br>· <b>DOT, ADR, ADN, IMDG, IATA</b><br>· <b>Class</b> | Not Regulated                                   |
| · <b>Packing group</b><br>· <b>DOT, ADR, IMDG, IATA</b>                                     | Not Regulated                                   |

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/20/2020

Reviewed on 08/13/2020

Trade name: Experion Pro260 Sample Buffer

(Contd. of page 6)

· <b>Environmental hazards:</b>	
· <b>Marine pollutant:</b>	No
· <b>Special precautions for user</b>	Not applicable.
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	Not dangerous according to the above specifications.
· <b>UN "Model Regulation":</b>	Not Regulated

## 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **SARA (Superfund Amendments and Reauthorization Act of 1986 - USA)**

- **Section 302/304 (40CFR355.30 / 40CFR355.40):**

None of the ingredients is listed.

- **Section 313 (40CFR372.65):**

None of the ingredients is listed.

- **TSCA (Toxic Substances Control Act):**

All components have the value ACTIVE.

- **Hazardous Air Pollutants**

None of the ingredients is listed.

- **California Proposition 65:**

- **Chemicals known to cause cancer:**

The product does not contain listed components.

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **Developmental Toxicity**

None of the ingredients is listed.

- **Carcinogenic categories**

- **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

- **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

(Contd. on page 8)



# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/20/2020

Reviewed on 08/13/2020

Trade name: Experion Pro260 Sample Buffer

(Contd. of page 7)

- **National regulations**
- **Technical instructions (air):**

Class	Share in %
NK	10-20

- **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Environmental Health and Safety.
- **Contact:**  
Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

- **Date of preparation / last revision** 08/20/2020 / -
- **Abbreviations and acronyms:**  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
ACGIH: American Conference of Governmental Industrial Hygienists  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety  
OSHA: Occupational Safety & Health  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit  
Flam. Sol. 2: Flammable solids – Category 2  
Acute Tox. 4: Acute toxicity – Category 4  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  
Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3
- **\* Data compared to the previous version altered.**

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/20/2020

Reviewed on 08/10/2020

## 1 Identification

- **Product identifier**
- **Trade name:** *Experion™ Pro260 Gel*
- **Catalog or product number:** 9706153, 10000257
- **Application of the substance / the mixture** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Bio-Rad Laboratories, Life Science Group  
2000 Alfred Nobel Drive  
Hercules, California 94547 (510)741-1000
- **Information department:** lsg\_techserv\_us@bio-rad.com
- **Emergency telephone number:**  
1(800)424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION or ACCIDENT.  
510-741-1000

## 2 Hazard(s) identification

- **Classification of the substance or mixture**  
The product is not classified, according to the Globally Harmonized System (GHS).
- **Label elements**
- **GHS label elements** Not Applicable
- **Hazard pictograms** Not Applicable
- **Signal word** Not Applicable
- **Hazard statements** Not Applicable
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

## 3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of the substances listed below with non-hazardous additions.

### · Listing of dangerous and non-hazardous components:

	Proprietary Reagent PZ 1	Acute Tox. 3, H301 Flam. Liq. 4, H227	5-10%
598-50-5	methylurea	Acute Tox. 3, H301	2.5-5%

- **Additional information** For the wording of the listed risk phrases refer to section 15.

## 4 First-aid measures

- **Description of first aid measures**
- **General information** No special measures required.
- **After inhalation** Supply fresh air; consult doctor in case of complaints.

(Contd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/20/2020

Reviewed on 08/10/2020

Trade name: Experion™ Pro260 Gel

(Contd. of page 1)

- **After skin contact** Generally the product does not irritate the skin.
- **After eye contact** Rinse opened eye for several minutes under running water.
- **After swallowing** Rinse mouth with water. Seek medical attention and appropriate follow-up.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective clothing.
- **Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**  
No dangerous substances are released.  
See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

### · PAC-1:

None of the ingredients is listed.

### · PAC-2:

None of the ingredients is listed.

### · PAC-3:

None of the ingredients is listed.

## 7 Handling and storage

- **Handling**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** According to product specification

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/20/2020

Reviewed on 08/10/2020

Trade name: Experion™ Pro260 Gel

(Contd. of page 2)

- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures** The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:** Not required.
- **Protection of hands:** Protective gloves.
- **Material of gloves** Synthetic gloves
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable:**  
Synthetic gloves
- **Eye protection:** Safety glasses

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Liquid
Color:	Colorless
Odor:	Odorless
Odor threshold:	Not determined.
- **pH-value at 20 °C:** 7.6
- **Change in condition**

Melting point/Melting range:	undetermined
Boiling point/Boiling range:	undetermined
- **Flash point:**

Not applicable
Not determined.
- **Flammability (solid, gaseous)** Not applicable.
- **Decomposition temperature:** Not determined.

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/20/2020

Reviewed on 08/10/2020

Trade name: Experion™ Pro260 Gel

(Contd. of page 3)

· <b>Auto igniting:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Not determined.
· <b>Explosion limits:</b>	
Lower:	Not determined.
Upper:	Not determined.
· <b>Vapor pressure at 20 °C:</b>	23 hPa
· <b>Density:</b>	Not determined
· <b>Relative density</b>	Not determined.
· <b>Vapor density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with Water:</b>	Fully miscible
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
dynamic:	Not determined.
kinematic:	Not determined.
· <b>Solvent content:</b>	
Water:	88.5 %
Solids content:	6.3 %
· <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritant effect.
- **Sensitization:** No sensitizing effects known.

(Contd. on page 5)

US

## Safety Data Sheet

acc. to OSHA HCS

Printing date 08/20/2020

Reviewed on 08/10/2020

Trade name: Experion™ Pro260 Gel

(Contd. of page 4)

- **Additional toxicological information:**

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

- **Target organs:** Not applicable.

## 12 Ecological information

- **Toxicity**

- **Aquatic toxicity:** No further relevant information available.

- **Persistence and degradability:** No further relevant information available.

- **Behavior in environmental systems:**

- **Bioaccumulative potential:** No further relevant information available.

- **Mobility in soil:** No further relevant information available.

- **Additional ecological information:**

- **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects:** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**

- **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Dispose of waste in accordance to applicable national, regional, or local regulations.

- **Uncleaned packagings:**

- **Recommendation:** Disposal must be made according to official regulations.

- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

US  
(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/20/2020

Reviewed on 08/10/2020

Trade name: Experion™ Pro260 Gel

(Contd. of page 5)

## 14 Transport information

· UN-Number	
· DOT, ADR, ADN, IMDG, IATA	Not Regulated
· UN proper shipping name	
· DOT, ADN, IMDG, IATA	Not Regulated
· ADR	Not Regulated
· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA	
· Class	Not Regulated
· Packing group	
· DOT, ADR, IMDG, IATA	Not Regulated
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Not Regulated

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- SARA (Superfund Amendments and Reauthorization Act of 1986 - USA)

- Section 302/304 (40CFR355.30 / 40CFR355.40):

None of the ingredients is listed.

- Section 313 (40CFR372.65):

None of the ingredients is listed.

- TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

- Hazardous Air Pollutants

None of the ingredients is listed.

- California Proposition 65:

- Chemicals known to cause cancer:

The product does not contain listed components.

- Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

(Contd. on page 7)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 08/20/2020

Reviewed on 08/10/2020

Trade name: Experion™ Pro260 Gel

(Contd. of page 6)

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Developmental Toxicity**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **National regulations**

- **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Environmental Health and Safety.

· **Contact:**

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

· **Date of preparation / last revision** 08/20/2020 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 4: Flammable liquids – Category 4

Acute Tox. 3: Acute toxicity – Category 3

· **\* Data compared to the previous version altered.**



# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/20/2020

Reviewed on 08/13/2020

## 1 Identification

- **Product identifier**
- **Trade name:** *Experion™ Pro260 Ladder*
- **Catalog or product number:** 7007256, 9706152, 10000256
- **Application of the substance / the mixture** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Bio-Rad Laboratories, Life Science Group  
2000 Alfred Nobel Drive  
Hercules, California 94547 (510)741-1000
- **Information department:** lsg\_techserv\_us@bio-rad.com
- **Emergency telephone number:**  
1(800)424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION or ACCIDENT.  
510-741-1000

## 2 Hazard(s) identification

- **Classification of the substance or mixture**  
The product is not classified, according to the Globally Harmonized System (GHS).
- **Label elements**
- **GHS label elements** Not Applicable
- **Hazard pictograms** Not Applicable
- **Signal word** Not Applicable
- **Hazard statements** Not Applicable
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

## 3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of the substances listed below with non-hazardous additions.

### · Listing of dangerous and non-hazardous components:

56-81-5	glycerol		20-35%
151-21-3	sodium dodecyl sulphate	Flam. Sol. 2, H228 Acute Tox. 3, H301; Acute Tox. 3, H311 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	0.1-1%

- **Additional information** For the wording of the listed risk phrases refer to section 15.

## 4 First-aid measures

- **Description of first aid measures**
- **General information** No special measures required.

(Contd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/20/2020

Reviewed on 08/13/2020

Trade name: Experion™ Pro260 Ladder

(Contd. of page 1)

- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Generally the product does not irritate the skin.
- **After eye contact** Rinse opened eye for several minutes under running water.
- **After swallowing** Rinse mouth with water. Seek medical attention and appropriate follow-up.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective clothing.
- **Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**  
No dangerous substances are released.  
See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

### · PAC-1:

glycerol	45 mg/m <sup>3</sup>
sodium dodecyl sulphate	3.9 mg/m <sup>3</sup>

### · PAC-2:

56-81-5 glycerol	180 mg/m <sup>3</sup>
151-21-3 sodium dodecyl sulphate	43 mg/m <sup>3</sup>

### · PAC-3:

56-81-5 glycerol	1,100 mg/m <sup>3</sup>
151-21-3 sodium dodecyl sulphate	260 mg/m <sup>3</sup>

## 7 Handling and storage

- **Handling**
- **Precautions for safe handling** No special measures required.

(Contd. on page 3)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 08/20/2020

Reviewed on 08/13/2020

Trade name: Experion™ Pro260 Ladder

(Contd. of page 2)

- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** According to product specification
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.  
At this time, the remaining constituent has no known exposure limits.

#### 56-81-5 glycerol

PEL Long-term value: 15\* 5\*\* mg/m<sup>3</sup>  
mist; \*total dust \*\*respirable fraction

TLV TLV withdrawn-insufficient data human occup. exp.

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures** The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:** Not required.
- **Protection of hands:** Protective gloves.
- **Material of gloves** Synthetic gloves
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Safety glasses

### 9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Liquid
Color:	Colorless
Odor:	sulphurous
Odor threshold:	Not determined.
- **pH-value at 20 °C:** 6.8
- **Change in condition**

Melting point/Melting range:	undetermined
------------------------------	--------------

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/20/2020

Reviewed on 08/13/2020

Trade name: Experion™ Pro260 Ladder

(Contd. of page 3)

<b>Boiling point/Boiling range:</b>	undetermined
· <b>Flash point:</b>	Not applicable Not determined.
· <b>Flammability (solid, gaseous)</b>	Not applicable.
· <b>Ignition temperature:</b>	400 °C
· <b>Decomposition temperature:</b>	Not determined.
· <b>Auto igniting:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Not determined.
· <b>Explosion limits:</b>	
Lower:	0.9 Vol %
Upper:	Not determined.
· <b>Vapor pressure at 20 °C:</b>	23 hPa
· <b>Density:</b>	Not determined
· <b>Relative density</b>	Not determined.
· <b>Vapor density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with Water:</b>	Fully miscible
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
dynamic:	Not determined.
kinematic:	Not determined.
· <b>Solvent content:</b>	
Organic solvents:	30.0 %
Water:	60.4 %
· <b>Solids content:</b>	9.6 %
· <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known

US  
(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/20/2020

Reviewed on 08/13/2020

Trade name: Experion™ Pro260 Ladder

(Contd. of page 4)

## 11 Toxicological information

### Information on toxicological effects

#### Acute toxicity:

#### LD/LC50 values for hazardous components per OSHA criteria:

##### 56-81-5 glycerol

Oral	LD50	4,090 mg/kg (mouse) 12,600 mg/kg (rat)
Dermal	LD50	10,000 mg/kg (Rabbit)
Inhalative	LC50/4 h	>30 mg/l (Rat)

##### 77-86-1 Tris(hydroxymethyl)aminomethane

Oral	LD50	5,900 mg/kg (Rat)
Dermal	LD50	>5,000 mg/kg (Rat)

##### 151-21-3 sodium dodecyl sulphate

Oral	LD50	1,288 mg/kg (rat)
Dermal	LD50	580 mg/kg (Rabbit)

#### Primary irritant effect:

on the skin: No irritant effect.

on the eye: No irritant effect.

Sensitization: No sensitizing effects known.

#### Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

#### Carcinogenic categories

##### IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

##### NTP (National Toxicology Program)

None of the ingredients is listed.

##### OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

Target organs: Not applicable.

## 12 Ecological information

### Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability: No further relevant information available.

### Behavior in environmental systems:

Bioaccumulative potential: No further relevant information available.

Mobility in soil: No further relevant information available.

(Contd. on page 6)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/20/2020

Reviewed on 08/13/2020

Trade name: Experion™ Pro260 Ladder

(Contd. of page 5)

- Additional ecological information:

- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment

- PBT: Not applicable.

- vPvB: Not applicable.

- Other adverse effects No further relevant information available.

## 13 Disposal considerations

- Waste treatment methods

- Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Dispose of waste in accordance to applicable national, regional, or local regulations.

- Uncleaned packagings:

- Recommendation: Disposal must be made according to official regulations.

- Recommended cleansing agent: Water, if necessary with cleansing agents.

## 14 Transport information

- UN-Number

- DOT, ADR, ADN, IMDG, IATA

Not Regulated

- UN proper shipping name

- DOT, ADN, IMDG, IATA

Not Regulated

- ADR

Not Regulated

- Transport hazard class(es)

- DOT, ADR, ADN, IMDG, IATA

- Class

Not Regulated

- Packing group

- DOT, ADR, IMDG, IATA

Not Regulated

- Environmental hazards:

- Marine pollutant:

No

- Special precautions for user

Not applicable.

- Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

- Transport/Additional information:

Not dangerous according to the above specifications.

- UN "Model Regulation":

Not Regulated

US

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/20/2020

Reviewed on 08/13/2020

Trade name: Experion™ Pro260 Ladder

(Contd. of page 6)

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- SARA (Superfund Amendments and Reauthorization Act of 1986 - USA)

- **Section 302/304 (40CFR355.30 / 40CFR355.40):**

None of the ingredients is listed.

- **Section 313 (40CFR372.65):**

None of the ingredients is listed.

- **TSCA (Toxic Substances Control Act):**

7732-18-5	water	ACTIVE
56-81-5	glycerol	ACTIVE
77-86-1	Tris(hydroxymethyl)aminomethane	ACTIVE
151-21-3	sodium dodecyl sulphate	ACTIVE
6381-92-6	Ethylenediaminetetraacetic acid disodium salt dihydrate	ACTIVE
26628-22-8	sodium azide	ACTIVE

- **Hazardous Air Pollutants**

None of the ingredients is listed.

- **California Proposition 65:**

- **Chemicals known to cause cancer:**

The product does not contain listed components.

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **Developmental Toxicity**

None of the ingredients is listed.

- **Carcinogenic categories**

- **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

- **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

- **National regulations**

- **Technical instructions (air):**

Class	Share in %
NK	25-35

- **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

(Contd. on page 8)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 08/20/2020

Reviewed on 08/13/2020

**Trade name: Experion™ Pro260 Ladder**

(Contd. of page 7)

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Department issuing SDS:** Environmental Health and Safety.

- **Contact:**

*Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000*

*Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000*

- **Date of preparation / last revision** 08/20/2020 / -

- **Abbreviations and acronyms:**

*ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*DOT: US Department of Transportation*

*IATA: International Air Transport Association*

*ACGIH: American Conference of Governmental Industrial Hygienists*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*PBT: Persistent, Bioaccumulative and Toxic*

*vPvB: very Persistent and very Bioaccumulative*

*NIOSH: National Institute for Occupational Safety*

*OSHA: Occupational Safety & Health*

*TLV: Threshold Limit Value*

*PEL: Permissible Exposure Limit*

*REL: Recommended Exposure Limit*

*Flam. Sol. 2: Flammable solids – Category 2*

*Acute Tox. 3: Acute toxicity – Category 3*

*Skin Irrit. 2: Skin corrosion/irritation – Category 2*

*Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A*

*STOT SE 3: Specific target organ toxicity (single exposure) – Category 3*

- **\* Data compared to the previous version altered.**