



Printing date 02/06/2021 Reviewed on 01/11/2019

1 Identification

- · Product identifier
- · Trade name: Tungsten Microcarrier
- · Catalog or product number: 1652266
- · CAS Number:

7440-33-7

· EC number:

231-143-9

- · Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Bio-Rad Laboratories, Life Science Group

2000 Alfred Nobel Drive

Hercules, California 94547

(510)741-1000

- · Information department: lsg_techserv_us@bio-rad.com
- · Emergency telephone number:

1(800)424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION or ACCIDENT.

510-741-1000

2 Hazard(s) identification

· Classification of the substance or mixture

Flam. Sol. 1 H228 Flammable solid.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS02 GHS07

- · Signal word Danger
- · Hazard statements

H228 Flammable solid.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.
P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

(Contd. on page 2)





Printing date 02/06/2021 Reviewed on 01/11/2019

Trade name: Tungsten Microcarrier

(Contd. of page 1)

P362

Take off contaminated clothing.

- · Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description:

7440-33-7 tungsten powder

- Identification number(s):
- EC number: 231-143-9
- · Additional information: For the wording of the listed risk phrases refer to section 15.

4 First-aid measures

- · Description of first aid measures
- · General information Immediately remove any clothing soiled by the product.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact

Generally the product does not irritate the skin.

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

- · After eye contact Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing Rinse mouth with water. Seek medical attention and appropriate follow-up.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective equipment (See section 8). Keep unprotected persons away. Wear protective clothing.
- · Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up: Ensure adequate ventilation.

(Contd. on page 3)





Printing date 02/06/2021 Reviewed on 01/11/2019

Trade name: Tungsten Microcarrier

(Contd. of page 2)

· Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:

10 mg/m³

· PAC-2:

330 mg/m³

· PAC-3:

2,000 mg/m³

7 Handling and storage

- · Handling
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: According to product specification
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

7440-33-7 tungsten powder

PEL and insoluble compounds, as We

REL Short-term value: 10 mg/m³

Long-term value: 5 mg/m3

as W

TLV Long-term value: 3* mg/m³ as W; * respirable fraction

· Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

(Contd. on page 4)





Printing date 02/06/2021 Reviewed on 01/11/2019

Trade name: Tungsten Microcarrier

(Contd. of page 3)

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- · Protection of hands: Protective gloves.
- · Material of gloves Synthetic gloves
- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

· Bulk density:

· Vapor density

· Relative density

· Evaporation rate

Tightly sealed goggles.

$\alpha \Box b$		0.10		_	10.14	
9 Ph	VASILOGEL		164111	(87)	2 • 1 4 • 1	(#K
	,		 			

9 Physical and Chemical prop		
Information on basic physical and	d chemical properties	
General Information		
Appearance:	0-11-1	
Form: Color:	Solid	
•••••	Dark grey Odorless	
· Odor: · Odor threshold:		
· Odor threshold:	Not determined.	
· pH-value:	Not applicable.	
· Change in condition		
Melting point/Melting range:	3,390 °C	
Boiling point/Boiling range:	5,500 °C	
· Flash point:	Not applicable	
•	Not determined.	
· Flammability (solid, gaseous)	Product is not flammable.	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Not determined.	
· Danger of explosion:	Not determined.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure:	Not applicable.	
· Density at 20 °C:	19.27 g/cm³	

4,000 kg/m³

Not determined.

Not applicable.

Not applicable.

(Contd. on page 5)





Printing date 02/06/2021 Reviewed on 01/11/2019

Trade name: Tungsten Microcarrier

(Contd. of page 4)

· Solubility in / Miscibility with

Water: Fully miscible

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

dynamic: Not applicable. kinematic: Not applicable.

Solids content: 100.0 %

· Other information No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritant effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

· Target organs: Eye.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.

(Contd. on page 6)





Printing date 02/06/2021 Reviewed on 01/11/2019

Trade name: Tungsten Microcarrier

(Contd. of page 5)

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Generally not hazardous for water.
- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Dispose of waste in accordance to applicable national, regional, or local regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

4 Transport information	
· UN-Number · DOT, ADR, IMDG, IATA	UN3189
· UN proper shipping name · DOT · ADR · IMDG, IATA	Metal powder, self-heating, n.o.s. 3189 METAL POWDER, SELF-HEATING, N.O.S. METAL POWDER, SELF-HEATING, N.O.S. (tungster powder) METAL POWDER, SELF-HEATING, N.O.S.
· Transport hazard class(es)	
· DOT, ADR, IMDG, IATA · Class · Label	4.2 Substances liable to spontaneous combustion 4.2
· Packing group · DOT, ADR, IMDG, IATA	III
· Environmental hazards: · Marine pollutant:	No
Special precautions for userEMS Number:Segregation groups	Warning: Substances liable to spontaneous combustion F-G,S-J Heavy metals and their salts (including their organometallicompounds), powdered metals
· Stowage Category	E

(Contd. on page 7)





Printing date 02/06/2021 Reviewed on 01/11/2019

Trade name: Tungsten Microcarrier

	(Contd. of pag				
Handling Code Segregation Code	H1 Keep as dry as reasonably practicable SG26 In addition: from goods of classes 2.1 and 3 wh stowed on deck of a containership a minimum distance of t container spaces athwartship shall be maintained, wh stowed on ro-ro ships a distance of 6 m athwartship shall maintained.				
Transport in bulk according to Annex II of MA and the IBC Code	RPOL73/78 Not applicable.				
Transport/Additional information:	Not dangerous according to the above specifications.				
DOT Quantity limitations	Void Void				
ADR					
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g				
IMDG					
Limited quantities (LQ) Excepted quantities (EQ)	0 Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g				
UN "Model Regulation":	UN 3189 METAL POWDER, SELF-HEATING, N.O.S., 4.2,				

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · SARA (Superfund Amendents and Reauthorization Act of 1986 USA)
- Section 302/304 (40CFR355.30 / 40CFR355.40):

Substance not listed.

· Section 313 (40CFR372.65):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

ACTIVE

- · Hazardous Air Pollutants
- Substance is not listed.
- · California Proposition 65:
- · Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

(Contd. on page 8)





Printing date 02/06/2021 Reviewed on 01/11/2019

Trade name: Tungsten Microcarrier

(Contd. of page 7)

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Developmental Toxicity

Substance is not listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

- · National regulations
- · Water hazard class: Generally not hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: Environmental Health and Safety.
- · Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

- · Date of preparation / last revision 02/06/2021 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Sol. 1: Flammable solids - Category 1

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

· * Data compared to the previous version altered.

US