



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 30-Dec-2024

Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name	Meter Trax Control
Catalogue Number(s)	970, 971, 972, 973, 970X
Form	Not applicable
Pure substance/mixture	Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use	In vitro diagnostic
Uses advised against	No information available

1.3. Details of the supplier of the safety data sheet

Corporate Headquarters

Bio-Rad Laboratories Inc.
1000 Alfred Nobel Drive
Hercules, CA 94547
USA

Manufacturer

Bio-Rad Laboratories Inc.
9500 Jeronimo Road
Irvine, California 92618
USA

Legal Entity / Contact Address

The Junction
Station Road
Watford, WD17 1ET
UK

Bio-Rad Laboratories Pvt. Ltd.
Bio-Rad House
86-87, Udyog Vihar Phase IV Gurgaon
122005
Haryana India

Bio-Rad Laboratories (Pty) Ltd.
43 Bolton Road
Parkwood, Johannesburg 2192
South Africa

EU Representative:
Bio-Rad
3 bld Raymond Poincaré
92430 Marnes-la-Coquette
France
Phone: (33) 1-4795-6000

For further information, please contact

Technical Service	00800 00246 723 Ireland: Techsupport.UK@bio-rad.com India: support.india@bio-rad.com South Africa: cdg_techsupport_eemea@bio-rad.com
-------------------	---

1.4. Emergency telephone number

24 Hour Emergency Phone Number	CHEMTREC Ireland: 353-19014670 CHEMTREC India: 000-800-100-7141 CHEMTREC South Africa: 0-800-983-611
--------------------------------	--

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to
Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2 - (H319)
Hazardous to the aquatic environment - chronic	Category 3 - (H412)

2.2. Label elements



Signal word

Warning

Hazard statements

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H412 - Harmful to aquatic life with long lasting effects

Precautionary Statements - EU (§28, 1272/2008)

P264 - Wash face, hands and any exposed skin thoroughly after handling

P273 - Avoid release to the environment

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

P280 - Wear protective gloves, protective clothing, eye protection and face protection

2.3. Other hazards

Contains human source material and / or potentially infectious components

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Polyethylene glycol 25322-68-3	5 - 10	Not available	-	Not classified	-	-	-
Ethyl alcohol 64-17-5	2.5 - 5	Not available	200-578-6 (603-002-00)	Flam. Liq. 2 (H225)	-	-	-

Ethylenediaminetetraacetic acid 60-00-4	1 - 2.5	Not available	-5) 200-449-4 (607-429-00-8)	Eye Irrit. 2 (H319)	-	-	-
Sodium hydroxide 1310-73-2	0.3 - 0.99	Not available	215-185-5 (011-002-00-6)	Skin Corr. 1A (H314) Eye Dam. 1 (H318)	Eye Irrit. 2 :: 0.5%≤C<2% Skin Corr. 1A :: C≥5% Skin Corr. 1B :: 2%≤C<5% Skin Irrit. 2 :: 0.5%≤C<2%	-	-
Potassium hydroxide 1310-58-3	0.3 - 0.99	Not available	215-181-3 (019-002-00-8)	Acute Tox. 4 (H302) Skin Corr. 1A (H314)	Eye Irrit. 2 :: 0.5%≤C<2% Skin Corr. 1A :: C≥5% Skin Corr. 1B :: 2%≤C<5% Skin Irrit. 2 :: 0.5%≤C<2%	-	-

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATE_{mix}) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Polyethylene glycol 25322-68-3	22000	20000	No data available	No data available	No data available
Ethyl alcohol 64-17-5	7060	No data available	116.9 133.8	No data available	No data available
Ethylenediaminetetraacetic acid 60-00-4	2000	No data available	No data available	No data available	No data available
Sodium hydroxide 1310-73-2	325	1350	No data available	No data available	No data available
Potassium hydroxide 1310-58-3	284	No data available	No data available	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration ≥0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice

Show this safety data sheet to the doctor in attendance.

Inhalation

Remove to fresh air. Get medical attention immediately if symptoms occur.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists. Contains human source material and / or potentially infectious components. Call a doctor.

Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists. Wash with soap and water.
Ingestion	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a doctor. Contains human source material and / or potentially infectious components.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	May cause redness and tearing of the eyes. Burning sensation.
-----------------	---

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors	Contains human source material and / or potentially infectious components.
------------------------	--

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
-------------------------------------	---

Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
-------------------	--

Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
---------------------------------------	---

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	No information available.
---	---------------------------

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
---	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required.
Other information	Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions	Prevent further leakage or spillage if safe to do so.
----------------------------------	---

6.3. Methods and material for containment and cleaning up

Methods for containment	Do not allow into any sewer, on the ground or into any body of water.
Methods for cleaning up	Use: Disinfectant. Clean contaminated surface thoroughly.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse.

General hygiene considerations Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing. Follow universal and standard precautions for handling potentially infectious materials.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store according to product and label instructions.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Polyethylene glycol 25322-68-3	-	TWA: 1000 mg/m ³ STEL 4000 mg/m ³	-	-	-
Ethyl alcohol 64-17-5	-	TWA: 1000 ppm TWA: 1900 mg/m ³ STEL 2000 ppm STEL 3800 mg/m ³	TWA: 1000 ppm TWA: 1907 mg/m ³	TWA: 1000 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³
Sodium hydroxide 1310-73-2	-	TWA: 2 mg/m ³ STEL 4 mg/m ³	TWA: 2 mg/m ³	TWA: 2.0 mg/m ³	STEL: 2 mg/m ³
Potassium hydroxide 1310-58-3	-	TWA: 2 mg/m ³	-	TWA: 2.0 mg/m ³	STEL: 2 mg/m ³
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Polyethylene glycol 25322-68-3	-	-	TWA: 1000 mg/m ³ STEL: 2000 mg/m ³ average molecular weight of 200-600	-	-
Ethyl alcohol 64-17-5	-	TWA: 1000 mg/m ³ Ceiling: 3000 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³ STEL: 2000 ppm STEL: 3800 mg/m ³	TWA: 500 ppm TWA: 1000 mg/m ³ STEL: 1000 ppm STEL: 1900 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³ STEL: 1300 ppm STEL: 2500 mg/m ³
Sodium hydroxide 1310-73-2	-	TWA: 1 mg/m ³ Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³	TWA: 1 mg/m ³ STEL: 2 mg/m ³	Ceiling: 2 mg/m ³
Potassium hydroxide 1310-58-3	-	TWA: 1 mg/m ³ Ceiling: 2 mg/m ³	STEL: 2 mg/m ³	TWA: 2 mg/m ³	Ceiling: 2 mg/m ³

Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Polyethylene glycol 25322-68-3	-	TWA: 200 mg/m³	TWA: 250 mg/m³ Peak: 500 mg/m³	-	-
Ethyl alcohol 64-17-5	TWA: 1000 ppm TWA: 1900 mg/m³ STEL: 5000 ppm STEL: 9500 mg/m³	TWA: 200 ppm TWA: 380 mg/m³	TWA: 200 ppm TWA: 380 mg/m³ Peak: 800 ppm Peak: 1520 mg/m³	TWA: 1000 ppm TWA: 1900 mg/m³	TWA: 1000 ppm TWA: 1900 mg/m³ STEL: 2000 ppm STEL: 3800 mg/m³
Sodium hydroxide 1310-73-2	TWA: 2 mg/m³	-	-	TWA: 2 mg/m³ STEL: 2 mg/m³	TWA: 1 mg/m³ STEL: 2 mg/m³
Potassium hydroxide 1310-58-3	STEL: 2 mg/m³	-	-	TWA: 2 mg/m³ STEL: 2 mg/m³	TWA: 2 mg/m³ STEL: 2 mg/m³
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
Ethyl alcohol 64-17-5	STEL: 1000 ppm	-	STEL: 1000 ppm STEL: 1884 mg/m³	TWA: 1000 mg/m³	TWA: 500 ppm TWA: 1000 mg/m³ STEL: 1000 ppm STEL: 1900 mg/m³
Sodium hydroxide 1310-73-2	STEL: 2 mg/m³	-	Ceiling: 2 mg/m³	TWA: 0.5 mg/m³	Ceiling: 2 mg/m³
Potassium hydroxide 1310-58-3	STEL: 2 mg/m³	-	Ceiling: 2 mg/m³	-	-
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Ethyl alcohol 64-17-5	-	-	TWA: 137 ppm TWA: 260 mg/m³ STEL: 1000 ppm STEL: 1900 mg/m³ Sk*	TWA: 500 ppm TWA: 950 mg/m³ STEL: 625 ppm STEL: 1187.5 mg/m³	TWA: 1900 mg/m³
Sodium hydroxide 1310-73-2	-	-	-	Ceiling: 2 mg/m³	TWA: 0.5 mg/m³ STEL: 1 mg/m³
Potassium hydroxide 1310-58-3	-	-	-	Ceiling: 2 mg/m³	TWA: 0.5 mg/m³ STEL: 1 mg/m³
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
Polyethylene glycol 25322-68-3	-	-	TWA: 1000 mg/m³	TWA: 1000 mg/m³ STEL: 8000 mg/m³	-
Ethyl alcohol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m³ STEL: 5000 ppm STEL: 9500 mg/m³	TWA: 500 ppm TWA: 960 mg/m³ Ceiling: 1920 mg/m³	TWA: 960 mg/m³ TWA: 500 ppm STEL: 1000 ppm STEL: 1920 mg/m³	STEL: 1000 ppm STEL: 1910 mg/m³
Sodium hydroxide 1310-73-2	Ceiling: 2 mg/m³	TWA: 1 mg/m³ STEL: 3 mg/m³	TWA: 2 mg/m³	-	STEL: 2 mg/m³
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m³	TWA: 1 mg/m³ STEL: 3 mg/m³	-	-	STEL: 2 mg/m³
Chemical name	Sweden		Switzerland		United Kingdom
Polyethylene glycol 25322-68-3	-		TWA: 500 mg/m³		-
Ethyl alcohol 64-17-5	NGV: 500 ppm NGV: 1000 mg/m³ Vägledande KGV: 1000 ppm Vägledande KGV: 1900 mg/m³		TWA: 500 ppm TWA: 960 mg/m³ STEL: 1000 ppm STEL: 1920 mg/m³		TWA: 1000 ppm TWA: 1920 mg/m³ STEL: 3000 ppm STEL: 5760 mg/m³
Sodium hydroxide 1310-73-2	NGV: 1 mg/m³ Bindande KGV: 2 mg/m³		TWA: 2 mg/m³ STEL: 2 mg/m³		STEL: 2 mg/m³
Potassium hydroxide 1310-58-3	NGV: 1 mg/m³ Bindande KGV: 2 mg/m³		STEL: 2 mg/m³		STEL: 2 mg/m³

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) No information available.

Predicted No Effect Concentration

(PNEC)

8.2. Exposure controls**Personal protective equipment**

Eye/face protection	Wear safety glasses with side shields (or goggles).
Hand protection	Wear suitable gloves. Impervious gloves.
Skin and body protection	Wear suitable protective clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing. Follow universal and standard precautions for handling potentially infectious materials.
Environmental exposure controls	No information available.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state	Liquid
Appearance	Opaque
Colour	red brown
Odour	Odourless.
Odour threshold	No information available

Property	Values	Remarks • Method
Melting point / freezing point	No data available	None known
Initial boiling point and boiling range	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Flash point	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
pH	7.1-7.3	
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Water solubility	Miscible in water	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapour pressure	No data available	None known
Relative density	No data available	None known
Bulk density	No data available	
Liquid Density	No data available	
Relative vapour density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	

9.2. Other information**9.2.1. Information with regards to physical hazard classes**

Not applicable

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity**10.1. Reactivity****Reactivity** No information available.**10.2. Chemical stability****Stability** Stable under normal conditions.**Explosion data****Sensitivity to mechanical impact** None.**Sensitivity to static discharge** None.**10.3. Possibility of hazardous reactions****Possibility of hazardous reactions** None under normal processing.**10.4. Conditions to avoid****Conditions to avoid** None known based on information supplied.**10.5. Incompatible materials****Incompatible materials** Strong acids. Strong bases. Strong oxidising agents.**10.6. Hazardous decomposition products****Hazardous decomposition products** None known based on information supplied.**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Information on likely routes of exposure****Product Information**

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation (based on components). May cause redness, itching, and pain.
Skin contact	Specific test data for the substance or mixture is not available. Causes skin irritation (based on components).
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

Symptoms related to the physical, chemical and toxicological characteristics**Symptoms** Redness. May cause redness and tearing of the eyes.

Acute toxicity**Numerical measures of toxicity**

No information available

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 77,308.40 mg/kg

ATEmix (inhalation-dust/mist) 4,345.70 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Polyethylene glycol	= 22 g/kg (Rat)	> 20 g/kg (Rabbit)	-
Ethyl alcohol	= 7060 mg/kg (Rat)	-	= 116.9 mg/L (Rat) 4 h = 133.8 mg/L (Rat) 4 h
Ethylenediaminetetraacetic acid	> 2000 mg/kg (Rat)	-	-
Sodium hydroxide	= 325 mg/kg (Rat)	= 1350 mg/kg (Rabbit)	-
Potassium hydroxide	= 284 mg/kg (Rat)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Skin corrosion/irritation** Classification based on data available for ingredients. Causes skin irritation.**Serious eye damage/eye irritation** Classification based on data available for ingredients. Causes serious eye irritation.**Respiratory or skin sensitisation** No information available.**Germ cell mutagenicity** No information available.**Carcinogenicity** No information available.**Reproductive toxicity** No information available.**STOT - single exposure** No information available.**STOT - repeated exposure** No information available.**Aspiration hazard** No information available.**11.2. Information on other hazards****11.2.1. Endocrine disrupting properties****Endocrine disrupting properties** Not applicable.**11.2.2. Other information**

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Ethyl alcohol	-	LC50: 12.0 - 16.0mg/L (96h, Oncorhynchus mykiss) LC50: >100mg/L (96h, Pimephales promelas) LC50: 13400 - 15100mg/L (96h, Pimephales promelas)	-	LC50: 9268 - 14221mg/L (48h, Daphnia magna) EC50: =2mg/L (48h, Daphnia magna)
Ethylenediaminetetraacetic acid	EC50: =1.01mg/L (72h, Desmodemus subspicatus)	LC50: 34 - 62mg/L (96h, Lepomis macrochirus) LC50: 44.2 - 76.5mg/L (96h, Pimephales promelas)	-	EC50: =113mg/L (48h, Daphnia magna)
Sodium hydroxide	-	LC50: =45.4mg/L (96h, Oncorhynchus mykiss)	-	-

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Polyethylene glycol	-0.698
Ethyl alcohol	-0.35
Potassium hydroxide	0.83

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

Chemical name	PBT and vPvB assessment
Polyethylene glycol	The substance is not PBT / vPvB
Ethyl alcohol	The substance is not PBT / vPvB
Ethylenediaminetetraacetic acid	The substance is not PBT / vPvB
Sodium hydroxide	The substance is not PBT / vPvB
Potassium hydroxide	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

SECTION 14: Transport information

IATA

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

IMDG

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None
14.7 Maritime transport in bulk according to IMO instruments	No information available

RID

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

ADR

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Ethyl alcohol 64-17-5	RG 84	-

Germany

Water hazard class (WGK) slightly hazardous to water (WGK 1)

Netherlands

Chemical name	Netherlands - List of Carcinogens	Netherlands - List of Mutagens	Netherlands - List of Reproductive Toxins
Ethyl alcohol	Present	-	Fertility Category 1A Development Category 1A Can be harmful via breastfeeding

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
Ethylenediaminetetraacetic acid - 60-00-4	75	-
Sodium hydroxide - 1310-73-2	75.	-
Potassium hydroxide - 1310-58-3	75.	-

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) Regulation (EU) 2024/590

Not applicable

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Chemical name	Biocidal Products Regulation (EU) No 528/2012 (BPR)
Ethyl alcohol - 64-17-5	Product-type 1: Human hygiene Product-type 2: Disinfectants and algacides not intended for direct application to humans or animals Product-type 4: Food and feed area

International Inventories

Contact supplier for inventory compliance status

15.2. Chemical safety assessment**Chemical Safety Report**

No information available

SECTION 16: Other information**Key or legend to abbreviations and acronyms used in the safety data sheet**

Full text of any hazard and/or precautionary statements referred to under Sections 2-15

H225 - Highly flammable liquid and vapour

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average)

STEL

STEL (Short Term Exposure Limit)

Ceiling Maximum limit value

Sk*

Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)

European Chemicals Agency (ECHA) (ECHA_API)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision Note Significant changes throughout SDS. Review all sections.

Revision date 30-Dec-2024

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet