



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024

Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name	Bio-Lyte 4/6, 5/7, 5/8, 6/8, 7/9, 3/10, 40%
Catalogue Number(s)	1631112, 1631113, 1631142, 1631143, 1631152, 1631153, 1631162, 1631163, 1631172, 1631192, 1631193, 1631112EDU, 1631142EDU, 1631152EDU, 1631192EDU, 9701383, 9701384, 9701385, 9701386, 9704143
Nanoforms	Not applicable
Pure substance/mixture	Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use	Laboratory chemicals
Uses advised against	No information available

1.3. Details of the supplier of the safety data sheet

Corporate Headquarters

Bio-Rad Laboratories Inc.
1000 Alfred Nobel Drive
Hercules, CA 94547
USA

Manufacturer

Bio-Rad Laboratories, Life Science Group
2000 Alfred Nobel Drive
Hercules, California 94547
USA

Legal Entity / Contact Address

The Junction
Station Road
Watford, WD17 1ET
UK

Bio-Rad Laboratories Pvt. Ltd.
Bio-Rad House
86-87, Udyog Vihar Phase IV Gurgaon
122005
Haryana India

Bio-Rad Laboratories (Pty) Ltd.
43 Bolton Road
Parkwood, Johannesburg 2192
South Africa

EU Representative:
Bio-Rad
3 bld Raymond Poincaré
92430 Marnes-la-Coquette
France
Phone: (33) 1-4795-6000

For further information, please contact

Technical Service	00800 00246 723 Ireland: Techsupport.UK@bio-rad.com India: support.india@bio-rad.com South Africa: lsg_techsupport_eemea@bio-rad.com
-------------------	---

1.4. Emergency telephone number

24 Hour Emergency Phone Number	CHEMTREC Ireland: 353-19014670 CHEMTREC India: 000-800-100-7141
--------------------------------	--

CHEMTREC South Africa: 0-800-983-611

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to
Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation	Category 3 - (H316)
Acute aquatic toxicity	Category 3 - (H402)
Chronic aquatic toxicity	Category 3 - (H412)

2.2. Label elements

Signal word

Warning

Hazard statements

H316 - Causes mild skin irritation

H412 - Harmful to aquatic life with long lasting effects

EUH208 - Contains 3,6,9,12-Tetrazaatetradecane-1,14-diamine; Ethyl acrylate May produce an allergic reaction.

Precautionary Statements - EU (§28, 1272/2008)

P273 - Avoid release to the environment

P332 + P313 - If skin irritation occurs: Get medical advice/attention

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
1,2,3-Propanetriol 56-81-5	1 - 2.5	Not available	200-289-5	Not classified	-	-	-
3,6,9,12-Tetrazaatetradecane-1,14-diamine 4067-16-7	0.3 - 0.99	Not available	223-775-9 (612-064-00-2)	Skin Corr. 1B (H314) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	-	-	-
Ethyl acrylate 140-88-5	0.1 - 0.299	Not available	205-438-8 (607-032-00-X)	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1 (H317) STOT SE 3 (H335)	Eye Irrit. 2 :: C>=5% Skin Irrit. 2 :: C>=5% STOT SE 3 :: C>=5%	-	-

				Flam. Liq. 2 (H225)			
--	--	--	--	---------------------	--	--	--

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
1,2,3-Propanetriol 56-81-5	12600	10000	2.75	No data available	No data available
3,6,9,12-Tetrazaatetradecane-1,14-diamine 4067-16-7	1600	No data available	No data available	No data available	No data available
Ethyl acrylate 140-88-5	550	1790	No data available	5.7732	No data available

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Remove to fresh air.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.
Ingestion	Rinse mouth.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	Prolonged contact may cause redness and irritation.
-----------------	---

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors	Treat symptomatically.
------------------------	------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical No information available.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.
Use personal protection equipment.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Personal precautions Ensure adequate ventilation.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

Advice on safe handling Ensure adequate ventilation.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Store according to product and label instructions.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters**

Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
1,2,3-Propanetriol 56-81-5	-	-	TWA: 10 mg/m ³	-	TWA: 10 mg/m ³
Ethyl acrylate 140-88-5	TWA: 5 ppm TWA: 21 mg/m ³ STEL: 10 ppm STEL: 42 mg/m ³	TWA: 5 ppm TWA: 20 mg/m ³ STEL 10 ppm STEL 40 mg/m ³ H* Sh+	TWA: 5 ppm TWA: 21 mg/m ³ STEL: 10 ppm STEL: 42 mg/m ³	STEL: 10 ppm STEL: 42 mg/m ³ TWA: 5 ppm TWA: 21 mg/m ³	TWA: 5 ppm TWA: 21 mg/m ³ STEL: 10 ppm STEL: 42 mg/m ³ * Skin Sensitisation
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
1,2,3-Propanetriol 56-81-5	-	TWA: 10 mg/m ³ Ceiling: 15 mg/m ³	-	TWA: 10 mg/m ³	TWA: 20 mg/m ³
Ethyl acrylate 140-88-5	STEL: 42 mg/m ³ STEL: 10 ppm TWA: 21 mg/m ³ TWA: 5 ppm	TWA: 20 mg/m ³ Ceiling: 40 mg/m ³ D* S+	TWA: 5 ppm TWA: 21 mg/m ³ H* STEL: 42 mg/m ³ STEL: 10 ppm	S+ TWA: 5 ppm TWA: 21 mg/m ³ STEL: 10 ppm STEL: 42 mg/m ³	TWA: 5 ppm TWA: 21 mg/m ³ STEL: 10 ppm STEL: 42 mg/m ³ iho*
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
1,2,3-Propanetriol 56-81-5	TWA: 10 mg/m ³	TWA: 200 mg/m ³	TWA: 200 mg/m ³ Peak: 400 mg/m ³	TWA: 10 mg/m ³	-
Ethyl acrylate 140-88-5	TWA: 5 ppm TWA: 21 mg/m ³ STEL: 42 mg/m ³ STEL: 10 ppm	TWA: 2 ppm TWA: 8.3 mg/m ³ Sh+ H*	TWA: 2 ppm TWA: 8.3 mg/m ³ Peak: 4 ppm Peak: 16.6 mg/m ³ * skin sensitizer	TWA: 5 ppm TWA: 21 mg/m ³ STEL: 10 ppm STEL: 42 mg/m ³	TWA: 5 ppm TWA: 21 mg/m ³ sz+ STEL: 10 ppm STEL: 42 mg/m ³ b*
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
Ethyl acrylate 140-88-5	TWA: 5 ppm TWA: 20 mg/m ³ STEL: 10 ppm STEL: 41 mg/m ³ Sk* Sens+	TWA: 5 ppm TWA: 21 mg/m ³ STEL: 10 ppm STEL: 42 mg/m ³	TWA: 5 ppm TWA: 20 mg/m ³ STEL: 15 ppm STEL: 61 mg/m ³	TWA: 10 mg/m ³	J+ TWA: 5 ppm TWA: 21 mg/m ³ STEL: 10 ppm STEL: 42 mg/m ³
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
1,2,3-Propanetriol 56-81-5	-	-	-	-	TWA: 10 mg/m ³
Ethyl acrylate 140-88-5	STEL: 42 mg/m ³ STEL: 10 ppm TWA: 21 mg/m ³ TWA: 5 ppm	STEL: 42 mg/m ³ STEL: 10 ppm TWA: 21 mg/m ³ TWA: 5 ppm	TWA: 5 ppm TWA: 21 mg/m ³ STEL: 10 ppm STEL: 42 mg/m ³	TWA: 5 ppm TWA: 21 mg/m ³ A+ STEL: 10 ppm STEL: 42 mg/m ³ H*	STEL: 40 mg/m ³ TWA: 20 mg/m ³ skóra*
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
1,2,3-Propanetriol 56-81-5	TWA: 10 mg/m ³	-	TWA: 11 mg/m ³	TWA: 200 mg/m ³ STEL: 400 mg/m ³	TWA: 10 mg/m ³
Ethyl acrylate 140-88-5	TWA: 5 ppm TWA: 21 mg/m ³ STEL: 10 ppm STEL: 42 mg/m ³	TWA: 5 ppm TWA: 21 mg/m ³ STEL: 10 ppm STEL: 42 mg/m ³	TWA: 5 ppm TWA: 21 mg/m ³ S+ Ceiling: 42 mg/m ³	TWA: 5 ppm TWA: 21 mg/m ³ STEL: 10 ppm STEL: 42 mg/m ³ K*	TWA: 5 ppm TWA: 21 mg/m ³ STEL: 10 ppm STEL: 42 mg/m ³ Sen+
Chemical name	Sweden		Switzerland		United Kingdom
1,2,3-Propanetriol 56-81-5	-		TWA: 50 mg/m ³ STEL: 100 mg/m ³		TWA: 10 mg/m ³ STEL: 30 mg/m ³
Ethyl acrylate 140-88-5	NGV: 5 ppm NGV: 20 mg/m ³ Bindande KGV: 10 ppm Bindande KGV: 40 mg/m ³ S+		S+ TWA: 2.5 ppm TWA: 10 mg/m ³ STEL: 10 ppm STEL: 42 mg/m ³		TWA: 5 ppm TWA: 21 mg/m ³ STEL: 10 ppm STEL: 42 mg/m ³

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific

regulatory bodies.

Derived No Effect Level (DNEL) No information available.
Predicted No Effect Concentration (PNEC)

8.2. Exposure controls

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear suitable gloves.

Skin and body protection Wear suitable protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid
Appearance aqueous solution
Colour yellow
Odour Odourless.
Odour threshold No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point	No data available	None known
Initial boiling point and boiling range	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Flash point	No data available	None known
Autoignition temperature	372 °C	
Decomposition temperature		None known
pH	No data available	None known
pH (as aqueous solution)	No data available	No information available
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Water solubility	Miscible in water	
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapour pressure	No data available	None known
Relative density	No data available	None known
Bulk density	No data available	
Liquid Density	No data available	
Relative vapour density	No data available	None known
Particle characteristics		

Particle Size	No information available
Particle Size Distribution	No information available

9.2. Other information

9.2.1. Information with regards to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Avoid contact with metals. This product contains Sodium azide. Sodium azide can react with Copper, Brass, Lead, and solder in piping systems to form explosive compounds and toxic gases.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materials Metals.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available. Causes mild skin irritation.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Prolonged contact may cause redness and irritation.

Acute toxicity

Numerical measures of toxicity

No information available

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
1,2,3-Propanetriol	= 12600 mg/kg (Rat)	> 10 g/kg (Rabbit)	> 2.75 mg/L (Rat) 4 h
3,6,9,12-Tetrazaatetradecane-1,14-diamine	= 1600 mg/kg (Rat)	-	-
Ethyl acrylate	= 550 mg/kg (Rat)	= 1790 mg/kg (Rabbit)	= 1410 ppm (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes mild skin irritation.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitisation No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties Not applicable.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
1,2,3-Propanetriol	-	LC50: 51 - 57mL/L (96h, Oncorhynchus mykiss)	-	-
Ethyl acrylate	EC50: =48mg/L (72h, Desmodesmus subspicatus)	LC50: =4.6mg/L (96h, Oncorhynchus mykiss) LC50: 2.31 - 2.7mg/L (96h, Pimephales promelas)	-	EC50: =7.9mg/L (48h, Daphnia magna)

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
1,2,3-Propanetriol	-1.75
Ethyl acrylate	1.18

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

Chemical name	PBT and vPvB assessment
1,2,3-Propanetriol	The substance is not PBT / vPvB
Ethyl acrylate	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties Not applicable.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation. Flush pipes with water frequently if discarding solutions containing Sodium azide into metal piping systems.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information

IATA

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

IMDG

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None
14.7 Maritime transport in bulk according to IMO instruments	No information available

RID

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

ADR

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Ethyl acrylate 140-88-5	RG 65	-

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
3,6,9,12-Tetrazaatetradecane-1,14-diamine -	Use restricted. See entry 75.	-

4067-16-7		
Ethyl acrylate - 140-88-5	Use restricted. See entry 75.	-

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

International Inventories

Contact supplier for inventory compliance status

15.2. Chemical safety assessment**Chemical Safety Report**

No information available

SECTION 16: Other information**Key or legend to abbreviations and acronyms used in the safety data sheet****Full text of H-Statements referred to under section 3**

H225 - Highly flammable liquid and vapour
 H302 - Harmful if swallowed
 H312 - Harmful in contact with skin
 H314 - Causes severe skin burns and eye damage
 H315 - Causes skin irritation
 H317 - May cause an allergic skin reaction
 H319 - Causes serious eye irritation
 H332 - Harmful if inhaled
 H335 - May cause respiratory irritation
 H400 - Very toxic to aquatic life
 H410 - Very toxic to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	Sk*	Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method

Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method
Health hazards not otherwise classified (HHNOC)	Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
 U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
 European Chemicals Agency (ECHA) (ECHA_API)
 Environmental Protection Agency
 Acute Exposure Guideline Level(s) (AEGL(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 Hazardous Substance Database
 International Uniform Chemical Information Database (IUCLID)
 National Institute of Technology and Evaluation (NITE)
 Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
 NIOSH (National Institute for Occupational Safety and Health)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Library of Medicine's PubMed database (NLM PUBMED)
 U.S. National Toxicology Program (NTP)
 New Zealand's Chemical Classification and Information Database (CCID)
 Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
 Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
 Organisation for Economic Co-operation and Development Screening Information Data Set
 World Health Organization

Revision Note Significant changes throughout SDS. Review all sections.

Revision date 28-Aug-2024

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet