

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/15/2021

Reviewed on 07/31/2020

1 Identification

- **Product identifier**
- **Trade name:** *Wash Reagent 2*
- **Catalog or product number:** 10005487, 4307591
- **Application of the substance / the mixture** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Bio-Rad Laboratories, Life Science Group
2000 Alfred Nobel Drive
Hercules, California 94547 (510)741-1000
- **Information department:** lsg_techserv_us@bio-rad.com
- **Emergency telephone number:**
1(800)424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION or ACCIDENT.
510-741-1000

2 Hazard(s) identification

- **Classification of the substance or mixture**
Flam. Liq. 2 H225 Highly flammable liquid and vapor.
Acute Tox. 4 H312 Harmful in contact with skin.
Skin Irrit. 2 H315 Causes skin irritation.
Eye Dam. 1 H318 Causes serious eye damage.
Carc. 2 H351 Suspected of causing cancer.
Repr. 2 H361 Suspected of damaging fertility or the unborn child.
STOT SE 3 H336 May cause drowsiness or dizziness.
STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.
- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**

 GHS02 GHS05 GHS07 GHS08
- **Signal word** Danger
- **Hazard-determining components of labeling:**
trichloromethane
acetone
hydrochloric acid
propan-2-ol
- **Hazard statements**
H225 Highly flammable liquid and vapor.
H312 Harmful in contact with skin.
H315 Causes skin irritation.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/15/2021

Reviewed on 07/31/2020

Trade name: Wash Reagent 2

(Contd. of page 1)

- H318 Causes serious eye damage.
 H351 Suspected of causing cancer.
 H361 Suspected of damaging fertility or the unborn child.
 H336 May cause drowsiness or dizziness.
 H372 Causes damage to organs through prolonged or repeated exposure.
- **Precautionary statements**
 P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a poison center/doctor.
 P321 Specific treatment (see on this label).
 P362+P364 Take off contaminated clothing and wash it before reuse.
 P405 Store locked up.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Emergency overview:**
 • **Routes of exposure:** Skin
 • **Classification system**
 • **Special Hazards** Reproductive toxin.
 • **Other hazards**
 • **Results of PBT and vPvB assessment**
 • **PBT:** Not applicable.
 • **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
 • **Description:** Mixture of the substances listed below with non-hazardous additions.

• **Listing of dangerous and non-hazardous components:**

67-64-1	acetone	Flam. Liq. 2, H225 Eye Irrit. 2A, H319; STOT SE 3, H336	50-100%
67-63-0	propan-2-ol	Flam. Liq. 2, H225 Eye Irrit. 2A, H319; STOT SE 3, H336	2.5-5%
67-66-3	trichloromethane	Flam. Liq. 2, H225 Acute Tox. 2, H310; Acute Tox. 3, H331 Carc. 2, H351; Repr. 2, H361; STOT RE 1, H372 Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319	2.5-5%
7647-01-0	hydrochloric acid	Skin Corr. 1B, H314; Eye Dam. 1, H318 STOT SE 3, H335	3-<5%
	Component 7	Flam. Liq. 3, H226 Acute Tox. 4, H302	2.5-5%

- **Additional information** For the wording of the listed risk phrases refer to section 15.

US

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/15/2021

Reviewed on 07/31/2020

Trade name: Wash Reagent 2

(Contd. of page 2)

4 First-aid measures

- **Description of first aid measures**

- **General information**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- **After inhalation** Supply fresh air; consult doctor in case of complaints.

- **After skin contact**

Generally the product does not irritate the skin.

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

- **After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor.

- **After swallowing** Rinse mouth with water. Seek medical attention and appropriate follow-up.

- **Information for doctor**

- **Most important symptoms and effects, both acute and delayed** No further relevant information available.

- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**

- **Suitable extinguishing agents**

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- **For safety reasons unsuitable extinguishing agents** Water with full jet.

- **Special hazards arising from the substance or mixture** During heating or in case of fire poisonous gases are produced.

- **Advice for firefighters**

- **Protective equipment:**

Mount respiratory protective device.

Wear self-contained respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**

Mount respiratory protective device.

Wear protective equipment (See section 8). Keep unprotected persons away.

Wear protective clothing.

- **Environmental precautions:**

Prevent seepage into sewage system, workpits and cellars.

Do not allow to enter sewers/ surface or ground water.

- **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

- **Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/15/2021

Reviewed on 07/31/2020

Trade name: Wash Reagent 2

(Contd. of page 3)

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

PAC-1:

acetone	200 ppm
propan-2-ol	400 ppm
trichloromethane	2 ppm
hydrochloric acid	1.8 ppm

PAC-2:

67-64-1 acetone	3200* ppm
67-63-0 propan-2-ol	2000* ppm
67-66-3 trichloromethane	64 ppm
7647-01-0 hydrochloric acid	22 ppm

PAC-3:

67-64-1 acetone	5700* ppm
67-63-0 propan-2-ol	12000** ppm
67-66-3 trichloromethane	3,200 ppm
7647-01-0 hydrochloric acid	100 ppm

7 Handling and storage

Handling

Precautions for safe handling

Ensure good ventilation/exhaust at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Not required.

Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/15/2021

Reviewed on 07/31/2020

Trade name: Wash Reagent 2

(Contd. of page 4)

- Control parameters

- Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

67-64-1 acetone

PEL	Long-term value: 2400 mg/m ³ , 1000 ppm
REL	Long-term value: 590 mg/m ³ , 250 ppm
TLV	Short-term value: 1187 mg/m ³ , 500 ppm Long-term value: 594 mg/m ³ , 250 ppm BEI

67-63-0 propan-2-ol

PEL	Long-term value: 980 mg/m ³ , 400 ppm
REL	Short-term value: 1225 mg/m ³ , 500 ppm Long-term value: 980 mg/m ³ , 400 ppm
TLV	Short-term value: 984 mg/m ³ , 400 ppm Long-term value: 492 mg/m ³ , 200 ppm BEI

67-66-3 trichloromethane

PEL	Ceiling limit value: 240 mg/m ³ , 50 ppm
REL	Short-term value: 9.78* mg/m ³ , 2* ppm *60-min; See Pocket Guide App. A
TLV	Long-term value: 49 mg/m ³ , 10 ppm

7647-01-0 hydrochloric acid

PEL	Ceiling limit value: 7 mg/m ³ , 5 ppm
REL	Ceiling limit value: 7 mg/m ³ , 5 ppm
TLV	Ceiling limit value: 2.98 mg/m ³ , 2 ppm

- Ingredients with biological limit values:

67-64-1 acetone

BEI	50 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific)
-----	--

67-63-0 propan-2-ol

BEI	40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)
-----	---

- Additional information: The lists that were valid during the creation were used as basis.

- Exposure controls

- Personal protective equipment

- General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/15/2021

Reviewed on 07/31/2020

Trade name: Wash Reagent 2

(Contd. of page 5)

- Immediately remove all soiled and contaminated clothing
 Wash hands before breaks and at the end of work.
 Store protective clothing separately.
 Avoid contact with the skin.
 Avoid contact with the eyes.
 Avoid contact with the eyes and skin.
- **Breathing equipment:**
 In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
 Not necessary if room is well-ventilated. Adequate ventilation required.
 - **Protection of hands:** Protective gloves.
 - **Material of gloves** Synthetic gloves
 - **Penetration time of glove material**
 The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
 - **Eye protection:**
 Safety glasses
 Tightly sealed goggles.

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form:	Liquid
Color:	Colorless
Odor:	Recognizable
Odor threshold:	Not determined.

· pH-value at 20 °C:	5.5
----------------------	-----

· Change in condition

Melting point/Melting range:	undetermined
Boiling point/Boiling range:	55 °C

· Flash point:	< 0 °C
----------------	--------

· Flammability (solid, gaseous)	Not applicable.
---------------------------------	-----------------

· Ignition temperature:	340 °C
-------------------------	--------

· Decomposition temperature:	Not determined.
------------------------------	-----------------

· Auto igniting:	Product is not selfigniting.
------------------	------------------------------

· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
------------------------	--

· Explosion limits:

Lower:	2.6 Vol %
Upper:	13 Vol %

· Vapor pressure at 20 °C:	233 hPa
----------------------------	---------

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/15/2021

Reviewed on 07/31/2020

Trade name: Wash Reagent 2

(Contd. of page 6)

· Density at 20 °C:	0.82281 g/cm ³
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Fully miscible
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
dynamic:	Not determined.
kinematic:	Not determined.
· Solvent content:	
Organic solvents:	90.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values for hazardous components per OSHA criteria:**

67-64-1 acetone

Oral	LD50	5,800 mg/kg (rat)
Dermal	LD50	20,000 mg/kg (rbt)

67-63-0 propan-2-ol

Oral	LD50	4,570 mg/kg (rat)
Dermal	LD50	13,400 mg/kg (Rabbit)
Inhalative	LC50/4 h	30 mg/l (rat)

67-66-3 trichloromethane

Oral	LD50	908 mg/kg (rat)
Dermal	LD50	75 mg/kg (rat)

(Contd. on page 8)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/15/2021

Reviewed on 07/31/2020

Trade name: Wash Reagent 2

(Contd. of page 7)

Component 7

Oral	LD50	1,300 mg/kg (rat)
------	------	-------------------

· **Primary irritant effect:**· **on the skin:** Irritant to skin and mucous membranes.· **on the eye:**

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

Irritant effect.

· **Sensitization:** No sensitizing effects known.· **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful

Irritant

· **Carcinogenic categories**· **IARC (International Agency for Research on Cancer)**

67-63-0	propan-2-ol	3
67-66-3	trichloromethane	2B
7647-01-0	hydrochloric acid	3

· **NTP (National Toxicology Program)**

67-66-3	trichloromethane	R
---------	------------------	---

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

· **Target organs:**

Skin.

Eye.

12 Ecological information

· **Toxicity**· **Aquatic toxicity:** No further relevant information available.· **Persistence and degradability** No further relevant information available.· **Behavior in environmental systems:**· **Bioaccumulative potential** No further relevant information available.· **Mobility in soil** No further relevant information available.· **Additional ecological information:**· **General notes:**

Water danger class 3 (Internal calculation) (Self-assessment): extremely hazardous for water.

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even extremely small quantities leak into the ground.

· **Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/15/2021

Reviewed on 07/31/2020

Trade name: Wash Reagent 2

(Contd. of page 8)

· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Dispose of waste in accordance to applicable national, regional, or local regulations.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· **UN-Number**

· **DOT, ADR, IMDG, IATA**

UN1993

· **UN proper shipping name**

· **DOT**

· **ADR**

Flammable liquids, n.o.s. (Acetone, Chloroform)

1993 FLAMMABLE LIQUID, N.O.S. (vapour pressure at 50°C not more than 110 kPa) (ACETONE, CHLOROFORM)

1993 FLAMMABLE LIQUID, N.O.S. (vapor pressure at 50°C at most 110 kPa) (ACETONE, CHLOROFORM)

FLAMMABLE LIQUID, N.O.S. (ACETONE, CHLOROFORM)

· **IMDG, IATA**

· **Transport hazard class(es)**

· **DOT, ADR, IMDG, IATA**

· **Class**

· **Label**

3 Flammable liquids

3

· **Packing group**

· **DOT, ADR, IMDG, IATA**

II

· **Environmental hazards:**

· **Marine pollutant:**

No

· **Special precautions for user**

· **Hazard identification number (Kemler code):**

· **EMS Number:**

· **Segregation groups**

· **Stowage Category**

Warning: Flammable liquids

33

F-E,S-E

Liquid halogenated hydrocarbons

B

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

· **Transport/Additional information:**

· **DOT**

· **Quantity limitations**

Void

Void

(Contd. on page 10)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/15/2021

Reviewed on 07/31/2020

Trade name: Wash Reagent 2

(Contd. of page 9)

- **ADR**
- **Excepted quantities (EQ)**

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

- **IMDG**
- **Limited quantities (LQ)**
- **Excepted quantities (EQ)**

1L

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

- **UN "Model Regulation":**

UN 1993 FLAMMABLE LIQUID, N.O.S. (VAPOUR PRESSURE AT 50°C NOT MORE THAN 110 KPA) (ACETONE, CHLOROFORM), 3, II

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **SARA (Superfund Amendments and Reauthorization Act of 1986 - USA)**

- **Section 302/304 (40CFR355.30 / 40CFR355.40):**

67-66-3	trichloromethane
7647-01-0	hydrochloric acid

- **Section 313 (40CFR372.65):**

67-63-0	propan-2-ol
67-66-3	trichloromethane
7647-01-0	hydrochloric acid

- **TSCA (Toxic Substances Control Act):**

67-64-1	acetone	ACTIVE
67-63-0	propan-2-ol	ACTIVE
67-66-3	trichloromethane	ACTIVE
7647-01-0	hydrochloric acid	ACTIVE
	Component 7	*

- **Hazardous Air Pollutants**

67-66-3	trichloromethane
7647-01-0	hydrochloric acid

- **California Proposition 65:**

- **Chemicals known to cause cancer:**

67-66-3	trichloromethane
---------	------------------

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

(Contd. on page 11)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/15/2021

Reviewed on 07/31/2020

Trade name: Wash Reagent 2

(Contd. of page 10)

· Developmental Toxicity

67-66-3 trichloromethane

· Carcinogenic categories

· EPA (Environmental Protection Agency)

67-64-1 acetone

I

67-66-3 trichloromethane

B2, L, NL

· TLV (Threshold Limit Value established by ACGIH)

67-64-1 acetone

A4

67-63-0 propan-2-ol

A4

67-66-3 trichloromethane

A3

7647-01-0 hydrochloric acid

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

67-66-3 trichloromethane

· National regulations

· Technical instructions (air):

Class	Share in %
I	2.5-5
III	2.5-5
NK	50-100

· **Water hazard class:** Water danger class 3 (Self-assessment): extremely hazardous for water.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Environmental Health and Safety.

· Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

· **Date of preparation / last revision** 01/15/2021 / -

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

(Contd. on page 12)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/15/2021

Reviewed on 07/31/2020

Trade name: Wash Reagent 2

(Contd. of page 11)

PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
BEI: Biological Exposure Limit
Flam. Liq. 2: Flammable liquids – Category 2
Flam. Liq. 3: Flammable liquids – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 2: Acute toxicity – Category 2
Acute Tox. 3: Acute toxicity – Category 3
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
Carc. 2: Carcinogenicity – Category 2
Repr. 2: Reproductive toxicity – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

• *** Data compared to the previous version altered.**