



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
GB/T 16483-2008, GB/T 17519-2013

Product Name Coomassie Brilliant Blue R-250 Staining Solution

Revision date 31-Aug-2022

Revision Number 2.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product Name Coomassie Brilliant Blue R-250 Staining Solution

Catalogue Number(s) 1610436, 1610437, 1610436EDU, 1610437EDU

Other means of identification

UN/ID no UN2924

Pure substance/mixture Mixture

Details of the supplier of the safety data sheet

Corporate Headquarters

Bio-Rad Laboratories Inc.
1000 Alfred Nobel Drive
Hercules, CA 94547
USA

Manufacturer

Bio-Rad Laboratories, Life Science Group
2000 Alfred Nobel Drive
Hercules, California 94547
USA

Legal Entity / Contact Address

Bio-Rad Laboratories Ltd.
1st and 2nd Floor, Lumpini 1 Building
239/2, Rajdamri Road, Lumpini,
Pathumwan, Bangkok 10330
Thailand

Technical Service +66 2 652 8313
ctsthailand@bio-rad.com

Emergency telephone number

24 Hour Emergency Phone Number CHEMTREC Hong Kong: 800-968-793

Recommended use of the chemical and restrictions on use

Recommended use Laboratory chemicals

SECTION 2: Hazards identification

Emergency Overview

Toxic if swallowed
May be fatal if absorbed through skin
CORROSIVE - CAUSES IRREVERSIBLE EYE (AND SKIN) DAMAGE
Risk of serious damage to eyes
HIGHLY FLAMMABLE: Will be easily ignited by heat, sparks or flames

Appearance aqueous solution **Physical state** Liquid **Odour** Odourless

Classification of the substance or mixture

Corrosive to metals	Category 1
Flammable liquids	Category 3

Acute toxicity - Oral	Category 3
Acute toxicity - Dermal	Category 3
Acute toxicity - Inhalation (Vapours)	Category 5
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity - Single exposure	Category 1
Hazardous to the Aquatic Environment - Acute Hazard	Category 3

Label elements



Signal word

Danger

Hazard statements

May be corrosive to metals
Flammable liquid and vapour
Toxic if swallowed
Toxic in contact with skin
Harmful if inhaled
May be harmful if inhaled
Causes severe skin burns and eye damage
Causes damage to organs
Harmful to aquatic life

Precautionary statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling
Do not eat, drink or smoke when using this product
Wear protective gloves/protective clothing/eye protection/face protection
Use only outdoors or in a well-ventilated area
Do not breathe dust/fume/gas/mist/vapours/spray
Avoid release to the environment
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
Use only non-sparking tools
Take precautionary measures against static discharge

Response

Immediately call a POISON CENTRE or doctor
IF INHALED: Remove person to fresh air and keep comfortable for breathing
Immediately call a POISON CENTRE or doctor
Call a POISON CENTRE or doctor if you feel unwell
Call a POISON CENTRE or doctor if you feel unwell
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower
Wash contaminated clothing before reuse
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Immediately call a POISON CENTRE or doctor
IF SWALLOWED: Immediately call a POISON CENTER or doctor
Rinse mouth
Do NOT induce vomiting
In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish
Absorb spillage to prevent material damage

Storage

Store in a well-ventilated place. Keep cool

Disposal

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Physical and chemical hazards

Flammable; may be ignited by heat, sparks or flames. Vapours may form explosive mixtures with air. Vapours can travel considerable distances to a source of ignition where they can ignite, flash back, or explode. Runoff to sewer may create fire or explosion hazard. Containers may explode when heated.

Health hazards

Immediate Health Effects: Can cause poisoning if inhaled, swallowed or absorbed by the skin. Symptoms of poisoning may appear even after several hours. Medical examination necessary even merely on suspicion of intoxication. Severe, even fatal poisoning if absorbed by the skin, inhaled or swallowed. Symptoms of poisoning may appear even after several hours. Harmful. Effects of exposure (inhalation, ingestion or skin contact) to substance may be delayed. If symptoms persist, call a doctor. Contact may cause burns to skin and eyes. Risk of serious damage to eyes. Impairment of vision.

Chronic effects: Target organ(s).

Environmental hazards

This material is a water pollutant. Keep out of drains, sewers, ditches and waterways. Minimise use of water to prevent environmental contamination

Other hazards which do not result in classification

Not applicable

SECTION 3: Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	Weight-%	CAS No
Methanol	20 - 35	67-56-1
Acetic acid	10 - 20	64-19-7

SECTION 4: First aid measures

Description of necessary first aid measures

General advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

Inhalation

Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

Skin contact

Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. Get immediate medical advice/attention.

Ingestion

Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Get immediate medical advice/attention.

Most important symptoms and effects, both acute and delayed

Burning sensation. Coughing and/ or wheezing. Difficulty in breathing.

For emergency responders

Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Avoid breathing vapours or mists.

Note to doctors

Product is a corrosive material. Use of gastric lavage or emesis is contra-indicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.

SECTION 5: Firefighting measures

Extinguishing media

Suitable Extinguishing Media

Dry chemical. Carbon dioxide (CO₂). Water spray. Alcohol resistant foam.

Unsuitable extinguishing media

No information available.

Specific hazards arising from the chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapours.

Special protective actions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions

Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Attention! Corrosive material. Avoid breathing vapours or mists.

Other information

Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

For emergency responders

Use personal protection recommended in Section 8.

Environmental precautions

Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Should not be released into the environment. Do not allow to enter into soil/subsoil.

Methods and material for

Stop leak if you can do it without risk. Do not touch or walk through spilled material. A

containment and cleaning up

vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.

Precautions to prevent secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations.

SECTION 7: Handling and storage

Precautions for safe handling

Use personal protection equipment. Avoid breathing vapours or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash it before reuse. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. See Section 8 for information on appropriate personal protective equipment.

Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials. Store according to product and label instructions.

Incompatible materials

Oxidising agent. Acids. Bases.

SECTION 8: Exposure controls/personal protection

Occupational exposure limits

Chemical name	China	ACGIH TLV
Methanol - 67-56-1	TWA: 25 mg/m ³ STEL: 50 mg/m ³ Skin*	STEL: 250 ppm TWA: 200 ppm S*
Acetic acid - 64-19-7	TWA: 10 mg/m ³ STEL: 20 mg/m ³	STEL: 15 ppm TWA: 10 ppm

Note

See section 16 for terms and abbreviations

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Chemical name	Biological standards	Monitoring and observation	ACGIH
---------------	----------------------	----------------------------	-------

		processes	
Methanol - 67-56-1			15 mg/L - urine (Methanol) - end of shift

Monitoring and observation processes

No applicable information was found.

Engineering controls

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection	Tight sealing safety goggles. Face protection shield.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.
Hand protection	Wear suitable gloves. Impervious gloves.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance	aqueous solution
Colour	blue
Physical state	Liquid
Odour	Odourless
Odour threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	1	
Melting point / freezing point	No data available	None known
Boiling point / boiling range	64.7 °C	
Flash point	35 °C	
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapour pressure	No data available	None known
Vapour density	No data available	None known
Relative density	No data available	None known
Water solubility	Miscible in water	
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

Additional information

Explosive properties Not applicable
Oxidising properties Not applicable

SECTION 10: Stability and reactivity

Stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Sensitivity to mechanical impact None.

Sensitivity to static discharge Yes.

Conditions to avoid Heat, flames and sparks. Exposure to air or moisture over prolonged periods. Excessive heat.

Incompatible materials Oxidising agent. Acids. Bases.

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 288.60 mg/kg
ATEmix (dermal) 799.40 mg/kg
ATEmix (inhalation-dust/mist) 1.44 mg/l
ATEmix (inhalation-vapour) 107.70 mg/l

Unknown acute toxicity

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
11.4 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapour)
0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Methanol	= 6200 mg/kg (Rat)	= 15840 mg/kg (Rabbit)	= 22500 ppm (Rat) 8 h
Acetic acid	= 3310 mg/kg (Rat)	= 1060 mg/kg (Rabbit)	= 11.4 mg/L (Rat) 4 h

Skin corrosion/irritation Classification based on data available for ingredients. Causes burns.

Serious eye damage/eye irritation Classification based on data available for ingredients. Risk of serious damage to eyes. Causes burns.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity	Based on available data, the classification criteria are not met.
Specific target organ toxicity — single exposure	Based on the classification criteria of the Globally Harmonized System as adopted in the country or region with which this safety data sheet complies, this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE), Causes damage to organs if swallowed, Causes damage to organs in contact with skin.
Specific target organ toxicity — repeated exposure	Based on available data, the classification criteria are not met.
Target organ effects	Respiratory system. Eyes. Skin. Central nervous system. Gastrointestinal tract (GI). Teeth.
Aspiration hazard	Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

Ecotoxicity	Harmful to aquatic life.
Unknown aquatic toxicity	0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
Methanol	-	LC50: 13500 - 17600mg/L (96h, Lepomis macrochirus) LC50: 18 - 20mL/L (96h, Oncorhynchus mykiss) LC50: 19500 - 20700mg/L (96h, Oncorhynchus mykiss) LC50: =28200mg/L (96h, Pimephales promelas) LC50: >100mg/L (96h, Pimephales promelas)	-
Acetic acid	-	LC50: =75mg/L (96h, Lepomis macrochirus) LC50: =79mg/L (96h, Pimephales promelas)	EC50: =65mg/L (48h, Daphnia magna)

Persistence and degradability	No information available.
Bioaccumulative potential	There is no data for this product.

Component Information

Chemical name	Partition coefficient
Methanol	-0.77
Acetic acid	-0.17

Mobility in soil	No information available.
-------------------------	---------------------------

SECTION 13: Disposal considerations

Waste chemicals	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

SECTION 14: Transport information

IMDG

UN number or ID number	UN2924
UN proper shipping name	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Methanol Solution, Acetic acid)
Description	UN2924, FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Methanol Solution, Acetic acid), 3 (8), III, (35°C C.C.)
Transport hazard class(es)	3
Subsidiary hazard class	8
Packing group	III
Marine pollutant	NP
Special Provisions	223, 274
EmS-No	F-E, S-C
Transport in bulk according to Annex II of MARPOL and the IBC Code	No information available

IATA

UN number or ID number	UN2924
UN proper shipping name	Flammable liquid, corrosive, n.o.s (Methanol Solution, Acetic acid)
Description	UN2924, Flammable liquid, corrosive, n.o.s (Methanol Solution, Acetic acid), 3 (8), III
Transport hazard class(es)	3
Subsidiary hazard class	8
Packing group	III
Special Provisions	A3, A803
ERG Code	3C

China

UN number or ID number	UN2924
UN proper shipping name	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Methanol Solution, Acetic acid)
Transport hazard class(es)	3
Subsidiary hazard class	8
Packing group	III
Description	UN2924, FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Methanol Solution, Acetic acid), 3 (8), III

Special precautions for user

Please refer to the applicable dangerous goods regulations for additional information

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Law of the People's Republic of China on Prevention and Control of Occupational Diseases

Catalogue of occupational hazard factors:

Listed. Chemical hazards.

Catalogue of occupational diseases:

Listed. Occupational poisoning.

Chemical name	Category
Methanol	Chemical hazards
Acetic acid	Chemical hazards

Regulations on the Control over Safety of Hazardous Chemicals

Inventory of hazardous chemicals

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed. Verify that

licence requirements are met.

Flammable liquid - Category 3 Weight-% 46

Chemical name	Inventory of hazardous chemicals
Methanol	Listed
Acetic acid	Listed

GB 18218-2009 Identification of major hazard installations for dangerous chemicals

Category

Flammable liquids

Threshold quantity (T)

5000

Chemical name	Threshold quantity (T)
Methanol	500

List of hazardous chemicals under priority management

Chemical name	List of priority hazardous chemicals under work safety management
Methanol	Listed

Regulations on Labour Protection in Workplaces Where Toxic Substances Are Used

Inventory of highly toxic goods

Not applicable

Regulations for Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

List of toxic chemicals severely restricted for import and export in China

Not applicable

Measures for the Environmental Management of New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances Contact supplier for inventory compliance status.

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

SECTION 16: Other information

Prepared By Bio-Rad Laboratories, Environmental Health and Safety

Revision date 31-Aug-2022

Revision Note Reformatted and updated existing information.

Abbreviations and acronyms

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
C	Carcinogen		

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
EPA (Environmental Protection Agency)
Acute Exposure Guideline Level(s) (AELG(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)
Japan GHS Classification
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
Organization for Economic Co-operation and Development High Production Volume Chemicals Program
Organization for Economic Co-operation and Development Screening Information Data Set
RTECS (Registry of Toxic Effects of Chemical Substances)
World Health Organization

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet