



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
GB/T 16483-2008, GB/T 17519-2013

Product Name QC Colloidal Coomassie Stain
Revision date 22-Nov-2024
Revision Number 2.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product Name QC Colloidal Coomassie Stain
Catalogue Number(s) 1610803

Other means of identification

Pure substance/mixture Mixture

Details of the supplier of the safety data sheet

Corporate Headquarters

Bio-Rad Laboratories Inc.
1000 Alfred Nobel Drive
Hercules, CA 94547
USA

Manufacturer

Bio-Rad Laboratories, Life Science Group
2000 Alfred Nobel Drive
Hercules, California 94547
USA

Legal Entity / Contact Address

Bio-Rad Laboratories Ltd.
1st and 2nd Floor, Lumpini 1 Building
239/2, Rajdamri Road, Lumpini,
Pathumwan, Bangkok 10330
Thailand

Technical Service +66 2 652 8313
ctsthailand@bio-rad.com

Emergency telephone number

24 Hour Emergency Phone Number CHEMTREC Hong Kong: 800-968-793

Recommended use of the chemical and restrictions on use

Recommended use Laboratory chemicals

SECTION 2: Hazards identification

Emergency Overview

Irritating to skin
HIGHLY FLAMMABLE: Will be easily ignited by heat, sparks or flames

Appearance aqueous solution **Physical state** Liquid **Odour** Alcohol

Classification of the substance or mixture

Flammable liquids	Category 3
Skin corrosion/irritation	Category 3
Hazardous to the Aquatic Environment - Acute Hazard	Category 3

Label elements

**Signal word**

Warning

Hazard statements

Flammable liquid and vapour
Causes mild skin irritation
Harmful to aquatic life

Precautionary statements**Prevention**

Avoid release to the environment
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
Use only non-sparking tools
Take precautionary measures against static discharge
Wear protective gloves/protective clothing/eye protection/face protection

Response

If skin irritation occurs: Get medical advice/attention
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower
In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

Storage

Store in a well-ventilated place. Keep cool

Disposal

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Physical and chemical hazards

Flammable; may be ignited by heat, sparks or flames. Vapours may form explosive mixtures with air. Vapours can travel considerable distances to a source of ignition where they can ignite, flash back, or explode. Runoff to sewer may create fire or explosion hazard. Containers may explode when heated.

Health hazards

Immediate Health Effects: Causes skin irritation (pain, redness and swelling).
Chronic effects: Not applicable.

Environmental hazards

This material is a water pollutant. Keep out of drains, sewers, ditches and waterways. Minimise use of water to prevent environmental contamination

Other hazards which do not result in classification

No information available

SECTION 3: Composition/information on ingredients**Substance**

Not applicable.

Mixture

Chemical name	Weight-%	CAS No.
---------------	----------	---------

Ethyl alcohol	10 - 20	64-17-5
Diammonium sulfate	5 - 10	7783-20-2
Phosphoric acid	1 - 2.5	7664-38-2

SECTION 4: First aid measures

Description of necessary first aid measures

General advice	No hazards which require special first aid measures.
Inhalation	Remove to fresh air.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Ingestion	Rinse mouth thoroughly with water.
<u>Most important symptoms and effects, both acute and delayed</u>	Prolonged contact may cause redness and irritation.
<u>For emergency responders</u>	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information.
<u>Note to doctors</u>	Treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable Extinguishing Media	Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.
Unsuitable extinguishing media	No information available.
<u>Specific hazards arising from the chemical</u>	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
<u>Special protective actions for fire-fighters</u>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.
----------------------	--

Other information	Ventilate the area.
For emergency responders	Use personal protection recommended in Section 8.
<u>Environmental precautions</u>	Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.
<u>Methods and material for containment and cleaning up</u>	Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.
<u>Precautions to prevent secondary hazards</u>	Clean contaminated objects and areas thoroughly observing environmental regulations.

SECTION 7: Handling and storage

<u>Precautions for safe handling</u>	Use personal protection equipment. Avoid contact with skin and eyes. Avoid breathing vapours or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. See Section 8 for information on appropriate personal protective equipment.
<u>Conditions for safe storage, including any incompatibilities</u>	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations.
Incompatible materials	None known based on information supplied.

SECTION 8: Exposure controls/personal protection

Occupational exposure limits

Chemical name	China	ACGIH TLV
Ethyl alcohol - 64-17-5	-	STEL: 1000 ppm
Phosphoric acid - 7664-38-2	TWA: 1 mg/m ³ STEL: 3 mg/m ³	STEL: 3 mg/m ³ TWA: 1 mg/m ³

Note See section 16 for terms and abbreviations

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Monitoring and observation processes

No applicable information was found.

Engineering controlsShowers
Eyewash stations
Ventilation systems.**Individual protection measures, such as personal protective equipment****Eye/face protection** Tight sealing safety goggles.**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.
Antistatic boots.**Hand protection** Wear suitable gloves. Impervious gloves.**Respiratory protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.**General hygiene considerations** Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.**SECTION 9: Physical and chemical properties****Information on basic physical and chemical properties**

Appearance	aqueous solution
Colour	blue
Physical state	Liquid
Odour	Alcohol
Odour threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH		
Melting point / freezing point	No data available	None known
Initial boiling point and boiling range	No data available	None known
Flash point	41 °C	
Evaporation rate	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapour pressure	No data available	None known
Relative vapour density	No data available	None known
Relative density	No data available	None known
Water solubility	Miscible in water	
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	363 °C	
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

Additional information

Explosive properties	Not applicable
Oxidising properties	Not applicable

SECTION 10: Stability and reactivity**Stability** Stable under normal conditions.**Possibility of hazardous reactions** None under normal processing.**Sensitivity to mechanical impact** None.**Sensitivity to static discharge** Yes.**Conditions to avoid** Heat, flames and sparks.**Incompatible materials** None known based on information supplied.**Hazardous decomposition products** None known based on information supplied.**SECTION 11: Toxicological information****Acute toxicity****Numerical measures of toxicity**

No information available

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	16,343.70 mg/kg
ATEmix (dermal)	122,156.90 mg/kg
ATEmix (inhalation-dust/mist)	779.00 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ethyl alcohol	= 7060 mg/kg (Rat)	-	= 116.9 mg/L (Rat) 4 h = 133.8 mg/L (Rat) 4 h
Diammonium sulfate	= 2840 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
Phosphoric acid	= 1530 mg/kg (Rat)	= 2740 mg/kg (Rabbit)	> 850 mg/m ³ (Rat) 1 h

Skin corrosion/irritation Classification based on data available for ingredients. May cause skin irritation.**Serious eye damage/eye irritation** Based on available data, the classification criteria are not met.**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.**Germ cell mutagenicity** Based on available data, the classification criteria are not met.**Carcinogenicity**

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	China	IARC
Ethyl alcohol	-	Group 1

Legend**IARC (International Agency for Research on Cancer)**

Group 1 - Carcinogenic to Humans

Reproductive toxicity	Based on available data, the classification criteria are not met.
Specific target organ toxicity — single exposure	Based on available data, the classification criteria are not met.
Specific target organ toxicity — repeated exposure	Based on available data, the classification criteria are not met.
Target organ effects	Liver. Respiratory system. Eyes. Skin. Central nervous system. Blood. Reproductive system.
Aspiration hazard	Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

Ecotoxicity Harmful to aquatic life.

Chemical name	Algae/aquatic plants	Fish	Crustacea
Ethyl alcohol	-	LC50: 12.0 - 16.0mL/L (96h, Oncorhynchus mykiss) LC50: >100mg/L (96h, Pimephales promelas) LC50: 13400 - 15100mg/L (96h, Pimephales promelas)	LC50: 9268 - 14221mg/L (48h, Daphnia magna) EC50: =2mg/L (48h, Daphnia magna)
Diammonium sulfate	-	LC50: =250mg/L (96h, Brachydanio rerio) LC50: =480mg/L (96h, Brachydanio rerio) LC50: =420mg/L (96h, Brachydanio rerio) LC50: =18mg/L (96h, Cyprinus carpio) LC50: 32.2 - 41.9mg/L (96h, Oncorhynchus mykiss) LC50: 5.2 - 8.2mg/L (96h, Oncorhynchus mykiss) LC50: >100mg/L (96h, Pimephales promelas) LC50: 123 - 128mg/L (96h, Poecilia reticulata) LC50: =126mg/L (96h, Poecilia reticulata)	LC50: =14mg/L (48h, Daphnia magna)

Persistence and degradability No information available.

Bioaccumulative potential There is no data for this product.

Component Information

Chemical name	Partition coefficient
Ethyl alcohol	-0.35
Diammonium sulfate	-5.1
Phosphoric acid	-0.9

Mobility in soil No information available.

SECTION 13: Disposal considerations

Waste chemicals

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

SECTION 14: Transport information**IMDG**

Not regulated

Transport in bulk according to
Annex II of MARPOL and the IBC
Code

No information available

IATA

Not regulated

JT/T 617

Not regulated

Special precautions for user

Please refer to the applicable dangerous goods regulations for additional information

SECTION 15: Regulatory information**Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations****Law of the People's Republic of China on Prevention and Control of Occupational Diseases**

Catalogue of occupational hazard factors:

Not applicable.

Catalogue of occupational diseases:

Not applicable.

Regulations on the Control over Safety of Hazardous Chemicals**Inventory of hazardous chemicals**

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed. Verify that licence requirements are met.

Flammable liquid - Category 3 Weight-% 17

Chemical name	Inventory of hazardous chemicals
Ethyl alcohol	Listed
Phosphoric acid	Listed

GB 18218-2009 Identification of major hazard installations for dangerous chemicals**Category**

Flammable liquids

Threshold quantity (T)

5000

Chemical name	Threshold quantity (T)
Ethyl alcohol	500

List of hazardous chemicals under priority management

Not applicable

Regulations on Labour Protection in Workplaces Where Toxic Substances Are Used

Inventory of highly toxic goods

Not applicable

Regulations for Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

List of toxic chemicals severely restricted for import and export in China

Not applicable

Measures for the Environmental Management of New Chemical Substances**IECSC - China Inventory of Existing Chemical Substances** Contact supplier for inventory compliance status.**International Regulations****The Montreal Protocol on Substances that Deplete the Ozone Layer** Not applicable**The Stockholm Convention on Persistent Organic Pollutants** Not applicable**The Rotterdam Convention** Not applicable**SECTION 16: Other information****Prepared By** Bio-Rad Laboratories, Environmental Health and Safety**Revision date** 22-Nov-2024**Revision Note** Significant changes throughout SDS. Review all sections.**Abbreviations and acronyms****Legend** Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	Sk*	Skin designation
C	Carcinogen		

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
Environmental Protection Agency
Acute Exposure Guideline Level(s) (AEGL(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
Japan GHS Classification
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
U.S. National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
Organisation for Economic Co-operation and Development Screening Information Data Set
RTECS (Registry of Toxic Effects of Chemical Substances)
World Health Organization

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet