



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 15-Oct-2024

Revision Number 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name KOVACS
Catalogue Number(s) 55313, 3555313
Form Not applicable
Pure substance/mixture Mixture

Contains 1-Butanol, 3-methyl-; Hydrochloric acid

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Restricted to professional users
In-vitro laboratory reagent or component

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Corporate Headquarters

Bio-Rad Laboratories Inc.
1000 Alfred Nobel Drive
Hercules, CA 94547
USA

Manufacturer

Bio-Rad
3 boulevard Raymond Poincaré
92430 Marnes-la-Coquette
France
e-mail: fds-msds.fr@bio-rad.com

Legal Entity / Contact Address

The Junction
Station Road
Watford, WD17 1ET
UK

Bio-Rad Laboratories Pvt. Ltd.
Bio-Rad House
86-87, Udyog Vihar Phase IV Gurgaon
122005
Haryana India

Bio-Rad Laboratories (Pty) Ltd.
43 Bolton Road
Parkwood, Johannesburg 2192
South Africa

EU Representative:
Bio-Rad
3 bld Raymond Poincaré
92430 Marnes-la-Coquette
France
Phone: (33) 1-4795-6000

For further information, please contact

Technical Service 00800 00246 723
Ireland: Techsupport.UK@bio-rad.com
India: support.india@bio-rad.com
South Africa: cdg_techsupport_eemea@bio-rad.com

1.4. Emergency telephone number

24 Hour Emergency Phone Number CHEMTREC Ireland: 353-19014670

CHEMTREC India: 000-800-100-7141
CHEMTREC South Africa: 0-800-983-611

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to

Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity - Inhalation (Vapours)	Category 4 - (H332)
Skin corrosion/irritation	Category 1 Sub-category B - (H314)
Serious eye damage/eye irritation	Category 1 - (H318)
Specific target organ toxicity — single exposure	Category 3 - (H335)
Category 3 Respiratory irritation	
Flammable liquids	Category 3 - (H226)

2.2. Label elements

Contains 1-Butanol, 3-methyl-; Hydrochloric acid



Signal word

Danger

Hazard statements

H314 - Causes severe skin burns and eye damage

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

H226 - Flammable liquid and vapour

Precautionary Statements - EU (§28, 1272/2008)

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P260 - Do not breathe dust, fume, gas, mist, vapors and spray

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P321 - Specific treatment (see .? on this label)

P370 + P378 - In case of fire: Use dry chemical, CO2, water spray or alcohol-resistant foam to extinguish

2.3. Other hazards

Harmful to aquatic life.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
1-Butanol, 3-methyl-123-51-3	50 - 100	01-2119493725-26-XX XX	204-633-5	Flam. liq. 3 (H226) Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) STOT SE 3 (H335)	-	-	-
Hydrochloric acid 7647-01-0	20 - 35	01-2119484862-27-XX XX	231-595-7 (017-002-00-2)	Skin Corr. 1B (H314) Eye Irrit. 2 (H319) STOT SE 3 (H335)	Eye Irrit. 2 :: 1%<=C<3% Skin Corr. 1B :: C>=5% Skin Irrit. 2 :: 1%<=C<5% STOT SE 3 :: C>=10%	-	-
Benzaldehyde, 4-(dimethylamino)-100-10-7	5 - 10	Not available	202-819-0	Not classified	-	-	-

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
1-Butanol, 3-methyl-123-51-3	5770	3250	No data available	10.1962	No data available
Hydrochloric acid 7647-01-0	238	5010	No data available	No data available	563.3022

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

Inhalation

Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical attention.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical attention.

Skin contact

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical attention.

Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Get immediate medical attention. Clean mouth with water and drink afterwards plenty of water.
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Avoid breathing vapours or mists.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	Burning sensation. Coughing and/ or wheezing. Difficulty in breathing.
-----------------	--

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors	Product is a corrosive material. Use of gastric lavage or emesis is contra-indicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.
------------------------	---

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Dry chemical. Carbon dioxide (CO ₂). Water spray. Alcohol resistant foam.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapours.
---	---

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
---	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Attention! Corrosive material. Avoid breathing vapours or mists.
Other information	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Should not be released into the environment. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Use personal protection equipment. Avoid breathing vapours or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse.

General hygiene considerations Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials. Store according to product and label instructions.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters**Exposure Limits**

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
1-Butanol, 3-methyl- 123-51-3	TWA: 18 mg/m ³ TWA: 5 ppm STEL: 37 mg/m ³ STEL: 10 ppm	TWA: 5 ppm TWA: 18 mg/m ³ STEL 10 ppm STEL 37 mg/m ³	TWA: 5 ppm TWA: 18 mg/m ³ STEL: 10 ppm STEL: 37 mg/m ³	TWA: 18 mg/m ³ TWA: 5 ppm STEL: 37 mg/m ³ STEL: 10 ppm	TWA: 5 ppm TWA: 18 mg/m ³ TWA: 100 ppm TWA: 366 mg/m ³ STEL: 10 ppm STEL: 37 mg/m ³ STEL: 125 ppm STEL: 458 mg/m ³
Hydrochloric acid 7647-01-0	TWA: 5 ppm TWA: 8 mg/m ³ STEL: 10 ppm STEL: 15 mg/m ³	TWA: 5 ppm TWA: 8 mg/m ³ STEL 10 ppm STEL 15 mg/m ³	TWA: 5 ppm TWA: 8 mg/m ³ STEL: 10 ppm STEL: 15 mg/m ³	TWA: 5 ppm TWA: 8.0 mg/m ³ STEL: 10 ppm STEL: 15.0 mg/m ³	TWA: 5 ppm TWA: 8 mg/m ³ STEL: 10 ppm STEL: 15 mg/m ³
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
1-Butanol, 3-methyl- 123-51-3	TWA: 18 mg/m ³ TWA: 5 ppm STEL: 37 mg/m ³ STEL: 10 ppm	TWA: 18 mg/m ³ Ceiling: 37 mg/m ³	TWA: 5 ppm TWA: 18 mg/m ³ STEL: 37 mg/m ³ STEL: 10 ppm	TWA: 5 ppm TWA: 18 mg/m ³ STEL: 37 mg/m ³ STEL: 10 ppm	TWA: 5 ppm TWA: 18 mg/m ³ STEL: 10 ppm STEL: 37 mg/m ³
Hydrochloric acid 7647-01-0	TWA: 5 ppm TWA: 8 mg/m ³ STEL: 10 ppm STEL: 15 mg/m ³	TWA: 8 mg/m ³ Ceiling: 15 mg/m ³	STEL: 5 ppm STEL: 8 mg/m ³	TWA: 5 ppm TWA: 8 mg/m ³ STEL: 10 ppm STEL: 15 mg/m ³	STEL: 5 ppm STEL: 7.6 mg/m ³
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
1-Butanol, 3-methyl- 123-51-3	TWA: 5 ppm TWA: 18 mg/m ³ STEL: 10 ppm STEL: 37 mg/m ³	TWA: 20 ppm TWA: 73 mg/m ³	TWA: 20 ppm TWA: 73 mg/m ³ Peak: 40 ppm Peak: 146 mg/m ³	TWA: 5 ppm TWA: 18 mg/m ³ STEL: 10 ppm STEL: 37 mg/m ³	TWA: 18 mg/m ³ TWA: 5 ppm STEL: 37 mg/m ³ STEL: 10 ppm
Hydrochloric acid 7647-01-0	STEL: 5 ppm STEL: 7.6 mg/m ³	TWA: 2 ppm TWA: 3 mg/m ³	TWA: 2 ppm TWA: 3.0 mg/m ³ Peak: 4 ppm Peak: 6 mg/m ³	TWA: 5 ppm TWA: 7 mg/m ³ STEL: 5 ppm STEL: 7 mg/m ³	TWA: 8 mg/m ³ TWA: 5 ppm STEL: 165 mg/m ³ STEL: 10 ppm
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
1-Butanol, 3-methyl- 123-51-3	TWA: 5 ppm TWA: 18 mg/m ³ STEL: 10 mg/m ³ STEL: 37 ppm	TWA: 18 mg/m ³ TWA: 5 ppm STEL: 37 mg/m ³ STEL: 10 ppm	TWA: 100 ppm TWA: 361 mg/m ³ STEL: 125 ppm STEL: 451 mg/m ³	TWA: 18 mg/m ³ TWA: 5 ppm STEL: 37 mg/m ³ STEL: 10 ppm	TWA: 18 mg/m ³ TWA: 5 ppm STEL: 37 mg/m ³ STEL: 10 ppm
Hydrochloric acid 7647-01-0	TWA: 8 mg/m ³ TWA: 5 ppm STEL: 10 ppm STEL: 15 mg/m ³	TWA: 5 ppm TWA: 8 mg/m ³ STEL: 10 ppm STEL: 15 mg/m ³	Ceiling: 2 ppm Ceiling: 2.9 mg/m ³	TWA: 5 ppm TWA: 8 mg/m ³ STEL: 10 ppm STEL: 15 mg/m ³	TWA: 5 ppm TWA: 8 mg/m ³ STEL: 10 ppm STEL: 15 mg/m ³
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
1-Butanol, 3-methyl- 123-51-3	TWA: 18 mg/m ³ TWA: 5 ppm STEL: 37 mg/m ³ STEL: 10 ppm	-	TWA: 5 ppm TWA: 18 mg/m ³ STEL: 10 ppm STEL: 37 mg/m ³	TWA: 18 mg/m ³ TWA: 5 ppm STEL: 37 mg/m ³ STEL: 10 ppm Sk*	TWA: 18 mg/m ³ STEL: 37 mg/m ³
Hydrochloric acid 7647-01-0	TWA: 5 ppm TWA: 8 mg/m ³ STEL: 10 ppm STEL: 15 mg/m ³	TWA: 5 ppm TWA: 8 mg/m ³ STEL: 10 ppm STEL: 15 mg/m ³	TWA: 5 ppm TWA: 8 mg/m ³ STEL: 10 ppm STEL: 15 mg/m ³	Ceiling: 5 ppm Ceiling: 7 mg/m ³	TWA: 5 mg/m ³ STEL: 10 mg/m ³
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
1-Butanol, 3-methyl- 123-51-3	TWA: 5 ppm TWA: 18 mg/m ³ STEL: 10 ppm STEL: 37 mg/m ³	TWA: 18 mg/m ³ TWA: 5 ppm STEL: 37 mg/m ³ STEL: 10 ppm	TWA: 5 ppm TWA: 18 mg/m ³ Ceiling: 37 mg/m ³	TWA: 18 mg/m ³ TWA: 5 ppm STEL: 10 ppm STEL: 37 mg/m ³	TWA: 5 ppm TWA: 18 mg/m ³ STEL: 10 ppm STEL: 37 mg/m ³
Hydrochloric acid	TWA: 5 ppm	TWA: 5 ppm	TWA: 5 ppm	TWA: 5 ppm	TWA: 5 ppm

7647-01-0	TWA: 8 mg/m ³ STEL: 10 ppm STEL: 15 mg/m ³ Ceiling: 2 ppm	TWA: 8 mg/m ³ STEL: 10 ppm STEL: 15 mg/m ³	TWA: 8.0 mg/m ³ Ceiling: 15 mg/m ³	TWA: 8 mg/m ³ STEL: 10 ppm STEL: 15 mg/m ³	TWA: 7.6 mg/m ³ STEL: 10 ppm STEL: 15 mg/m ³
Chemical name	Sweden		Switzerland		United Kingdom
1-Butanol, 3-methyl- 123-51-3	NGV: 5 ppm NGV: 18 mg/m ³ Bindande KGV: 10 ppm Bindande KGV: 37 mg/m ³ Sk*		TWA: 20 ppm TWA: 75 mg/m ³ STEL: 40 ppm STEL: 150 mg/m ³		TWA: 100 ppm TWA: 366 mg/m ³ STEL: 125 ppm STEL: 458 mg/m ³
Hydrochloric acid 7647-01-0	NGV: 2 ppm NGV: 3 mg/m ³ Bindande KGV: 4 ppm Bindande KGV: 6 mg/m ³		TWA: 2 ppm TWA: 3 mg/m ³ STEL: 4 ppm STEL: 6 mg/m ³		TWA: 1 ppm TWA: 2 mg/m ³ STEL: 5 ppm STEL: 8 mg/m ³

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) No information available.
Predicted No Effect Concentration (PNEC)

8.2. Exposure controls**Personal protective equipment**

Eye/face protection Tight sealing safety goggles. Face protection shield.

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid
Appearance Liquid
Colour light yellow
Odour Varies.
Odour threshold No information available

Property	Values	Remarks • Method
Melting point / freezing point	No data available	None known

Initial boiling point and boiling range	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Flash point	= 43.5 °C	
Autoignition temperature	350 °C	
Decomposition temperature		None known
pH		None known
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Water solubility	Miscible in water	
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapour pressure	No data available	None known
Relative density	No data available	None known
Bulk density	No data available	
Liquid Density	No data available	
Relative vapour density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	

9.2. Other information**9.2.1. Information with regards to physical hazard classes**

Not applicable

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity**10.1. Reactivity**

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge Yes.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Heat, flames and sparks. Exposure to air or moisture over prolonged periods. Excessive heat.

10.5. Incompatible materials

Incompatible materials Acids. Bases. Oxidising agent.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. Corrosive by inhalation (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal. May cause irritation of respiratory tract. Harmful by inhalation.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye damage (based on components). Corrosive to the eyes and may cause severe damage including blindness. May cause irreversible damage to eyes.
Skin contact	Specific test data for the substance or mixture is not available. Corrosive (based on components). Causes burns.
Ingestion	Specific test data for the substance or mixture is not available. Causes burns (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. Coughing and/ or wheezing.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	99,999.00 mg/kg
ATEmix (dermal)	99,999.00 mg/kg
ATEmix (inhalation-gas)	99,999.00 ppm
ATEmix (inhalation-dust/mist)	99,999.00 mg/l
ATEmix (inhalation-vapour)	11.00 mg/l

Unknown acute toxicity

- 9 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.
- 9 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.
- 70 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).
- 39 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapour).
- 70 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
1-Butanol, 3-methyl-	= 5770 mg/kg (Rat)	= 3250 mg/kg (Rabbit)	> 2000 ppm (Rat) 8 h
Hydrochloric acid	238 - 277 mg/kg (Rat)	> 5010 mg/kg (Rabbit)	= 1.68 mg/L (Rat) 1 h

--	--	--	--

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Causes burns.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Risk of serious damage to eyes. Causes burns.
Respiratory or skin sensitisation	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	May cause respiratory irritation.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties	Not applicable.
--	-----------------

11.2.2. Other information

Other adverse effects	No information available.
------------------------------	---------------------------

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity	Harmful to aquatic life.
Unknown aquatic toxicity	Contains 4 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
1-Butanol, 3-methyl-	EC50: =493mg/L (72h, <i>Desmodesmus subspicatus</i>) EC50: =181mg/L (96h, <i>Desmodesmus subspicatus</i>)	LC50: =700mg/L (96h, <i>Oncorhynchus mykiss</i>)	-	EC50: =260mg/L (48h, <i>Daphnia magna</i>)
Benzaldehyde, 4-(dimethylamino)-	-	LC50: =45.7mg/L (96h, <i>Pimephales promelas</i>)	-	-

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential**Bioaccumulation****Component Information**

Chemical name	Partition coefficient
1-Butanol, 3-methyl-	1.35
Benzaldehyde, 4-(dimethylamino)-	1.8

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment**PBT and vPvB assessment**

Chemical name	PBT and vPvB assessment
1-Butanol, 3-methyl-	The substance is not PBT / vPvB
Hydrochloric acid	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties**12.7. Other adverse effects**

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

SECTION 14: Transport information

IATA

- 14.1 UN number or ID number** UN2920
- 14.2 UN proper shipping name** Corrosive liquid, flammable, n.o.s. (Hydrochloric acid)
- 14.3 Transport hazard class(es)** 8
- Subsidiary hazard class** 3
- 14.4 Packing group** II
- Description** UN2920, Corrosive liquid, flammable, n.o.s. (Hydrochloric acid), 8 (3), II
- 14.5 Environmental hazards** Not applicable
- 14.6 Special precautions for user**
- Special Provisions** None

IMDG

- 14.1 UN number or ID number** UN2920

14.2 UN proper shipping name	Corrosive liquid, flammable, n.o.s. (Hydrochloric acid)
14.3 Transport hazard class(es)	8
Subsidiary hazard class	3
14.4 Packing group	II
Description	UN2920, Corrosive liquid, flammable, n.o.s. (Hydrochloric acid), 8 (3), II, (43.5°C C.C.)
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	274
EmS-No.	F-E, S-C
14.7 Maritime transport in bulk according to IMO instruments	No information available

RID

14.1 UN number or ID number	UN2920
14.2 UN proper shipping name	CORROSIVE LIQUID, FLAMMABLE, N.O.S. (Hydrochloric acid)
14.3 Transport hazard class(es)	8
Subsidiary hazard class	3
14.4 Packing group	II
Description	UN2920, CORROSIVE LIQUID, FLAMMABLE, N.O.S. (Hydrochloric acid), 8 (3), II
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	274
Classification code	CF1

ADR

14.1 UN number or ID number	2920
14.2 UN proper shipping name	CORROSIVE LIQUID, FLAMMABLE, N.O.S. (Hydrochloric acid)
14.3 Transport hazard class(es)	8
Subsidiary hazard class	3
14.4 Packing group	II
Description	2920, CORROSIVE LIQUID, FLAMMABLE, N.O.S. (Hydrochloric acid), 8 (3), II
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	274
Classification code	CF1
Tunnel restriction code	(D/E)

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
1-Butanol, 3-methyl- 123-51-3	RG 84	-

Germany

Water hazard class (WGK) slightly hazardous to water (WGK 1)

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH	Substance subject to authorisation per
---------------	--------------------------------	--

	Annex XVII	REACH Annex XIV
Hydrochloric acid - 7647-01-0	75	-

Persistent Organic Pollutants

Not applicable

Dangerous substance category per Seveso Directive (2012/18/EU)

P5a - FLAMMABLE LIQUIDS

P5b - FLAMMABLE LIQUIDS

P5c - FLAMMABLE LIQUIDS

Named dangerous substances per Seveso Directive (2012/18/EU)

Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
Hydrochloric acid - 7647-01-0	25	250

Ozone-depleting substances (ODS) Regulation (EU) 2024/590

Not applicable

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Chemical name	Biocidal Products Regulation (EU) No 528/2012 (BPR)
Hydrochloric acid - 7647-01-0	Product-type 2: Disinfectants and algaecides not intended for direct application to humans or animals

International Inventories

Contact supplier for inventory compliance status

15.2. Chemical safety assessment**Chemical Safety Report**

No information available

SECTION 16: Other information**Key or legend to abbreviations and acronyms used in the safety data sheet****Full text of any hazard and/or precautionary statements referred to under Sections 2-15**

H226 - Flammable liquid and vapour

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average)

STEL

STEL (Short Term Exposure Limit)

Ceiling Maximum limit value

Sk*

Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method

Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
 U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
 European Chemicals Agency (ECHA) (ECHA_API)
 Environmental Protection Agency
 Acute Exposure Guideline Level(s) (AEGL(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 Hazardous Substance Database
 International Uniform Chemical Information Database (IUCLID)
 National Institute of Technology and Evaluation (NITE)
 Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
 NIOSH (National Institute for Occupational Safety and Health)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Library of Medicine's PubMed database (NLM PUBMED)
 U.S. National Toxicology Program (NTP)
 New Zealand's Chemical Classification and Information Database (CCID)
 Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
 Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
 Organisation for Economic Co-operation and Development Screening Information Data Set
 World Health Organization

Revision Note Significant changes throughout SDS. Review all sections.

Revision date 15-Oct-2024

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet