

AIR250 - Fresh Fade Air Freshener & Odor Eliminator

SECTION 1: IDENTIFICATION

1.1 GHS Product identifier: AIR250 - Fresh Fade Air Freshener & Odor Eliminator

Other means of identification:

Not applicable (N/A)

1.2 Recommended use of the chemical and restrictions on use:

Relevant uses: Air freshener for vehicles

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party:

Chemical Guys 3501 Sepulveda Blvd

90505 Torrance - California - United States Phone: 866-822-3670 - Fax: 310-988-1061

info@ChemicalGuys.com www.ChemicalGuys.com

1.4 Emergency phone number: 866-822-3670

SECTION 2: HAZARD(S) IDENTIFICATION

2.1 Classification of the substance or mixture:

29 CFR 1910.1200:

Classification of this product has been carried out in accordance with paragraph (d) of § 1910.1200.

Eye Irrit. 2A: Eye irritation, Category 2A, H319 Flam. Liq. 4: Flammable liquids, Category 4, H227

2.2 Label elements:

29 CFR 1910.1200:

Warning



Hazard statements:

Eye Irrit. 2A: H319 - Causes serious eye irritation.

Flam. Liq. 4: H227 - Combustible liquid.

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P264: Wash thoroughly after use.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501: Dispose of the contents/containers according to the local, state and federal regulations.

Additional labeling:

Federal Hazardous Substances Act (FHSA) >> Irritant (Eyes)

May irritate eyes. Do not get in eyes. Keep out of reach of children.

FIRST AID TREATMENT

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do and continue rinsing. If eye irritation persists: Get medical advice/attention.

Contains.

2.3 Hazards not otherwise classified (HNOC):

Not applicable (N/A)

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances:

Non-applicable

3.2 Mixtures:

Date of compilation: 12/6/2024 Version: 1 Page 1/12



AIR250 - Fresh Fade Air Freshener & Odor Eliminator

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

Chemical description: Miscellaneous products

Components:

Remaining components are non-hazardous and/or present at amounts below reportable limits. The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200. Therefore, in accordance with Appendix D to § 1910.1200, the product contains:

	Identification	Chemical name/Classification	Concentration
CAS:	68439-46-3	Alcohol ethoxylated (C9-C11)	2.5 - <10 %
CAS.	00 133 10 3	Acute Tox. 4: H302; Eye Dam. 1: H318 - Danger	2.0 120 70
CAS:	67-63-0	propan-2-ol	2.5 - <10 %
CAS.	07-03-0	Eye Irrit. 2A: H319; Flam. Liq. 2: H225; STOT SE 3: H336 - Danger	2.5 - <10 /0
CAS:	1300-72-7	Sodium xylenesulphonate	1 - <2.5 %
CAS:	1300-72-7	Eye Irrit. 2A: H319 - Warning	1 - <2.5 %
CAC	70.70.6	Linalool	<0.4 %
CAS: 78-70-6		Eye Irrit. 2A: H319; Flam. Liq. 4: H227; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	<0.4 %
CAC	77-54-3	Cedryl acetate	<0.2 %
CAS:	//-5 4- 3	Skin Sens. 1B: H317 - Warning	<0.2 %
CAS:	115-95-7	Linalyl acetate	<0.2 %
CAS:	115-95-7	Eye Irrit. 2A: H319; Flam. Liq. 4: H227; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	\0.2 70
CAC	F000 27 F	d-limonene	<0.2 %
CAS:	5989-27-5	Asp. Tox. 1: H304; Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Danger	<0.2 %
CAC	22210 22 4	4-tert-butylcyclohexyl acetate	<0.2 %
CAS:	32210-23-4	Skin Sens. 1B: H317 - Warning	~0.2 %
CAC	01.64.5	Coumarin	<0.2 %
CAS:	91-64-5	Acute Tox. 4: H302; Skin Sens. 1: H317 - Warning	~0.2 %

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

SECTION 4: FIRST-AID MEASURES

4.1 Description of necessary measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation,however, it is recommended in case of intoxication symptoms to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or shower the person affected if necessary thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, as this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms/effects, acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of immediate medical attention and special treatment needed, if necessary:

Not applicable (N/A)

SECTION 5: FIRE-FIGHTING MEASURES



AIR250 - Fresh Fade Air Freshener & Odor Eliminator

SECTION 5: FIRE-FIGHTING MEASURES (continued)

5.1 Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media:

Combustible liquid. If possible use polyvalent powder fire extinguishers (ABC powder), alternatively use foam or carbon dioxide extinguishers (CO₂).

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Specific hazards arising from the chemical:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Special protective equipment and precautions for fire-fighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...)

Additional provisions:

As in any fire, prevent human exposure to fire, smoke, fumes or products of combustion. Only properly trained personnel should be involved in firefighting. Evacuate nonessential personnel from the fire area. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

6.3 Methods and materials for containment and cleaning up:

For accidental releases in excess of reportables quantities (RQ) (Table 302.4), refer to 40 CFR 302 for detailed instructions concerning reporting requirements and notify the National Response Center (800) 424-8802.

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks



AIR250 - Fresh Fade Air Freshener & Odor Eliminator

SECTION 7: HANDLING AND STORAGE (continued)

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Specific storage requirements

Minimum Temp.: 41 °F
Maximum Temp.: 86 °F
Maximum time: 6 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be assessed in the workplace:

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000):

Identification Occupational exposure limits		nits		
propan-2-ol		8-hour TWA PEL	400 ppm	980 mg/m ³
CAS: 67-63-0		Ceiling Values - TWA PEL		

US. ACGIH Threshold Limit Values (2022):

Identification	Occupational exposure limits		
propan-2-ol	TLV-TWA	200 ppm	
CAS: 67-63-0	TLV-STEL	400 ppm	

CALIFORNIA- TABLE AC-1 PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS:

Identification	Identification Occupational exposure limits		nits
propan-2-ol	PEL	400 ppm	980 mg/m ³
CAS: 67-63-0	STEL	500 ppm	1225 mg/m ³

Biological limit values:

Biological Exposure Indices (BEIs®) - ACGIH

= 10.0 g.com = 1p com c = 110.0 c (= ==0 c)			
Identification	BEIs®	Determinant	Sampling Time
propan-2-ol CAS: 67-63-0	40 mg/L	Acetone in urine	End of shift at end of workweek

8.2 Appropriate engineering controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protection Equipment. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation, the information on clothing performance must be combined with professional judgment, and a clear understanding of the clothing application, to provide the best protection to the worker. All chemical protective clothing use must be based on a hazard assessment to determine the risks for exposure to chemicals and other hazards. Conduct hazard assessments in accordance with 29 CFR 1910.132.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Not applicable (N/A)

D.- Eye and face protection

Not applicable (N/A)

E.- Bodily protection

- CONTINUED ON NEXT PAGE -



AIR250 - Fresh Fade Air Freshener & Odor Eliminator

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Not applicable (N/A)

F.- Additional emergency measures

It is not necessary to take additional emergency measures.

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

Appearance:

Physical state at 68 °F: Liquid

Appearance: Not available

Color: Colorless
Odor: Not available

Odour threshold: Not applicable (N/A) *

Volatility:

Boiling point at atmospheric pressure: 212 °F Vapour pressure at 68 °F: 2379 Pa

Vapour pressure at 122 °F: 12519 Pa (12.52 kPa)
Evaporation rate at 68 °F: Not applicable (N/A) *

Product description:

Density at 68 °F: 1016.3 kg/m³

Relative density at 68 °F: 1.016

Dynamic viscosity at 68 °F: Not applicable (N/A) * Kinematic viscosity at 68 °F: Not applicable (N/A) * Kinematic viscosity at 104 °F: Not applicable (N/A) * Concentration: Not applicable (N/A) *

pH: 5 - 6

Vapour density at 68 °F:

Partition coefficient n-octanol/water 68 °F:

Not applicable (N/A) *

Solubility in water at 68 °F:

Not applicable (N/A) *

Solubility properties:

Not applicable (N/A) *

Decomposition temperature:

Not applicable (N/A) *

Melting point/freezing point:

Not applicable (N/A) *

Flammability:

Flash Point: 145 °F (Does not maintain combustion)

Flammability (solid, gas): Not applicable (N/A) *

Autoignition temperature: 437 °F

Lower flammability limit: Not applicable (N/A) $\,^*$ Upper flammability limit: Not applicable (N/A) $\,^*$

Particle characteristics:

Median equivalent diameter: Non-applicable

9.2 Other information:

Information with regard to physical hazard classes:

*Not applicable (N/A) due to the nature of the product, not providing information property of its hazards.



AIR250 - Fresh Fade Air Freshener & Odor Eliminator

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Explosive properties:

Oxidising properties:

Not applicable (N/A) *

Corrosive to metals:

Not applicable (N/A) *

Heat of combustion:

Not applicable (N/A) *

Aerosols-total percentage (by mass) of flammable

Not applicable (N/A) *

components:

Other safety characteristics:

Surface tension at 68 °F: Not applicable (N/A) *
Refraction index: Not applicable (N/A) *

*Not applicable (N/A) due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Risk of combustion	Avoid direct impact	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):

EIVE NO.

Safety data sheet according to 29 CFR 1910.1200

AIR250 - Fresh Fade Air Freshener & Odor Eliminator

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
- Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - IARC: propan-2-ol (3); d-limonene (3); Coumarin (3)
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous with sensitising effects. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Not applicable (N/A)

Specific toxicology information on the substances:

Identification	A	Acute toxicity	
propan-2-ol	LD50 oral	5280 mg/kg	Rat
CAS: 67-63-0	LD50 dermal	12800 mg/kg	Rat
	LC50 inhalation	72.6 mg/L (4 h)	Rat
Sodium xylenesulphonate	LD50 oral	7200 mg/kg	Rat
CAS: 1300-72-7	LD50 dermal		
	LC50 inhalation		
Alcohol ethoxylated (C9-C11)	LD50 oral	1400 mg/kg (ATEi)	Rat
CAS: 68439-46-3	LD50 dermal		
	LC50 inhalation		
Linalool	LD50 oral	3000 mg/kg	Rat
CAS: 78-70-6	LD50 dermal	5610 mg/kg	Rabbit
	LC50 inhalation		
Cedryl acetate	LD50 oral	44750 mg/kg	Rat
CAS: 77-54-3	LD50 dermal		
	LC50 inhalation		
Linalyl acetate	LD50 oral	14500 mg/kg	Rat
CAS: 115-95-7	LD50 dermal	5610 mg/kg	Rabbit
	LC50 inhalation		
d-limonene	LD50 oral	4400 mg/kg	Rat
CAS: 5989-27-5	LD50 dermal	>5000 mg/kg	Rabbit
	LC50 inhalation		



AIR250 - Fresh Fade Air Freshener & Odor Eliminator

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Identification	Identification Acute toxicity		Genus
4-tert-butylcyclohexyl acetate	LD50 oral	3370 mg/kg	
CAS: 32210-23-4	LD50 dermal		
	LC50 inhalation		
Coumarin	LD50 oral	500 mg/kg	Rat
CAS: 91-64-5	LD50 dermal	>5000 mg/kg	
	LC50 inhalation		

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

12.1 Ecotoxicity (aquatic and terrestrial, where available):

Acute toxicity:

Identification		Concentration	Species	Genus
Alcohol ethoxylated (C9-C11)	LC50	113 mg/L (96 h)	QSAR	Fish
CAS: 68439-46-3	EC50	Not applicable (N/A)		
	EC50	Not applicable (N/A)		
propan-2-ol	LC50	9640 mg/L (96 h)	Pimephales promelas	Fish
CAS: 67-63-0	EC50	13299 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	1000 mg/L (72 h)	Scenedesmus subspicatus	Algae
Cedryl acetate	LC50	15.61 mg/L (96 h)	Danio rerio	Fish
CAS: 77-54-3	EC50	0.33 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	0.31 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
Linalyl acetate	LC50	11 mg/L (96 h)	Cyprinus carpio	Fish
CAS: 115-95-7	EC50	15 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	62 mg/L (72 h)	Desmodesmus subspicatus	Algae
d-limonene	LC50	0.702 mg/L (96 h)	Pimephales promelas	Fish
CAS: 5989-27-5	EC50	0.577 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	Not applicable (N/A)		
Coumarin	LC50	Not applicable (N/A)		
CAS: 91-64-5	EC50	30 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	Not applicable (N/A)		

12.2 Persistence and degradability:

Substance-specific information:

Identification	Degradability		Biodegradab	ility
propan-2-ol	BOD5	1.19 g O2/g	Concentration	100 mg/L
CAS: 67-63-0	COD	2.23 g O2/g	Period	14 days
	BOD5/COD	0.53	% Biodegradable	86 %
Linalool	BOD5	Not applicable (N/A)	Concentration	100 mg/L
CAS: 78-70-6	COD	Not applicable (N/A)	Period	28 days
	BOD5/COD	Not applicable (N/A)	% Biodegradable	90 %
Cedryl acetate	BOD5	Not applicable (N/A)	Concentration	2 mg/L
CAS: 77-54-3	COD	Not applicable (N/A)	Period	28 days
	BOD5/COD	Not applicable (N/A)	% Biodegradable	73 %



AIR250 - Fresh Fade Air Freshener & Odor Eliminator

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	De	egradability	Biode	egradability
Linalyl acetate	BOD5	Not applicable (N/A)	Concentration	81 mg/L
CAS: 115-95-7	COD	Not applicable (N/A)	Period	28 days
	BOD5/COD	Not applicable (N/A)	% Biodegradable	80 %
d-limonene	BOD5	Not applicable (N/A)	Concentration	10 mg/L
CAS: 5989-27-5	COD	Not applicable (N/A)	Period	28 days
	BOD5/COD	Not applicable (N/A)	% Biodegradable	71.4 %
Coumarin	BOD5	Not applicable (N/A)	Concentration	100 mg/L
CAS: 91-64-5	COD	Not applicable (N/A)	Period	14 days
	BOD5/COD	Not applicable (N/A)	% Biodegradable	100 %

12.3 Bioaccumulative potential:

Substance-specific information:

Identification Bioaccumulation po		accumulation potential		
propan-2-ol			BCF	3
CAS: 67-63-0			Pow Log	0.05
			Potential	Low
Linalool	ool		BCF	
CAS: 78-70-6		Pow Log	2.97	
			Potential	
Linalyl acetate			BCF	174
CAS: 115-95-7			Pow Log	3.9
			Potential	High
d-limonene			BCF	
CAS: 5989-27-5			Pow Log	4.83
			Potential	
Coumarin	marin		BCF	10
CAS: 91-64-5			Pow Log	1.39
			Potential	Low

12.4 Mobility in soil:

Identification	Absorp	tion/desorption	Volatility	
propan-2-ol	Кос	1.5	Henry	8.207E-1 Pa·m ³ /mol
CAS: 67-63-0	Conclusion	Very High	Dry soil	Yes
	Surface tension	2.24E-2 N/m (77 °F)	Moist soil	Yes
Linalyl acetate	Koc	518	Henry	177 Pa·m³/mol
CAS: 115-95-7	Conclusion	Low	Dry soil	Yes
	Surface tension	Not applicable (N/A)	Moist soil	Yes
d-limonene	Koc	6324	Henry	2533.13 Pa·m³/mol
CAS: 5989-27-5	Conclusion	Immobile	Dry soil	Yes
	Surface tension	2.675E-2 N/m (77 °F)	Moist soil	Yes
Coumarin	Koc	42	Henry	Not applicable (N/A)
CAS: 91-64-5	Conclusion	Very High	Dry soil	Not applicable (N/A)
	Surface tension	Not applicable (N/A)	Moist soil	Not applicable (N/A)

12.5 Results of PBT and vPvB assessment:

Non-applicable

12.6 Other adverse effects:

Not described



AIR250 - Fresh Fade Air Freshener & Odor Eliminator

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Disposal methods:

Wastes generated by normal household activities (e.g., routine house and yard maintenance) are excluded from the definition of hazardous waste (Title 40 of the Code of Federal Regulations Part 261.4)

Waste management (disposal and evaluation):

Follow RCRA framework and EPA regulation for to ensure that hazardous waste is managed safely and properly. Waste should not be disposed of to drains. Remind, It is the responsibility of the waste generator to evaluate whether his wastes are hazardous by characteristics or listing. See section 6 for further information about Accidental release measures.

Regulations related to waste management:

Legislation related to waste management:

40 CFR Solid Wastes - Part 239 through 282.

State regulatory requirements for generators may be more stringent than those in the federal program. Be sure to check the state's policies.

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to 49 CFR on the Transport of Dangerous Goods:

14.1 UN number: Not applicable (N/A)
 14.2 UN proper shipping name: Not applicable (N/A)
 14.3 Transport hazard class(es): Not applicable (N/A)
 Labels: Not applicable (N/A)

14.4 Packing group, if applicable: Not applicable (N/A)

14.5 Marine pollutant: No

14.6 Special precautions which a user needs to be aware of, or needs to comply with, in connection with transport or conveyance either within or outside their premises

Physico-Chemical properties: see section 9

14.7 Transport in bulk (according Not applicable (N/A)

to Annex II of MARPOL 73/78 and the IBC Code):

Transport of dangerous goods by sea:

With regard to IMDG 41-22:

14.1 UN number: Not applicable (N/A)
 14.2 UN proper shipping name: Not applicable (N/A)
 14.3 Transport hazard class(es): Labels: Not applicable (N/A)
 14.4 Packing group, if applicable: Not applicable (N/A)

14.5 Marine pollutant: No

14.6 Special precautions which a user needs to be aware of, or needs to comply with, in connection with transport or conveyance either within or outside their premises

Special regulations: Not applicable (N/A)

EmS Codes:

Physico-Chemical properties: see section 9
Limited quantities: Not applicable (N/A)
Segregation group: Not applicable (N/A)
Transport in hulls (according Net applicable (N/A)

14.7 Transport in bulk (according Not applicable (N/A) to Annex II of MARPOL73/78 and the IBC Code):

Transport of dangerous goods by air:

With regard to IATA/ICAO 2024:

- CONTINUED ON NEXT PAGE
Date of compilation: 12/6/2024 Version: 1

Page 10/12



AIR250 - Fresh Fade Air Freshener & Odor Eliminator

SECTION 14: TRANSPORT INFORMATION (continued)

14.1 UN number: Not applicable (N/A)
 14.2 UN proper shipping name: Not applicable (N/A)
 14.3 Transport hazard class(es): Not applicable (N/A)
 Labels: Not applicable (N/A)

14.4 Packing group, if applicable: Not applicable (N/A)

14.5 Marine pollutant: No

14.6 Special precautions which a user needs to be aware of, or needs to comply with, in connection with transport or conveyance either within or outside their premises

Physico-Chemical properties: see section 9

14.7 Transport in bulk (according Not applicable (N/A)

to Annex II of MARPOL 73/78 and the IBC Code):

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations specific for the product in question:

- CALIFORNIA LABOR CODE The Hazardous Substances List: propan-2-ol (67-63-0); Coumarin (91-64-5); potassium hydroxide (1310-58-3)
- California Proposition 65 (the Safe Drinking Water and Toxic Enforcement Act of 1986) Birth defects or other reproductive harm: Not applicable (N/A)
- California Proposition 65 (the Safe Drinking Water and Toxic Enforcement Act of 1986) Cancer: Not applicable (N/A)
- CANADA-Domestic Substances List (DSL): All components of this product comply with the inventory requirements administered by the governing country.
- CANADA-Non-Domestic Substances List (NDSL): Not applicable (N/A)
- Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Reportable Quantities: potassium hydroxide (1310-58-3) 1000 lb
- Hazardous Air Pollutants (Clean Air Act): Not applicable (N/A)
- Massachusetts RTK Substance List: propan-2-ol (67-63-0); Magnesium nitrate (10377-60-3); potassium hydroxide (1310-58-3)
- Minnesota Hazardous substances ERTK: propan-2-ol (67-63-0); potassium hydroxide (1310-58-3)
- New Jersey Worker and Community Right-to-Know Act: *propan-2-ol (67-63-0)*; *Magnesium nitrate (10377-60-3)*; *potassium hydroxide (1310-58-3)*
- New York RTK Substance list: propan-2-ol (67-63-0); Magnesium nitrate (10377-60-3); potassium hydroxide (1310-58-3)
- NTP (National Toxicology Program): Not applicable (N/A)
- OSHA Specifically Regulated Substances (29 CFR 1910.1001-1096): Not applicable (N/A)
- Pennsylvania Worker and Community Right-to-Know Law: propan-2-ol (67-63-0); Magnesium nitrate (10377-60-3); potassium hydroxide (1310-58-3)
- Protective Action Criteria (PAC) with AEGLs, ERPGs, & TEELs: propan-2-ol (67-63-0); d-limonene (5989-27-5); Coumarin (91-64-5); Magnesium nitrate (10377-60-3); Magnesium chloride (7786-30-3); Potassium iodate (7758-05-6); potassium hydroxide (1310-58-3)
- Rhode Island Hazardous substances RTK: potassium hydroxide (1310-58-3)
- The Toxic Substances Control Act (TSCA): All components of this product comply with the inventory requirements administered by the governing country.
- Toxic chemical release reporting under EPCRA section 313 (40 CFR Part 372): propan-2-ol (67-63-0); Magnesium nitrate (10377-60-3)

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information provided in this safety data sheet as a foundation for conducting workplace-specific risk assessments. These assessments will help establish the appropriate risk prevention measures for handling, using, storing, and disposing of this product.

EN S

Safety data sheet according to 29 CFR 1910.1200

AIR250 - Fresh Fade Air Freshener & Odor Eliminator

•

SECTION 15: REGULATORY INFORMATION (continued)

Other legislation:

Take into consideration other applicable federal, state, and local laws and local regulations.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with Appendix d to §1910.1200 - Safety data sheets

Texts of the legislative phrases mentioned in section 2:

H319: Causes serious eve irritation.

H227: Combustible liquid.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

29 CFR 1910.1200:

Acute Tox. 4: H302 - Harmful if swallowed.

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

Eye Dam. 1: H318 - Causes serious eye damage. Eye Irrit. 2A: H319 - Causes serious eye irritation. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Flam. Liq. 3: H226 - Flammable liquid and vapour.

Flam. Liq. 4: H227 - Combustible liquid. Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction. Skin Sens. 1B: H317 - May cause an allergic skin reaction. STOT SE 3: H336 - May cause drowsiness or dizziness.

Advice related to training:

According to 29 CFR 1910. 1200, training on chemical hazards is necessary for employees using this product. This training will facilitate their understanding and interpretation of the safety data sheet, as well as the product label.

Principal bibliographical sources:

Occupational Safety & Health Administration (OSHA).

Abbreviations and acronyms:

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5-day biochemical oxygen demand

BCF: Bioconcentration factor LD50: Lethal Dose 50 CL50: Lethal Concentration 50 EC50: Effective concentration 50

Log-POW: Octanol-water partition coefficient Koc: Partition coefficient of organic carbon IARC: International Agency for Research on Cancer

Date of compilation: 12/6/2024

Manufacturer Disclaimer: The information contained in this safety date sheet ("SDS") is based on sources, technical knowledge and current legislation. Furthermore, is based on data believed to be accurate; thus, the company does not assume any liability for its accuracy. The information provided herein cannot be considered a guarantee of the properties of this product and the same is simply a description of the security requirements. The use, occupational methodology and/or conditions for users of this product are not within our awareness or control. It is ultimately the responsibility of the user(s) to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information of this SDS only refers to this product, which should not be used for purposes other than those specified. Finally, the manner in which this product is used and whether there is any infringement of patents is the sole responsibility of the user(s).