Material Safety Data Sheet

United States English

Section 1. Chemical product and company identification

Product name ECLTM Protein Molecular Weight Markers; part of

'ECL Protein Molecular Weight Markers'

Catalogue Number RPN2280

9 O R P N 2 2 8

Component Number RPN2107V

Material uses Industrial applications: Analytical chemistry. Research.

Product type Ciquid.

Validation date 14 June 2011

Print date 14 June 2011

Supplier GE Healthcare UK Ltd

Amersham Place
Little Chalfont

Buckinghamshire HP7 9NA

England

+44 0870 606 1921

<u>In case of emergency</u> US ChemTrec (US) 1-800-424-9300

Canada ChemTrec (US) 1-703-527-3887

2. Hazards identification

Physical state Liquid.
Odor Odorless

OSHA/HCS status This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Emergency overview CAUTION!

MAY CAUSE RESPIRATORY TRACT, EYE AND SKIN IRRITATION. CONTAINS MATERIAL THAT MAY CAUSE

TARGET ORGAN DAMAGE, BASED ON ANIMAL DATA.

Precautionary measures

To not breathe vapor or mist. Use only with adequate ventilation. Do not eat, drink or smoke when using

this product. Avoid contact with eyes, skin and clothing. Keep container tightly closed. Wash thoroughly

after handling.

Routes of entry Dermal contact. Eye contact. Inhalation. Ingestion.

Potential acute health effects

EyesModerately irritating to eyes.SkinModerately irritating to the skin.

InhalationModerately irritating to the respiratory system.IngestionNo known significant effects or critical hazards.

Potential chronic health effects

Chronic effects Contains material that may cause target organ damage, based on animal data.

CarcinogenicityNo known significant effects or critical hazards.MutagenicityNo known significant effects or critical hazards.TeratogenicityNo known significant effects or critical hazards.Developmental effectsNo known significant effects or critical hazards.Fertility effectsNo known significant effects or critical hazards.

Target organs Contains material which may cause damage to the following organs: kidneys, mucous membranes, upper

respiratory tract, skin, eyes.

Inhalation Adverse symptoms may include the following:

respiratory tract irritation

coughing
Ingestion To specific data.



Article Number Page: 1/6

000749-2 Validation date 14 June 2011



Skin Adverse symptoms may include the following:

irritation redness

Eyes Adverse symptoms may include the following:

irritation watering redness

Medical conditions aggravated by over-exposure

Fre-existing disorders involving any target organs mentioned in this MSDS as being at risk may be aggravated by over-exposure to this product.

See toxicological information (Section 11)

Composition/information on ingredients

<u>Name</u>	CAS number	% by weight
<u>Name</u> ∮ycerol	56-81-5	50
disodium hydrogenorthophosphate	7558-79-4	1 - 3

Section 4. First aid measures

Eye contact Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.

Skin contact In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get

medical attention immediately.

Inhalation Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt

or waistband. Get medical attention immediately.

Ingestion Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never

give anything by mouth to an unconscious person. Get medical attention immediately.

Protection of first-aidersNo action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

Section 5. Fire-fighting measures

Flammability of the product n a fire or if heated, a pressure increase will occur and the container may burst.

Extinguishing media

Suitable Use an extinguishing agent suitable for the surrounding fire.

Not suitable None known.

Special exposure hazards Fromptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No

action shall be taken involving any personal risk or without suitable training.

Special protective equipment for Fire-figl

fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when

ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).

Environmental precautionsAvoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or girl).

the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods for cleaning up

Top leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into

sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and

section 13 for waste disposal.

Small spill


Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble.

Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste

disposal container. Dispose of via a licensed waste disposal contractor.



Article Number 25000749-2





Version 6

Section 7. Handling and storage

Handling

Fut on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Storage

Store between the following temperatures: -30 to -15°C (-22 to 5°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Product name

glycerol

Exposure limits

ACGIH TLV (United States, 2/2010). Notes: Inhalable fraction. See Appendix C, paragraph A. Inhalable Particulate Mass TLVs (IPM–TLVs) for those materials that are hazardous when deposited anywhere in the respiratory tract.

TWA: 10 mg/m³ 8 hour(s). Form: Inhalable fraction. See Appendix C, paragraph A. Inhalable Particulate Mass TLVs (IPM–TLVs) for those materials that are hazardous when deposited anywhere in the respiratory tract.

OSHA PEL (United States, 11/2006).

TWA: 5 mg/m³ 8 hour(s). Form: Respirable fraction TWA: 15 mg/m³ 8 hour(s). Form: Total dust OSHA PEL 1989 (United States, 3/1989).

TWA: 5 mg/m³ 8 hour(s). Form: Respirable fraction TWA: 10 mg/m³ 8 hour(s). Form: Total dust

Recommended monitoring

procedures

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

Engineering measures

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne

contaminants below any recommended or statutory limits.

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protection

Respiratory

respirator is not needed under normal and intended conditions of product use.

Hands

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times

when handling chemical products if a risk assessment indicates this is necessary.

Eyes Skin Safety eyewear complying with an approved standard should be used when a risk assessment indicates

this is necessary to avoid exposure to liquid splashes, mists or dusts. Personal protective equipment for the body should be selected based on the task being performed and the

Environmental exposure

controls

risks involved and should be approved by a specialist before handling this product. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Section 9. Physical and chemical properties

Physical state Liquid

Flash point Product does not sustain combustion.]

 Color
 Colorless.

 Odor
 Odorless.

 Volatility
 0% (v/v)

Solubility Easily soluble in the following materials: cold water and hot water.



Article Number 25000749-2



Section 10. Stability and reactivity

StabilityThe product is stable.Conditions to avoidNo specific data.Materials to avoidNo specific data.

Possibility of hazardous reactions

Inder normal conditions of storage and use, hazardous reactions will not occur.

Conditions of reactivity

Non-flammable in the presence of the following materials or conditions: open flames, sparks and static discharge, heat, shocks and mechanical impacts, oxidizing materials, reducing materials, combustible

materials, organic materials, metals, acids, alkalis and moisture. Not considered to be a product presenting a risk of explosion.

Section 11. Toxicological information

Acute toxicity

Product/ingredient nameResultSpeciesDoseExposureGlycerolLD50 OralRat12600 mg/kg-disodium hydrogenorthophosphateLD50 OralRat17000 mg/kg-

Conclusion/Summary

<u>Sensitizer</u>

Conclusion/Summary Not available

Section 12. Ecological information

Environmental effects No known significant effects or critical hazards.

Not available.

Aquatic ecotoxicity

Product/ingredient name Test **Species** Exposure Result glycerol Acute LC50 54 to 57 Fish - Rainbow 96 hours ml/L Fresh water trout, donaldson trout - Oncorhynchus mykiss - 0.9 g disodium hydrogenorthophosphate Acute LC50 3580000 Daphnia - Water flea 48 hours ug/L Fresh water - Daphnia magna

Conclusion/Summary

Not available.

Biodegradability

Conclusion/Summary Not available.

Other adverse effects No known significant effects or critical hazards.

Section 13. Disposal considerations

Waste disposal The generation of waste should be avoided or minimized wherever possible. Significant quantities of

waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil,

waterways, drains and sewers.

RCRA classification Mot classified

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Section 14. Transport information

International transport regulations

Not classified.

_



Article Number 25000749-2



Page: 4/6

Section 15. Regulatory information

HCS Classification Irritating material Target organ effects

U.S. Federal regulations TSCA 8(a) IUR Exempt/Partial exemption: Not determined United States inventory (TSCA 8b): Not determined.

> SARA 302/304/311/312 extremely hazardous substances: No products were found. SARA 302/304 emergency planning and notification: No products were found.

SARA 302/304/311/312 hazardous chemicals: glycerol; disodium hydrogenorthophosphate SARA 311/312 MSDS distribution - chemical inventory - hazard identification: glycerol: Immediate(acute) health hazard, Delayed (chronic) health hazard, disodium hydrogenorthophosphate: Immediate (acute) health hazard

Clean Water Act (CWA) 307: No products were found.

Clean Water Act (CWA) 311: disodium hydrogenorthophosphate

Clean Air Act (CAA) 112 regulated flammable substances: No products were found. Clean Air Act (CAA) 112 regulated toxic substances: No products were found.

Not listed Clean Air Act Section 112(b)

Hazardous Air Pollutants (HAPs)

Clean Air Act Section 602 Class I

Substances

Not listed

Clean Air Act Section 602 Class II Not listed **Substances**

Not listed

DEA List I Chemicals (Precursor

Chemicals)

DEA List II Chemicals (Essential

Chemicals)

Not listed

State regulations

The following components are listed: GLYCERINE MIST; PHOSPHORIC ACID, DISODIUM SALT Massachusetts

The following components are listed: Sodium phosphate, dibasic **New York**

The following components are listed: GLYCERIN; 1,2,3-PROPANETRIOL; SODIUM PHOSPHATE, DIBASIC; **New Jersey**

PHOSPHORIC ACID, DISODIUM SALT

The following components are listed: 1,2,3-PROPANETRIOL; PHOSPHORIC ACID, DISODIUM SALT Pennsylvania

California Prop. 65

Ingredient name	<u>Cancer</u>	Reproductive	No significant risk level	Maximum acceptable
Albumins, blood serum	No	No	No	dosage level
Albumins, blood serum	No.	No.	No.	No.

United States inventory (TSCA 8b)

Not determined.

International regulations

International lists Australia inventory (AICS): Not determined. China inventory (IECSC): Not determined.

Japan inventory: Not determined. Korea inventory: Not determined.

New Zealand Inventory of Chemicals (NZIoC): Not determined.

Philippines inventory (PICCS): Not determined.

Chemical Weapons Convention

List Schedule I Chemicals

Not listed

Chemical Weapons Convention

List Schedule II Chemicals

Not listed

Chemical Weapons Convention

Not listed

List Schedule III Chemicals





Validation date 14 June 2011

Section 16. Other information

Label requirements

MAY CAUSE RESPIRATORY TRACT, EYE AND SKIN IRRITATION. CONTAINS MATERIAL THAT MAY CAUSE TARGET ORGAN DAMAGE, BASED ON ANIMAL DATA.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)





Indicates information that has changed from previously issued version.

History

Date of printing14 June 2011Date of previous issue27 March 2009

Date of issue 14 June 2011 **Version** 6

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



25000749-2

Article Number