Material Safety Data Sheet

United States English

Section 1. Chemical product and company identification

Product name Custom RTG Proof of Principle Trial Small, 1-30 96

well plates

Catalogue Number LFIKIN01

Product typeSolid.Validation date10 May 2011Print date10 May 2011

Supplier GE Healthcare UK Ltd Amersham Place

Little Chalfont

Buckinghamshire HP7 9NA

England

+44 0870 606 1921

<u>In case of emergency</u> US ChemTrec (US) 1-800-424-9300

Canada ChemTrec (US) 1-703-527-3887

2. Hazards identification

Physical stateSolid.OdorOdorless

OSHA/HCS status This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Emergency overview CAUTION!

MAY CAUSE RESPIRATORY TRACT, EYE AND SKIN IRRITATION. CONTAINS MATERIAL THAT MAY CAUSE

TARGET ORGAN DAMAGE, BASED ON ANIMAL DATA.

Precautionary measures

Use only with adequate ventilation. Do not eat, drink or smoke when using this product. Avoid contact

with eyes, skin and clothing. Keep container tightly closed. Wash thoroughly after handling.

Routes of entry Dermal contact. Eye contact. Inhalation. Ingestion.

Potential acute health effects

Eyes Moderately irritating to eyes. **Skin** Moderately irritating to the skin.

InhalationModerately irritating to the respiratory system.IngestionNo known significant effects or critical hazards.

Potential chronic health effects

Chronic effects Contains material that may cause target organ damage, based on animal data.

CarcinogenicityNo known significant effects or critical hazards.MutagenicityNo known significant effects or critical hazards.TeratogenicityNo known significant effects or critical hazards.Developmental effectsNo known significant effects or critical hazards.Fertility effectsNo known significant effects or critical hazards.

Target organs Contains material which may cause damage to the following organs: kidneys, upper respiratory tract, skin,

eyes.

Over-exposure signs/symptoms

Inhalation Adverse symptoms may include the following:

respiratory tract irritation

coughing

Ingestion No specific data.

Skin Adverse symptoms may include the following:

irritation redness



Article Number Page: 1/5

(INO1 Validation date 10 May 2011



Eyes Adverse symptoms may include the following:

irritation watering redness

Medical conditions aggravated by

over-exposure

Pre-existing disorders involving any target organs mentioned in this MSDS as being at risk may be

aggravated by over-exposure to this product.

See toxicological information (Section 11)

Composition/information on ingredients

 Name
 CAS number
 % by weight

 glycerol
 56-81-5
 1 - 1.1

Section 4. First aid measures

Eye contact Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15

minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.

Skin contact In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing

contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.

Inhalation Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs,

provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt

or waistband. Get medical attention immediately.

Ingestion Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never

give anything by mouth to an unconscious person. Get medical attention immediately.

Protection of first-aiders

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to

the person providing aid to give mouth-to-mouth resuscitation.

Notes to physician No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

Section 5. Fire-fighting measures

Flammability of the product No specific fire or explosion hazard.

Extinguishing media

Suitable Use an extinguishing agent suitable for the surrounding fire.

Not suitable None known.

Special exposure hazards Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No

action shall be taken involving any personal risk or without suitable training.

Hazardous combustion products Decomposition products may include the following materials:

carbon dioxide carbon monoxide halogenated compounds

Special protective equipment for

fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA)

with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautionsNo action shall be taken involving any personal risk or without suitable training. Evacuate surrounding

areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on

appropriate personal protective equipment (see Section 8).

Environmental precautions Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform

the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods for cleaning up

Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses,

basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact

information and section 13 for waste disposal.

Small spill Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste

container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

Handling Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be

prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not ingest. Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.



Article Number

Page: 2/5

LFIKIN01



Storage

Store between the following temperatures: 18 to 25°C (64.4 to 77°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Product name

glycerol

Exposure limits

ACGIH TLV (United States, 2/2010). Notes: Inhalable fraction. See Appendix C, paragraph A. Inhalable Particulate Mass TLVs (IPM–TLVs) for those materials that are hazardous when deposited anywhere in the respiratory tract.

TWA: 10 mg/m³ 8 hour(s). Form: Inhalable fraction. See Appendix C, paragraph A. Inhalable Particulate Mass TLVs (IPM–TLVs) for those materials that are hazardous when deposited anywhere in the respiratory tract.

OSHA PEL (United States, 11/2006).

TWA: 5 mg/m³ 8 hour(s). Form: Respirable fraction TWA: 15 mg/m³ 8 hour(s). Form: Total dust **OSHA PEL 1989 (United States, 3/1989).**

TWA: 5 mg/m³ 8 hour(s). Form: Respirable fraction TWA: 10 mg/m³ 8 hour(s). Form: Total dust

Recommended monitoring

procedures

Engineering measures

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne

contaminants below any recommended or statutory limits.

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash

stations and safety showers are close to the workstation location.

Personal protection

RespiratoryUse a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk

assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Recommended: A respirator is not needed under normal and intended conditions of product use.

Hands Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times

when handling chemical products if a risk assessment indicates this is necessary.

Eyes Safety eyewear complying with an approved standard should be used when a risk assessment indicates

this is necessary to avoid exposure to liquid splashes, mists or dusts.

Skin Personal protective equipment for the body should be selected based on the task being performed and the

risks involved and should be approved by a specialist before handling this product.

Recommended: lab coat

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Personal protective equipment (Pictograms)



Section 9. Physical and chemical properties

 Physical state
 Solid.

 Color
 White.

 Odor
 Odorless.

 VOC
 0 % (w/w)

Solubility Easily soluble in the following materials: cold water and hot water.

Section 10. Stability and reactivity

StabilityThe product is stable.Conditions to avoidNo specific data.Materials to avoidNo specific data.

Hazardous decomposition

products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Possibility of hazardous reactions Under normal conditions of storage and use, hazardous reactions will not occur.



Article Number Page: 3/5

KIN01 Validation date 10 May 2011



Conditions of reactivity

Slightly flammable in the presence of the following materials or conditions: oxidizing materials. Non-flammable in the presence of the following materials or conditions: open flames, sparks and static discharge, heat, shocks and mechanical impacts, reducing materials, combustible materials, organic materials, metals, acids, alkalis and moisture.

Not considered to be a product presenting a risk of explosion.

Section 11. Toxicological information

Sensitizer

Conclusion/Summary Not available.

Section 12. Ecological information

No known significant effects or critical hazards. **Environmental effects**

Aquatic ecotoxicity

Conclusion/Summary Not available.

Biodegradability

Conclusion/Summary Not available.

Other adverse effects No known significant effects or critical hazards.

Section 13. Disposal considerations

Waste disposal The generation of waste should be avoided or minimized wherever possible. Significant quantities of

waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil,

waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Section 14. Transport information

International transport regulations

Not classified.

Section 15. Regulatory information

Irritating material **HCS Classification**

Target organ effects

TSCA 8(a) PAIR: Glycols, polyethylene, mono(p-(1,1,3,3-tetramethylbutyl)phenyl) ether U.S. Federal regulations

> TSCA 8(a) IUR Exempt/Partial exemption: Not determined United States inventory (TSCA 8b): Not determined.

SARA 302/304/311/312 extremely hazardous substances: No products were found. SARA 302/304 emergency planning and notification: No products were found.

SARA 302/304/311/312 hazardous chemicals: glycerol

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: glycerol: Immediate

(acute) health hazard, Delayed (chronic) health hazard

Clean Water Act (CWA) 311: edetic acid

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) Not listed

Not listed

Substances

Clean Air Act Section 602 Class I

Clean Air Act Section 602 Class II Not listed

Substances



Article Number



Page: 4/5

DEA List I Chemicals (Precursor

Chemicals)

DEA List II Chemicals (Essential

Chemicals)

Not listed

State regulations

Massachusetts The following components are listed: GLYCERINE MIST

None of the components are listed. **New York**

New Jersey The following components are listed: GLYCERIN; 1,2,3-PROPANETRIOL

Pennsylvania The following components are listed: 1,2,3-PROPANETRIOL

California Prop. 65

United States inventory (TSCA 8b) Not determined.

International regulations

International lists Australia inventory (AICS): Not determined. China inventory (IECSC): Not determined.

Japan inventory: Not determined. Korea inventory: Not determined.

New Zealand Inventory of Chemicals (NZIoC): Not determined.

Philippines inventory (PICCS): Not determined.

Chemical Weapons Convention

List Schedule I Chemicals

Not listed

Chemical Weapons Convention

List Schedule II Chemicals

Not listed

Chemical Weapons Convention

List Schedule III Chemicals

Not listed

Section 16. Other information

Label requirements

MAY CAUSE RESPIRATORY TRACT, EYE AND SKIN IRRITATION. CONTAINS MATERIAL THAT MAY CAUSE

TARGET ORGAN DAMAGE, BASED ON ANIMAL DATA.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)





Indicates information that has changed from previously issued version.

History

Date of printing 10 May 2011 Date of previous issue No previous validation

10 May 2011 Date of issue Version

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



Article Number

Validation date 10 May 2011



Page: 5/5