GE Healthcare

SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II - Europe

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Bulk 1st Strand Mix; part of 'cDNA First Strand

Reaction Mix DTT Custom'

Catalogue Number 27-9850-04

Component Number 27985004A

Product description Not available.
Product type Liquid.

Other means of identification Not available.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Research and Development Analytical reagent. Analytical chemistry.

1.3 Details of the supplier of the safety data sheet

SupplierGE Healthcare UK LtdHours of operationAmersham Place08.30 - 17.00

Little Chalfont
Buckinghamshire HP7 9NA

England +44 0870 606 1921

Person who prepared the MSDS: msdslifesciences@ge.com

1.4 Emergency telephone number

Europe GE Healthcare Bio-Sciences GmbH +49 0761 4543 0

Munzinger Strasse 5 D-79111 Freiburg Germany / Deutschland

National advisory body/Poison Centre

Europe http://www.who.int/ipcs/poisons/centre/directory/euro/en/

Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

SECTION 2: Hazards identification

 ${\bf 2.1\,Classification\,\,of\,\,the\,\,substance\,\,or\,\,mixture}$

Product definition Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335i

Ingredients of unknown toxicity

Ingredients of unknown ecotoxicity Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 3%



Article Number 27985004-1 Page: 1/10

Validation date 6 June 2011

Classification according to Directive 1999/45/EC [DPD]

The product is classified as dangerous according to Directive 1999/45/EC and its amendments.

Xi: R36/37/38 Classification

Human health hazards Irritating to eyes, respiratory system and skin. See Section 16 for the full text of the R phrases or H statements declared above. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms



Signal word Warning

Hazard statements Causes skin irritation.

> Causes serious eye irritation. May cause respiratory irritation.

Precautionary statements

Prevention Wear protective gloves. Wear eye or face protection. Avoid breathing vapour.

Response IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a

POISON CENTER or physician if you feel unwell.

Store locked up. Storage Not applicable. Disposal Hazardous ingredients glycerol Supplemental label elements Not applicable.

Special packaging requirements

Containers to be fitted with child-resistant fastenings

Not applicable.

Tactile warning of danger Not applicable.

2.3 Other hazards

Other hazards which do not result Not available.

in classification

SECTION 3: Composition/information on ingredients

Substance/mixture Mixture

			<u>Classification</u>		
Product/ingredient name	Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Туре
glycerol	EC: 200-289-5 CAS: 56-81-5	20-25	Xi; R36/37/38	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335i	[1] [2]
potassium chloride	EC: 231-211-8 CAS: 7447-40-7	1-5	Not classified.	Eye Irrit. 2, H319	[1]
trometamol	EC: 201-064-4 CAS: 77-86-1	1-5	Xi; R36/38	Skin Irrit. 2, H315 Eye Irrit. 2, H319	[1]
			See Section 16 for the full text of the R-phrases declared above.	See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII



27985004-1

Article Number

Validation date 6 June 2011

Page: 2/10

Version 5

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact In case of contact with eyes, rinse immediately with plenty of water. Get medical attention if irritation

occurs.

InhalationIf inhaled, remove to fresh air. Get medical attention if symptoms appear.Skin contactWash with soap and water. Get medical attention if symptoms appear.

Ingestion Do not ingest. Get medical attention if symptoms appear.

Protection of first-aidersNo action shall be taken involving any personal risk or without suitable training. If it is suspected that

fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Eye contact Causes serious eye irritation.

Inhalation May cause respiratory irritation. Exposure to decomposition products may cause a health hazard.

Serious effects may be delayed following exposure.

Skin contact Causes skin irritation.

Ingestion Irritating to mouth, throat and stomach.

Over-exposure signs/symptoms

Eye contact Adverse symptoms may include the following:

pain or irritation watering redness

Inhalation Adverse symptoms may include the following:

respiratory tract irritation

coughing

Skin contact Adverse symptoms may include the following:

irritation redness

Ingestion No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person

may need to be kept under medical surveillance for 48 hours.

Specific treatments No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Unsuitable extinguishing media None known.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or

mixture

In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous combustion products

Decomposition products may include the following materials:
carbon dioxide

carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides

5.3 Advice for firefighters

Special precautions for fire-

fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No

Special protective equipment for

fire-fighters

action shall be taken involving any personal risk or without suitable training.

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level

of protection for chemical incidents.



Article Number

27985004-1 Validation date 6 June 2011



Page: 3/10

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding

areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator

when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on

suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

Small spill Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble.

Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste

disposal container. Dispose of via a licensed waste disposal contractor.

Large spill Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent

entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product. Note: see section 1 for emergency

contact information and section 13 for waste disposal.

6.4 Reference to other sections See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

6.2 Environmental precautions

Protective measuresPut on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes,

skin and clothing. Avoid breathing vapour or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue

and can be hazardous. Do not reuse container.

Advice on general occupational

hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for

additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled

containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)

Recommendations Research and Development Analytical reagent. Analytical chemistry.

Industrial sector specific solutions Not available.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
	ACGIH TLV (United States, 2/2010). Notes: Inhalable fraction. See Appendix C, paragraph A. Inhalable Particulate Mass TLVs (IPM-TLVs) for those materials that are hazardous when deposited anywhere in the respiratory tract. TWA: 10 mg/m³ 8 hour(s). Form: Inhalable fraction. See Appendix C, paragraph A. Inhalable Particulate Mass TLVs (IPM-TLVs) for those materials that are hazardous when deposited anywhere in the respiratory tract.



Article Number 27985004-1

9 5 2 7 9 8 5 0 0 4 1

Recommended monitoring

procedures

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to European Standard EN 689 for methods for the assessment of exposure by inhalation to chemical agents and national guidance documents for methods for the determination of hazardous substances.

Derived effect levels

No DELs available.

Predicted effect concentrations

No PECs available.

8.2 Exposure controls

Appropriate engineering controls U

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Individual protection measures

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates

this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.

Skin protection

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times

when handling chemical products if a risk assessment indicates this is necessary.

Body protection

Personal protective equipment for the body should be selected based on the task being performed and

the risks involved and should be approved by a specialist before handling this product.

Other skin protection

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this

product.

Respiratory protection

Environmental exposure controls

A respirator is not needed under normal and intended conditions of product use.

Emissions from ventilation or work process equipment should be checked to ensure they comply with the

requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable

levels

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state Liquid.
Colour Colourless.

Odour Not available.

Odour threshold Not available.

PH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point

[Product does not sustain combustion]

Evaporation rate Not available

Flammability (solid, gas) Non-flammable in the presence of the following materials or conditions: open flames, sparks and static

discharge, heat, shocks and mechanical impacts, oxidizing materials, reducing materials, combustible

materials, organic materials, metals, acids, alkalis and moisture.

Burning timeNot applicable.Burning rateNot applicable.Upper/lower flammability orNot available.

explosive limits

Vapour pressureNot available.Vapour densityNot available.Relative densityNot available.

Solubility(ies) Easily soluble in the following materials: cold water and hot water.



Article Number

Validation date 6 June 2011

9 5 2 7 9 8 5 0 0 4 1

Page: 5/10

Partition coefficient: n-

octanol/water

Not available.

 Auto-ignition temperature
 Not available.

 Decomposition temperature
 Not available.

 Viscosity
 Not available.

Explosive propertiesNot considered to be a product presenting a risk of explosion.

Oxidising properties Not available.

9.2 Other informationNo additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability The product is stable.

10.3 Possibility of hazardous

reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid No specific data.10.5 Incompatible materials No specific data.

10.6 Hazardous decomposition

products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
glycerol potassium chloride trometamol	LD50 Oral	Rat - Male	12600 mg/kg 2600 mg/kg >3000 mg/kg	-

Conclusion/Summary Not available.

Acute toxicity estimates

Not available.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
glycerol	Eyes - Mild irritant	Rabbit	-	-	-
	Skin - Mild irritant	Rabbit	-	-	-
potassium chloride	Eyes - Mild irritant	Rabbit	-	-	-
trometamol	Skin - Moderate irritant	Rabbit	-	-	-
	Skin - Severe irritant	Rabbit	-	-	-

Conclusion/Summary Not available.

Sensitiser

Conclusion/Summary Not available.

Mutagenicity

Conclusion/Summary Not available.

<u>Carcinogenicity</u>

Conclusion/Summary Not available.

Reproductive toxicity

Conclusion/Summary Not available.

<u>Teratogenicity</u>

Conclusion/Summary Not available.

Specific target organ toxicity (single exposure)

Product/ingredient name	Category	Route of exposure	Target organs
glycerol	Category 3	Inhalation	Respiratory tract irritation



Article Number

Validation date 6 June 2011



27985004-1

Page: 6/10

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of Routes of entry anticipated:Oral, Dermal, Inhalation.

exposure

Potential acute health effects

Inhalation May cause respiratory irritation. Exposure to decomposition products may cause a health hazard.

Serious effects may be delayed following exposure.

Ingestion Irritating to mouth, throat and stomach.

Skin contactCauses skin irritation.Eye contactCauses serious eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation Adverse symptoms may include the following:

respiratory tract irritation

coughing

Ingestion No specific data.

Skin contact Adverse symptoms may include the following:

irritation redness

Eye contact Adverse symptoms may include the following:

pain or irritation watering redness

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects Not available.

Potential delayed effects

Not available.

Long term exposure

Potential immediate effects Not available.

Potential delayed effects Not available.

Potential chronic health effects

Not available.

Conclusion/Summary Not available.

GeneralNo known significant effects or critical hazards.CarcinogenicityNo known significant effects or critical hazards.MutagenicityNo known significant effects or critical hazards.TeratogenicityNo known significant effects or critical hazards.

Developmental effects No known significant effects or critical hazards.

Fertility effects No known significant effects or critical hazards.

Other information Not available.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
glycerol potassium chloride	Acute LC50 290 mg/L Marine water	Fish - Oncorhynchus mykiss - 0.9 g Crustaceans - Americamysis bahia - 4 to 5 days	96 hours 48 hours
	Acute LC50 30.1 mg/L Fresh water	Daphnia - Moinodaphnia macleayi - Neonate - 24 hours	48 hours
		Fish - Gambusia affinis - Adult Crustaceans - Americamysis bahia - 4 to 5 days	96 hours 48 hours



Article Number 27985004-1

Validation date 6 June 2011

Page: 7/10

Conclusion/Summary

Not available.

12.2 Persistence and degradability

Conclusion/Summary Not available

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
glycerol	-	>60%; 28 day(s)	Readily
trometamol	-	-	Readily

12.3 Bioaccumulative potential

Not available.

12.4 Mobility in soil

Soil/water partition coefficient (Koc Not available.

١

Mobility Not available.

12.5 Results of PBT and vPvB assessment

PBT Not applicable.

vPvB Not applicable.

12.6 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

Methods of disposalThe generation of waste should be avoided or minimised wherever possible. Significant quantities of

waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority

requirements.

Hazardous waste The classification of the product may meet the criteria for a hazardous waste.

<u>Packaging</u>

Methods of disposal The generation of waste should be avoided or minimised wherever possible. Waste packaging should be

recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions This material and its container must be disposed of in a safe way. Care should be taken when handling

emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways,

drains and sewers.

SECTION 14: Transport information

	ADR/RID	ADN/ADNR	IMDG	IATA
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.
14.6 Special precautions for user	Not available.	Not available.	Not available.	Not available.



Article Number 27985004-1

9 5 2 7 9 8 5 0 0 4 1

Page: 8/10

Additional information	-	-	-	-

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures Not applicable.

and articles

Other EU regulations

Europe inventory Not determined. Not listed **Black List Chemicals** Not listed **Priority List Chemicals** Integrated pollution prevention Not listed

and control list (IPPC) - Air

Integrated pollution prevention Not listed

and control list (IPPC) - Water

International regulations Chemical Weapons Convention List Schedule I Chemicals

Not listed

Chemical Weapons Convention

List Schedule II Chemicals

Not listed

Chemical Weapons Convention List Schedule III Chemicals

Not listed

15.2 Chemical Safety Assessment

This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

ATE = Acute Toxicity Estimate Abbreviations and acronyms

CLP = Classification, Labelling and Packaging Regulation (EC) No. 1272/2008]

DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335i	Calculation method Calculation method Calculation method



Article Number 27985004-1



H315 Full text of abbreviated H Causes skin irritation. H319 statements Causes serious eye irritation. H335i May cause respiratory irritation.

SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2 Full text of classifications Eye Irrit. 2, H319 [CLP/GHS]

Skin Irrit. 2, H315 SKIN CORROSION/IRRITATION - Category 2

STOT SE 3, H335i SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE): INHALATION

[Respiratory tract irritation] - Category 3

Full text of abbreviated R phrases R36/38- Irritating to eyes and skin.

R36/37/38- Irritating to eyes, respiratory system and skin.

Full text of classifications

[DSD/DPD]

Xi - Irritant

Date of printing 06 June 2011 Date of issue/ Date of revision 06 June 2011 02 June 2011 Date of previous issue

Version

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



Article Number 27985004-1

