

Material Safety Data Sheet

United States
English

Section 1. Chemical product and company identification

Product name EA Reagent; part of 'HitHunter™ cAMP XS+ Screening Assay (40 000 tests)'

Catalogue Number DX90007504SZ



Material uses Industrial applications: Analytical chemistry. Research.
Product type Liquid.
Validation date 31 August 2009
Print date 31 August 2009
Supplier GE Healthcare UK Ltd
 Amersham Place
 Little Chalfont
 Buckinghamshire HP7 9NA
 England
 +44 0870 606 1921

In case of emergency

US	ChemTrec (US)	1-800-424-9300
Canada	ChemTrec (US)	1-703-527-3887

2. Hazards identification

Physical state Liquid.
Odor Not available.
OSHA/HCS status This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Emergency overview WARNING!
 MAY CAUSE RESPIRATORY TRACT, EYE AND SKIN IRRITATION. CONTAINS MATERIAL THAT MAY CAUSE TARGET ORGAN DAMAGE, BASED ON ANIMAL DATA.
 Moderately irritating to the eyes, skin and respiratory system. Avoid breathing vapor or mist. Avoid contact with eyes, skin and clothing. Contains material that may cause target organ damage, based on animal data. Use only with adequate ventilation. Keep container tightly closed and sealed until ready for use. Wash thoroughly after handling.

Potential acute health effects

Eyes Moderately irritating to eyes.
Skin Moderately irritating to the skin.
Inhalation Moderately irritating to the respiratory system.
Ingestion No known significant effects or critical hazards.

Potential chronic health effects

Chronic effects Contains material that may cause target organ damage, based on animal data.
Carcinogenicity No known significant effects or critical hazards.
Mutagenicity No known significant effects or critical hazards.
Teratogenicity No known significant effects or critical hazards.
Developmental effects No known significant effects or critical hazards.
Fertility effects No known significant effects or critical hazards.
Target organs Contains material which may cause damage to the following organs: skin, eyes, stomach.
Inhalation Adverse symptoms may include the following:
 respiratory tract irritation
 coughing
Ingestion No specific data.
Skin Adverse symptoms may include the following:
 irritation
 redness



Article Number

67600035-4



Page: 1/6

Validation date 31 August 2009

Version 2

Eyes	Adverse symptoms may include the following: irritation watering redness
Medical conditions aggravated by over-exposure	Pre-existing disorders involving any target organs mentioned in this MSDS as being at risk may be aggravated by over-exposure to this product.
See toxicological information (section 11)	

3. Composition/information on ingredients

<u>Name</u>	<u>CAS number</u>	<u>% by weight</u>
Sodium chloride	7647-14-5	>1

Section 4. First aid measures

Eye contact	In case of contact with eyes, rinse immediately with plenty of water. Get medical attention if irritation occurs.
Skin contact	Wash with soap and water. Get medical attention if symptoms appear.
Inhalation	If inhaled, remove to fresh air. Get medical attention if symptoms appear.
Ingestion	Do not ingest. Get medical attention if symptoms appear.
Protection of first-aiders	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

Section 5. Fire fighting measures

Flammability of the product	In a fire or if heated, a pressure increase will occur and the container may burst.
<u>Extinguishing media</u>	
Suitable	Use an extinguishing agent suitable for the surrounding fire.
Not suitable	None known.
Special exposure hazards	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).
Environmental precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods for cleaning up	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal.
Small spill	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

Handling	Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Storage	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.



Section 8. Exposure controls/personal protection

Consult local authorities for acceptable exposure limits.

Recommended monitoring procedures	Use this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.
Engineering measures	Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal protection	
Respiratory	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Hands	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Eyes	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.
Skin	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Section 9. Physical and chemical properties

Physical state	Liquid.
Volatility	0% (v/v)
VOC	0 (g/l).
Solubility	Easily soluble in the following materials: cold water and hot water.

Section 10. Stability and reactivity

Stability	The product is stable.
Materials to avoid	No specific data.
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hazardous polymerization	Under normal conditions of storage and use, hazardous polymerization will not occur.
Conditions of reactivity	Non-flammable in the presence of the following materials or conditions: open flames, sparks and static discharge, heat, shocks and mechanical impacts, oxidizing materials, reducing materials, combustible materials, organic materials, metals, acids, alkalis and moisture. Non-explosive in the presence of the following materials or conditions: open flames, sparks and static discharge, heat, shocks and mechanical impacts, oxidizing materials, reducing materials, combustible materials, organic materials, metals, acids, alkalis and moisture.

Section 11. Toxicological information

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Sodium chloride	LD50 Dermal	Rabbit	>10 g/kg	-
	LD50 Intraperitoneal	Rat	2600 mg/kg	-
	LD50 Oral	Rat	3000 mg/kg	-
	LDLo Intraperitoneal	Rat	3.72 g/kg	-
	LDLo Subcutaneous	Rat	3500 mg/kg	-
Conclusion/Summary	Not available.			

Section 12. Ecological information

Environmental effects No known significant effects or critical hazards.

Aquatic ecotoxicity

Product/ingredient name	Test	Result	Species	Exposure
-------------------------	------	--------	---------	----------



Sodium chloride	-	Acute EC50 2122.55 to 2644 mg/L Fresh water	Daphnia - Water flea - Ceriodaphnia dubia - Neonate	48 hours
	-	Acute EC50 402600 to 469200 ug/L Fresh water	Daphnia - Water flea - Daphnia magna	48 hours
	-	Acute LC50 4571 mg/L Fresh water	Daphnia - Water flea - Daphnia magna	48 hours
	-	Acute LC50 6.57 to 6.7 g/L Fresh water	Fish - Fathead minnow - Pimephales promelas - 0.217 g	96 hours
	-	Acute LC50 2000 to 2500 mg/L Fresh water	Daphnia - Water flea - Ceriodaphnia dubia	48 hours
	-	Acute LC50 1661 mg/L Fresh water	Daphnia - Water flea - Daphnia magna	48 hours
	-	Acute LC50 >10000 ppm Fresh water	Crustaceans - Aquatic sowbug - Asellus communis	48 hours
	-	Acute LC50 >5600 ppm Fresh water	Crustaceans - Aquatic sowbug - Asellus communis	48 hours
	-	Acute LC50 3310000 ug/L Fresh water	Daphnia - Water flea - Daphnia magna	48 hours
	-	Acute LC50 1960000 to 2330000 ug/L Fresh water	Daphnia - Water flea - Ceriodaphnia dubia	48 hours
	-	Acute LC50 1294600 ug/L Fresh water	Fish - Bluegill - Lepomis macrochirus - 5 to 9 cm - 1 to 9 g	96 hours
	-	Acute LC50 1000000 ug/L Fresh water	Fish - Striped bass - Morone saxatilis - LARVAE	96 hours
	-	Acute LC50 5.84 to 6.08 g/L Fresh water	Fish - Bluegill - Lepomis macrochirus - 0.26 g	96 hours
	-	Acute LC50 3.05 to 5.91 g/L Fresh water	Daphnia - Water flea - Daphnia pulex	48 hours
	-	Acute LC50 6094000 to 7824000 ug/L Fresh water	Fish - Rainbow trout, donaldson trout - Oncorhynchus mykiss - Egg	96 hours
	-	Acute LC50 >5600000 ug/L Fresh water	Crustaceans - Aquatic sowbug - Asellus communis	48 hours
	-	Acute LC50 3318000 ug/L Fresh water	Daphnia - Water flea - Daphnia magna	48 hours
	-	Acute LC50 1.47 to 1.57 g/L Fresh water	Daphnia - Water flea - Daphnia pulex	48 hours
	-	Acute LC50 7461 to 9108 mg/L Fresh water	Fish - Rainbow trout, donaldson trout - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling) - 100 days	96 hours
	-	Acute LC50 5000000 ug/L Fresh water	Fish - Striped bass - Morone saxatilis - Fingerling	96 hours
	-	Acute LC50 6094 to 7824 mg/L Fresh water	Fish - Rainbow trout, donaldson trout - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling) - 100 days	96 hours
	-	Acute LC50 16500000 to 33000000 ug/L Marine water	Crustaceans - Common shrimp, sand shrimp - Crangon crangon - Adult	48 hours
	-	Acute LC50 >10000000 ug/L Fresh water	Crustaceans - Aquatic sowbug - Asellus communis	48 hours
	-	Acute LC50 6180000 ug/L Fresh water	Fish - Goldfish - Carassius auratus - 6 months - 30 to 38.7 mm - 1.53 to 2.83 g	96 hours
	-	Acute LC50 6170000 ug/L Fresh water	Fish - Goldfish - Carassius auratus - 6	96 hours



months - 30 to 38.7
mm - 1.53 to 2.83 g

Conclusion/Summary	Not available.
Biodegradability	
Conclusion/Summary	Not available.
Other adverse effects	No known significant effects or critical hazards.

Section 13. Disposal considerations

Waste disposal	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Disposal should be in accordance with applicable regional, national and local laws and regulations.	
Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.	

Section 14. Transport information

International transport regulations


Not classified.

Section 15. Regulatory information


HCS Classification	Irritating material Target organ effects
U.S. Federal regulations	<p>United States inventory (TSCA 8b): All components are listed or exempted.</p> <p>SARA 302/304/311/312 extremely hazardous substances: No products were found.</p> <p>SARA 302/304 emergency planning and notification: No products were found.</p> <p>SARA 302/304/311/312 hazardous chemicals: sodium chloride</p> <p>SARA 311/312 MSDS distribution - chemical inventory - hazard identification: sodium chloride: Immediate (acute) health hazard, Delayed (chronic) health hazard</p> <p>Clean Water Act (CWA) 307: No products were found.</p> <p>Clean Water Act (CWA) 311: No products were found.</p> <p>Clean Air Act (CAA) 112 accidental release prevention: No products were found.</p> <p>Clean Air Act (CAA) 112 regulated flammable substances: No products were found.</p> <p>Clean Air Act (CAA) 112 regulated toxic substances: No products were found.</p>
State regulations	<p>Connecticut Carcinogen Reporting: None of the components are listed.</p> <p>Connecticut Hazardous Material Survey: None of the components are listed.</p> <p>Florida substances: None of the components are listed.</p> <p>Illinois Chemical Safety Act: None of the components are listed.</p> <p>Illinois Toxic Substances Disclosure to Employee Act: None of the components are listed.</p> <p>Louisiana Reporting: None of the components are listed.</p> <p>Louisiana Spill: None of the components are listed.</p> <p>Massachusetts Spill: None of the components are listed.</p> <p>Massachusetts Substances: None of the components are listed.</p> <p>Michigan Critical Material: None of the components are listed.</p> <p>Minnesota Hazardous Substances: None of the components are listed.</p> <p>New Jersey Hazardous Substances: None of the components are listed.</p> <p>New Jersey Spill: None of the components are listed.</p> <p>New Jersey Toxic Catastrophe Prevention Act: None of the components are listed.</p> <p>New York Acutely Hazardous Substances: None of the components are listed.</p> <p>New York Toxic Chemical Release Reporting: None of the components are listed.</p> <p>Pennsylvania RTK Hazardous Substances: None of the components are listed.</p> <p>Rhode Island Hazardous Substances: None of the components are listed.</p>
United States inventory (TSCA 8b)	All components are listed or exempted.
EU regulations	
Risk phrases	This product is not classified according to EU legislation.



International regulations**International lists**

 **Australia inventory (AICS):** All components are listed or exempted.
China inventory (IECSC): All components are listed or exempted.
Japan inventory (ENCS): All components are listed or exempted.
Japan inventory (ISHL): Not determined.
Korea inventory (KECI): All components are listed or exempted.
New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted.
Philippines inventory (PICCS): All components are listed or exempted.

Section 16. Other information**Label requirements**


 MAY CAUSE RESPIRATORY TRACT, EYE AND SKIN IRRITATION. CONTAINS MATERIAL THAT MAY CAUSE TARGET ORGAN DAMAGE, BASED ON ANIMAL DATA.

Hazardous Material Information System (U.S.A.)

Health	0
Flammability	0
Physical hazards	0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)

Indicates information that has changed from previously issued version.

History

Date of printing	31 August 2009	Date of previous issue	21 June 2006
Date of issue	31 August 2009	Version	2

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

