Material Safety Data Sheet

United States English

Section 1. Chemical product and company identification

Product name Loading Dye; part of 'Thermo Sequenase™

Fluorescent Labelled Primer Cycle Sequencing Kit,

500 templates'

Catalogue Number RPN 2536

Component Number NIF1644

Material uses Industrial applications: Analytical chemistry. Research.

Product typeLiquid.Validation date8 July 2011Print date08 July 2011

Supplier GE Healthcare UK Ltd

Amersham Place Little Chalfont

Buckinghamshire HP7 9NA England

Englana

+44 0870 606 1921

In case of emergency US ChemTrec (US) 1-800-424-9300

Canada ChemTrec (US) 1-703-527-3887

Hazards identification

Physical state Liquid.

Odor Ammoniacal.

OSHA/HCS status This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Emergency overview WARNING!

CAUSES RESPIRATORY TRACT, EYE AND SKIN IRRITATION. MAY BE HARMFUL IF SWALLOWED. CONTAINS MATERIAL THAT CAN CAUSE TARGET ORGAN DAMAGE. DEVELOPMENTAL HAZARD - CONTAINS MATERIAL

WHICH CAN CAUSE ADVERSE DEVELOPMENTAL EFFECTS

Precautionary measuresSo not handle until all safety precautions have been read and understood. Obtain special instructions before use. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Do not eat,

drink or smoke when using this product. Avoid contact with eyes, skin and clothing. Keep container tightly

closed. Use personal protective equipment as required. Wash thoroughly after handling.

Potential acute health effects

Eyes Irritating to eyes.
Skin Irritating to skin.

Inhalation Irritating to respiratory system. Exposure to decomposition products may cause a health hazard. Serious

effects may be delayed following exposure.

Ingestion Harmful if swallowed.

Potential chronic health effects

Chronic effectsContains material that can cause target organ damage.CarcinogenicityNo known significant effects or critical hazards.MutagenicityNo known significant effects or critical hazards.TeratogenicityNo known significant effects or critical hazards.

Developmental effectsContains material which can cause developmental abnormalities.

Fertility effects No known significant effects or critical hazards.

Target organs Contains material which may cause damage to the following organs: the reproductive system, mucous

membranes, upper respiratory tract, skin, eyes, central nervous system (CNS).



Article Number

06461-5 Validation date 8 July 2011



Page: 1/6

Inhalation Adverse symptoms may include the following:

respiratory tract irritation

coughing

reduced fetal weight increase in fetal deaths

Ingestion Adverse symptoms may include the following:

reduced fetal weight increase in fetal deaths

Skin Adverse symptoms may include the following:

irritation redness

reduced fetal weight increase in fetal deaths

Eyes Adverse symptoms may include the following:

pain or irritation watering redness

reduced fetal weight increase in fetal deaths

Medical conditions aggravated by over-exposure Pre-existing disorders involving any target organs mentioned in this MSDS as being at risk may be

aggravated by over-exposure to this product.

See toxicological information (Section 11)

3. Composition/information on ingredients

 Name
 CAS number
 % by weight

 Formamide
 75-12-7
 95

Section 4. First aid measures

Eye contact Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15

minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.

Skin contact In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing

contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get

medical attention immediately.

Inhalation Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs,

provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt

or waistband. Get medical attention immediately.

Ingestion Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never

give anything by mouth to an unconscious person. Get medical attention immediately.

Protection of first-aidersNo action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing

apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash

contaminated clothing thoroughly with water before removing it, or wear gloves.

Section 5. Fire-fighting measures

Flammability of the product In a fire or if heated, a pressure increase will occur and the container may burst.

Extinguishing media

Suitable Use an extinguishing agent suitable for the surrounding fire.

Not suitable None known.

Special exposure hazards Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No

action shall be taken involving any personal risk or without suitable training.

Hazardous combustion products Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides

Special protective equipment for

fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA)

with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautionsNo action shall be taken involving any personal risk or without suitable training. Evacuate surrounding

areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when

ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).

Environmental precautionsAvoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform

the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).



Article Number

Page: 2/6

25006461-5



Methods for cleaning up

Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal.

Small spill

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

Handling

Fut on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Avoid exposure during pregnancy. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Storage

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Product name

LAPOSUI E IIIIILS

ACGIH TLV (United States, 2/2010). Absorbed through skin.

TWA: 18 mg/m³ 8 hour(s). TWA: 10 ppm 8 hour(s).

NIOSH REL (United States, 6/2009). Absorbed through skin.

TWA: 15 mg/m³ 10 hour(s). TWA: 10 ppm 10 hour(s).

OSHA PEL 1989 (United States, 3/1989).

STEL: 45 mg/m³ 15 minute(s). STEL: 30 ppm 15 minute(s). TWA: 30 mg/m³ 8 hour(s). TWA: 20 ppm 8 hour(s).

Recommended monitoring

procedures

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

Engineering measures

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protection

Respiratory

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hands

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.

Eyes Skin

this is necessary to avoid exposure to liquid splashes, mists or dusts.

Personal protective equipment for the body should be selected based on the task being performed and the

Environmental exposure

controls

risks involved and should be approved by a specialist before handling this product.

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.



Article Number



Section 9. Physical and chemical properties

Physical state Liquid.

Flash point Closed cup: >93.3°C (>199.9°F)

Color Red.

 Odor
 Ammoniacal.

 Volatility
 95% (w/w)

 Odor threshold
 100 ppm

VOC 95 % (w/w) [ISO 11890-1]

Solubility Easily soluble in the following materials: cold water and hot water.

Section 10. Stability and reactivity

StabilityThe product is stable.Materials to avoidNo specific data.

Possibility of hazardous reactions

Inder normal conditions of storage and use, hazardous reactions will not occur.

Conditions of reactivity

Non-flammable in the presence of the following materials or conditions: open flames, sparks and static discharge, heat, shocks and mechanical impacts, oxidizing materials, reducing materials, combustible

materials, organic materials, metals, acids, alkalis and moisture.

Non-explosive in the presence of the following materials or conditions: open flames, sparks and static discharge, heat, shocks and mechanical impacts, oxidizing materials, reducing materials, combustible materials, organic materials, metals, acids, alkalis and moisture.

Section 11. Toxicological information

Acute toxicity

Product/ingredient nameResultSpeciesDoseExposureFormamideLD50 DermalRabbit17 g/kg-LD50 OralRat4000 mg/kg-

Conclusion/Summary Not available.

Sensitizer

Conclusion/Summary Not available.

Section 12. Ecological information

Environmental effects No known significant effects or critical hazards.

Aquatic ecotoxicity

Conclusion/Summary Not available.

Biodegradability

Conclusion/Summary Not available.

Other adverse effects No known significant effects or critical hazards.

Section 13. Disposal considerations

Waste disposal

The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.



Article Number 25006461-5

Page: 4/6

Validation date 8 July 2011

Version 3



Section 14. Transport information

International transport regulations

Not classified.

Section 15. Regulatory information

HCS Classification

Irritating material

Target organ effects

TSCA 8(a) PAIR: Formamide U.S. Federal regulations

TSCA 8(a) IUR Exempt/Partial exemption: Not determined

United States inventory (TSCA 8b): All components are listed or exempted.

SARA 302/304/311/312 extremely hazardous substances: No products were found. SARA 302/304 emergency planning and notification: No products were found.

SARA 302/304/311/312 hazardous chemicals: Formamide

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Formamide: Immediate

(acute) health hazard, Delayed (chronic) health hazard Clean Water Act (CWA) 307: No products were found. Clean Water Act (CWA) 311: No products were found.

Clean Air Act (CAA) 112 regulated flammable substances: No products were found.

Clean Air Act (CAA) 112 regulated toxic substances: No products were found.

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) Not listed

Clean Air Act Section 602 Class I

Substances

Not listed

Clean Air Act Section 602 Class II Not listed

Substances

DEA List I Chemicals (Precursor

Chemicals)

Not listed

DEA List II Chemicals (Essential

Chemicals)

Not listed

State regulations

Massachusetts The following components are listed: FORMAMIDE

Mone of the components are listed. **New York**

The following components are listed: FORMAMIDE **New Jersey** The following components are listed: FORMAMIDE Pennsylvania

California Prop. 65

Ingredient name Reproductive Maximum acceptable Cancer No significant risk level dosage level Glycine, N,N'-1,2-ethanedlylbis[N-No. No.

(carboxymethyl), disodium salt, dihydrate

All components are listed or exempted. **United States inventory (TSCA 8b)**

International regulations

Australia inventory (AICS): All components are listed or exempted. International lists

China inventory (IECSC): All components are listed or exempted. Japan inventory: All components are listed or exempted. Korea inventory: All components are listed or exempted.

New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted.

Philippines inventory (PICCS): All components are listed or exempted.

Chemical Weapons Convention List Schedule I Chemicals

Not listed

Chemical Weapons Convention List Schedule II Chemicals

Not listed



Article Number 25006461-5

Validation date 8 July 2011



Page: 5/6

Chemical Weapons Convention List Schedule III Chemicals

Not listed

Section 16. Other information

Label requirements

CAUSES RESPIRATORY TRACT, EYE AND SKIN IRRITATION. MAY BE HARMFUL IF SWALLOWED. CONTAINS MATERIAL THAT CAN CAUSE TARGET ORGAN DAMAGE. DEVELOPMENTAL HAZARD - CONTAINS MATERIAL WHICH CAN CAUSE ADVERSE DEVELOPMENTAL EFFECTS.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)





Indicates information that has changed from previously issued version.

History

08 July 2011 21 October 2008 Date of printing Date of previous issue

08 July 2011 3 Date of issue Version

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



25006461-5

Article Number