







## Material Safety Data Sheet

United States  
English

## Section 1. Chemical product and company identification

Product name	T Reagent; part of 'Thermo Sequenase™ Primer Cycle Sequencing Kit 7-deaza-dGTP, 100 templates'		
Catalogue Number	RPN2438	 9 0 R P N 2 4 3 8	
Component Number	NIF1239		
Material uses	Industrial applications: Analytical chemistry. Research.		
Product type	Liquid.		
Validation date	13 June 2011		
Print date	13 June 2011		
Supplier	GE Healthcare UK Ltd Amersham Place Little Chalfont Buckinghamshire HP7 9NA England +44 0870 606 1921		
<u>In case of emergency</u>	US	ChemTrec (US)	1-800-424-9300
	Canada	ChemTrec (US)	1-703-527-3887

## 2. Hazards identification

Physical state	Liquid.
Odor	Odorless.
OSHA/HCS status	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Emergency overview	 CAUTION!  MAY CAUSE RESPIRATORY TRACT, EYE AND SKIN IRRITATION. CONTAINS MATERIAL THAT MAY CAUSE TARGET ORGAN DAMAGE, BASED ON ANIMAL DATA.
Precautionary measures	 Do not breathe vapor or mist. Use only with adequate ventilation. Do not eat, drink or smoke when using this product. Avoid contact with eyes, skin and clothing. Keep container tightly closed. Wash thoroughly after handling.
<b>Potential acute health effects</b>	
Eyes	Moderately irritating to eyes.
Skin	Moderately irritating to the skin.
Inhalation	Moderately irritating to the respiratory system.
Ingestion	No known significant effects or critical hazards.
<b>Potential chronic health effects</b>	
Chronic effects	 Contains material that may cause target organ damage, based on animal data.
Carcinogenicity	No known significant effects or critical hazards.
Mutagenicity	No known significant effects or critical hazards.
Teratogenicity	No known significant effects or critical hazards.
Developmental effects	No known significant effects or critical hazards.
Fertility effects	No known significant effects or critical hazards.
Target organs	 Contains material which may cause damage to the following organs: kidneys, upper respiratory tract, skin, eyes.
Inhalation	Adverse symptoms may include the following: respiratory tract irritation coughing
Ingestion	No specific data.



Article Number

25006409-4



Page: 1/5

Validation date 13 June 2011

Version 5

<b>Skin</b>	Adverse symptoms may include the following: irritation redness
<b>Eyes</b>	Adverse symptoms may include the following: irritation watering redness
<b>Medical conditions aggravated by over-exposure</b>	Pre-existing disorders involving any target organs mentioned in this MSDS as being at risk may be aggravated by over-exposure to this product.

See toxicological information (Section 11)

### 3. Composition/information on ingredients

<u>Name</u>	<u>CAS number</u>	<u>% by weight</u>
glycerol	56-81-5	1 - 5

### Section 4. First aid measures

<b>Eye contact</b>	In case of contact with eyes, rinse immediately with plenty of water. Get medical attention if irritation occurs.
<b>Skin contact</b>	Wash with soap and water. Get medical attention if symptoms appear.
<b>Inhalation</b>	If inhaled, remove to fresh air. Get medical attention if symptoms appear.
<b>Ingestion</b>	Do not ingest. Get medical attention if symptoms appear.
<b>Protection of first-aiders</b>	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

### Section 5. Fire-fighting measures

<b>Flammability of the product</b>	In a fire or if heated, a pressure increase will occur and the container may burst.
<b><u>Extinguishing media</u></b>	
<b>Suitable</b>	Use an extinguishing agent suitable for the surrounding fire.
<b>Not suitable</b>	None known.
<b>Special exposure hazards</b>	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
<b>Special protective equipment for fire-fighters</b>	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### Section 6. Accidental release measures

<b>Personal precautions</b>	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).
<b>Environmental precautions</b>	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
<b>Methods for cleaning up</b>	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal.
<b>Small spill</b>	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

### Section 7. Handling and storage

<b>Handling</b>	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
-----------------	--



<b>Storage</b>	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.
----------------	--

## Section 8. Exposure controls/personal protection

### Product name

glycerol

### Exposure limits

**ACGIH TLV (United States, 2/2010). Notes: Inhalable fraction. See Appendix C, paragraph A. Inhalable Particulate Mass TLVs (IPM-TLVs) for those materials that are hazardous when deposited anywhere in the respiratory tract.**

TWA: 10 mg/m<sup>3</sup> 8 hour(s). Form: Inhalable fraction. See Appendix C, paragraph A. Inhalable Particulate Mass TLVs (IPM-TLVs) for those materials that are hazardous when deposited anywhere in the respiratory tract.

**OSHA PEL (United States, 11/2006).**

TWA: 5 mg/m<sup>3</sup> 8 hour(s). Form: Respirable fraction

TWA: 15 mg/m<sup>3</sup> 8 hour(s). Form: Total dust

**OSHA PEL 1989 (United States, 3/1989).**

TWA: 5 mg/m<sup>3</sup> 8 hour(s). Form: Respirable fraction

TWA: 10 mg/m<sup>3</sup> 8 hour(s). Form: Total dust

### Recommended monitoring procedures

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

### Engineering measures

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

### Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

### Personal protection

#### Respiratory

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

#### Hands

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

#### Eyes

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.

#### Skin

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

#### Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## Section 9. Physical and chemical properties

<b>Physical state</b>	Liquid.
<b>Flash point</b>	<input checked="" type="checkbox"/> [Product does not sustain combustion.]
<b>Color</b>	Colorless.
<b>Odor</b>	Odorless.
<b>Volatility</b>	< 1% (w/w)
<b>Solubility</b>	Easily soluble in the following materials: cold water and hot water.

## Section 10. Stability and reactivity

<b>Stability</b>	The product is stable.
<b>Materials to avoid</b>	No specific data.
<b>Possibility of hazardous reactions</b>	<input checked="" type="checkbox"/> Under normal conditions of storage and use, hazardous reactions will not occur.
<b>Conditions of reactivity</b>	Non-flammable in the presence of the following materials or conditions: open flames, sparks and static discharge, heat, shocks and mechanical impacts, oxidizing materials, reducing materials, combustible materials, organic materials, metals, acids, alkalis and moisture. Non-explosive in the presence of the following materials or conditions: open flames, sparks and static discharge, heat, shocks and mechanical impacts, oxidizing materials, reducing materials, combustible materials, organic materials, metals, acids, alkalis and moisture.



## Section 11. Toxicological information

### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
<input checked="" type="checkbox"/> glycerol	LD50 Oral	Rat	12600 mg/kg	-
Conclusion/Summary	Not available.			

### Sensitizer

Conclusion/Summary	Not available.
--------------------	----------------

## Section 12. Ecological information

**Environmental effects** No known significant effects or critical hazards.

### Aquatic ecotoxicity

Product/ingredient name	Test	Result	Species	Exposure
<input checked="" type="checkbox"/> glycerol	-	Acute LC50 54 to 57 ml/L Fresh water	Fish - Rainbow trout,donaldson trout - Oncorhynchus mykiss - 0.9 g	96 hours
Conclusion/Summary	Not available.			

### Biodegradability

Conclusion/Summary	Not available.
--------------------	----------------

**Other adverse effects** No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Waste disposal** ☒ The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

**RCRA classification** Not classified

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

## Section 14. Transport information

### International transport regulations

Not classified.

## Section 15. Regulatory information

**HCS Classification** Irritating material  
Target organ effects

**U.S. Federal regulations** ☒ **TSCA 8(a) PAIR:** Octyl phenol condensed with 3 moles ethylene oxide  
**TSCA 8(a) IUR Exempt/Partial exemption:** Not determined  
**United States inventory (TSCA 8b):** Not determined.  
**SARA 302/304/311/312 extremely hazardous substances:** No products were found.  
**SARA 302/304 emergency planning and notification:** No products were found.  
**SARA 302/304/311/312 hazardous chemicals:** glycerol  
**SARA 311/312 MSDS distribution - chemical inventory - hazard identification:** glycerol: Immediate (acute) health hazard, Delayed (chronic) health hazard  
**Clean Water Act (CWA) 307:** No products were found.  
**Clean Water Act (CWA) 311:** edetic acid  
**Clean Air Act (CAA) 112 regulated flammable substances:** No products were found.  
**Clean Air Act (CAA) 112 regulated toxic substances:** No products were found.  
**Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)** ☒ Not listed



Clean Air Act Section 602 Class I Substances ☒ Not listed

Clean Air Act Section 602 Class II Substances ☒ Not listed

DEA List I Chemicals (Precursor Chemicals) ☒ Not listed

DEA List II Chemicals (Essential Chemicals) ☒ Not listed

#### State regulations

Massachusetts ☒ The following components are listed: GLYCERINE MIST

New York ☒ None of the components are listed.

New Jersey ☒ The following components are listed: GLYCERIN; 1,2,3-PROPANETRIOL

Pennsylvania ☒ The following components are listed: 1,2,3-PROPANETRIOL

#### California Prop. 65

United States inventory (TSCA 8b) Not determined.

#### International regulations

International lists ☒ **Australia inventory (AICS):** Not determined.  
**China inventory (IECSC):** Not determined.  
**Japan inventory:** Not determined.  
**Korea inventory:** Not determined.  
**New Zealand Inventory of Chemicals (NZIoC):** Not determined.  
**Philippines inventory (PICCS):** Not determined.

Chemical Weapons Convention List Schedule I Chemicals ☒ Not listed

Chemical Weapons Convention List Schedule II Chemicals ☒ Not listed


Chemical Weapons Convention List Schedule III Chemicals ☒ Not listed

## Section 16. Other information

Label requirements ☒ MAY CAUSE RESPIRATORY TRACT, EYE AND SKIN IRRITATION. CONTAINS MATERIAL THAT MAY CAUSE TARGET ORGAN DAMAGE, BASED ON ANIMAL DATA.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



☒ Indicates information that has changed from previously issued version.

#### History

Date of printing	13 June 2011	Date of previous issue	03 November 2008
Date of issue	13 June 2011	Version	5

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



Article Number

25006409-4



9 5 2 5 0 0 6 4 0 9 4

Page: 5/5

Validation date 13 June 2011

Version 5