

Material Safety Data Sheet

Canada
English

Section 1. Chemical product and company identification

Product name Protein arrays; part of 'P53 Protein Array Kit, 5x'

Catalogue Number 25-8010-93



Component Number 25801092A

Material uses Industrial applications: Analytical chemistry. Research.

Product type Liquid.

Validation date 24 August 2009

Print date 24 August 2009

Supplier GE Healthcare UK Ltd
Amersham Place
Little Chalfont
Buckinghamshire HP7 9NA
England
+44 0870 606 1921

In case of emergency

US	ChemTrec (US)	1-800-424-9300
Canada	ChemTrec (US)	1-703-527-3887

2. Hazards identification

Physical state Liquid.

Odor Odorless.

Emergency overview WARNING!

MAY CAUSE RESPIRATORY TRACT, EYE AND SKIN IRRITATION. CONTAINS MATERIAL THAT CAN CAUSE TARGET ORGAN DAMAGE.

Moderately irritating to the eyes, skin and respiratory system. Avoid breathing vapor or mist. Avoid contact with eyes, skin and clothing. Contains material that can cause target organ damage. Use only with adequate ventilation. Keep container tightly closed and sealed until ready for use. Wash thoroughly after handling.

Routes of entry Dermal contact. Eye contact. Inhalation. Ingestion.

Potential acute health effects

Eyes	Moderately irritating to eyes.
Skin	Moderately irritating to the skin.
Inhalation	Moderately irritating to the respiratory system.
Ingestion	No known significant effects or critical hazards.

Potential chronic health effects

Chronic effects	Contains material that can cause target organ damage.
Carcinogenicity	No known significant effects or critical hazards.
Mutagenicity	No known significant effects or critical hazards.
Teratogenicity	No known significant effects or critical hazards.
Developmental effects	No known significant effects or critical hazards.
Fertility effects	No known significant effects or critical hazards.
Target organs	Contains material which may cause damage to the following organs: kidneys, gastrointestinal tract, upper respiratory tract, skin, eye, lens or cornea.
Inhalation	Adverse symptoms may include the following: respiratory tract irritation coughing
Ingestion	No specific data.



Article Number

25801093-1



Page: 1/5

Validation date 24 August 2009

Version 3

Skin	Adverse symptoms may include the following: irritation redness
Eyes	Adverse symptoms may include the following: irritation watering redness
Medical conditions aggravated by over-exposure	Pre-existing disorders involving any target organs mentioned in this MSDS as being at risk may be aggravated by over-exposure to this product.

See toxicological information (section 11)

3. Composition/information on ingredients

<u>Name</u>	<u>CAS number</u>	<u>% by weight</u>
glycerol	56-81-5	75

Section 4. First aid measures

Eye contact	Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.
Skin contact	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.
Inhalation	Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.
Ingestion	Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.
Protection of first-aiders	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

Section 5. Fire fighting measures

Flammability of the product	In a fire or if heated, a pressure increase will occur and the container may burst.
Extinguishing media	
Suitable	Use an extinguishing agent suitable for the surrounding fire.
Not suitable	None known.
Special exposure hazards	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).
Environmental precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods for cleaning up	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal.
Small spill	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

Handling	Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
-----------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



Storage	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.</p>
----------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Section 8. Exposure controls/personal protection

Product name

glycerol

Exposure limits

CA Alberta Provincial (Canada, 10/2006).

8 hrs OEL: 10 mg/m³ 8 hour(s). Form: Mist

CA British Columbia Provincial (Canada, 7/2007).

TWA: 10 mg/m³ 8 hour(s). Form: Mist

TWA: 3 mg/m³ 8 hour(s). Form: Respirable mist

CA Ontario Provincial (Canada, 3/2007).

TWAEV: 10 mg/m³ 8 hour(s). Form: mist

CA Quebec Provincial (Canada, 12/2006).

TWAEV: 10 mg/m³ 8 hour(s). Form: mist

Recommended monitoring procedures

Use this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

Engineering measures

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protection

Respiratory

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hands

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Eyes

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.

Skin

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Section 9. Physical and chemical properties

Physical state	Liquid.
Color	Colorless.
Odor	Odorless.
Volatility	0% (v/v)
VOC	0 (g/l).
Solubility	Easily soluble in the following materials: cold water and hot water.


Section 10. Stability and reactivity

Stability	The product is stable.
Materials to avoid	No specific data.
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hazardous polymerization	Under normal conditions of storage and use, hazardous polymerization will not occur.
Conditions of reactivity	<p>Non-flammable in the presence of the following materials or conditions: open flames, sparks and static discharge, heat, shocks and mechanical impacts, oxidizing materials, reducing materials, combustible materials, organic materials, metals, acids, alkalis and moisture.</p> <p>Not considered to be a product presenting a risk of explosion.</p>



Section 11. Toxicological information

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
 glycerol	LD50 Dermal	Rabbit	>10 g/kg	-
	LD50 Intraperitoneal	Rat	4420 mg/kg	-
	LD50 Intravenous	Rat	5566 mg/kg	-
	LD50 Oral	Rat	12600 mg/kg	-
	LD50 Subcutaneous	Rat	100 mg/kg	-
	LDLo Intramuscular	Rat	10 mg/kg	-
	TDLo Intramuscular	Rat	8 mL/kg	-
	TDLo Intramuscular	Rat	5000 mg/kg	-

Conclusion/Summary Not available.

Classification


Product/ingredient name	ACGIH	IARC	EPA	NIOSH	NTP	OSHA
Not available.						


Synergistic products Not available.

Section 12. Ecological information

Environmental effects  No known significant effects or critical hazards.

Aquatic ecotoxicity

Product/ingredient name	Test	Result	Species	Exposure
 glycerol	-	Acute LC50 54 to 57 ml/L Fresh water	Fish - Rainbow trout, donaldson trout - Oncorhynchus mykiss - 0.9 g	96 hours


Conclusion/Summary  Not available.

Octanol/water partition coefficient Not available.

Bioconcentration factor Not available.

Other adverse effects  No known significant effects or critical hazards.

Section 13. Disposal considerations

Waste disposal  The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

RCRA classification Not available.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Section 14. Transport information

International transport regulations

Not classified.

Section 15. Regulatory information

WHMIS (Canada) Not controlled under WHMIS (Canada).

Canadian lists  **CEPA Toxic substances:** None of the components are listed.

Canadian ARET: None of the components are listed.

Canadian NPRI: None of the components are listed.

Alberta Designated Substances: None of the components are listed.

Ontario Designated Substances: None of the components are listed.

Quebec Designated Substances: None of the components are listed.

Canada inventory  Not determined.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

EU regulations



Article Number

25801093-1



9 5 2 5 8 0 1 0 9 3 1

Page: 4/5

Validation date 24 August 2009

Version 3

Hazard symbol or symbols**Risk phrases**

R36/37/38- Irritating to eyes, respiratory system and skin.

Safety phrases

Not applicable.

International regulations**International lists**

Australia inventory (AICS): Not determined.
China inventory (IECSC): All components are listed or exempted.
Japan inventory (ENCS): Not determined.
Japan inventory (ISHL): Not determined.
Korea inventory (KECI): Not determined.
New Zealand Inventory of Chemicals (NZIoC): Not determined.
Philippines inventory (PICCS): Not determined.

Section 16. Other information**The customer is responsible for determining the PPE code for this material.**

Indicates information that has changed from previously issued version.

History

Date of printing	24 August 2009	Date of previous issue	24 July 2006
Date of issue	24 August 2009	Version	3

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



Article Number

25801093-1



9 5 2 5 8 0 1 0 9 3 1

Page: 5/5

Validation date 24 August 2009

Version 3