Material Safety Data Sheet

United States English

Section 1. Chemical product and company identification

Product name High Salt Buffer; part of 'illustra™ mRNA

Purification Kit, 4 purifications'

Catalogue Number 27-9258-02

9 0 2 7 9 2 5 8 0

Component Number 279258B

Material uses Industrial applications: Analytical chemistry. Research.

Product type Liquid.

Validation date
23 September 2011
Print date
23 September 2011
Supplier
GE Healthcare UK Ltd
Amersham Place
Little Chalfont

Buckinghamshire HP7 9NA

England

+44 0870 606 1921

<u>In case of emergency</u> US ChemTrec (US) 1-800-424-9300

Canada ChemTrec (US) 1-703-527-3887

2. Hazards identification

Physical state Liquid.
Odor Odorless

OSHA/HCS status This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

MAY CAUSE RESPIRATORY TRACT, EYE AND SKIN IRRITATION. CONTAINS MATERIAL THAT MAY CAUSE

TARGET ORGAN DAMAGE, BASED ON ANIMAL DATA.

Precautionary measures

To not breathe vapor or mist. Use only with adequate ventilation. Do not eat, drink or smoke when using

this product. Avoid contact with eyes, skin and clothing. Keep container tightly closed. Wash thoroughly

after handling.

Routes of entry Dermal contact. Eye contact. Inhalation. Ingestion.

Potential acute health effects

EyesModerately irritating to eyes.SkinModerately irritating to the skin.

InhalationModerately irritating to the respiratory system.IngestionNo known significant effects or critical hazards.

Potential chronic health effects

Chronic effectsContains material that may cause target organ damage, based on animal data.

CarcinogenicityNo known significant effects or critical hazards.MutagenicityNo known significant effects or critical hazards.TeratogenicityNo known significant effects or critical hazards.Developmental effectsNo known significant effects or critical hazards.Fertility effectsNo known significant effects or critical hazards.

Target organs Contains material which may cause damage to the following organs: skin, eyes, stomach.

Inhalation Adverse symptoms may include the following:

respiratory tract irritation

coughing

Ingestion No specific data.



Article Number Page: 1/5

25802-2 Validation date 23 September 2011



Adverse symptoms may include the following: Skin

> irritation redness

Adverse symptoms may include the following: Eyes

> irritation watering redness

Medical conditions aggravated by

over-exposure

Pre-existing disorders involving any target organs mentioned in this MSDS as being at risk may be

aggravated by over-exposure to this product.

See toxicological information (Section 11)

3. Composition/information on ingredients

Name CAS number % by weight sodium chloride 7647-14-5

Section 4. First aid measures

Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 Eve contact

minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing Skin contact

contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get

medical attention immediately.

Inhalation Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs,

provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt

or waistband. Get medical attention immediately.

Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never

give anything by mouth to an unconscious person. Get medical attention immediately.

Protection of first-aiders No action shall be taken involving any personal risk or without suitable training. It may be dangerous to

the person providing aid to give mouth-to-mouth resuscitation.

Section 5. Fire-fighting measures

In a fire or if heated, a pressure increase will occur and the container may burst. Flammability of the product

Extinguishing media

Ingestion

Suitable Use an extinguishing agent suitable for the surrounding fire.

Not suitable None known

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No Special exposure hazards

action shall be taken involving any personal risk or without suitable training.

Special protective equipment for

fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA)

with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding Personal precautions

areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when

ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform **Environmental precautions**

the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Methods for cleaning up

Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and

section 13 for waste disposal.

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Small spill

Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste

disposal container. Dispose of via a licensed waste disposal contractor.



Article Number

Validation date 23 September 2011

Page: 2/5

Section 7. Handling and storage

Handling

Fut on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do

Storage

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Consult local authorities for acceptable exposure limits.

Recommended monitoring

procedures

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

Engineering measures

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protection

Respiratory

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Hands Eves

Safety eyewear complying with an approved standard should be used when a risk assessment indicates

this is necessary to avoid exposure to liquid splashes, mists or dusts.

Skin Personal protective equipment for the body should be selected based on the task being performed and the

risks involved and should be approved by a specialist before handling this product.

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Section 9. Physical and chemical properties

Physical state Liquid

Product does not sustain combustion. Flash point

Colorless Color Odor Odorless

7.5 [Conc. (% w/w): 100%] На

Volatility 0% (v/v)

8 (w/w) [ISO 11890-1] VOC

Easily soluble in the following materials: cold water and hot water. Solubility

Section 10. Stability and reactivity

Stability The product is stable. Materials to avoid No specific data

Hazardous decomposition

products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

 $\overline{\mathbb{V}}$ nder normal conditions of storage and use, hazardous reactions will not occur. Possibility of hazardous reactions

Non-flammable in the presence of the following materials or conditions: open flames, sparks and static Conditions of reactivity discharge, heat, shocks and mechanical impacts, oxidizing materials, reducing materials, combustible

materials, organic materials, metals, acids, alkalis and moisture. Not considered to be a product presenting a risk of explosion.



Article Number

Validation date 23 September 2011



Page: 3/5

Section 11. Toxicological information

Acute toxicity

Product/ingredient name Result Species Dose Exposure

Sodium chloride LD50 Oral Rat 3000 mg/kg -

Conclusion/Summary Not available.

Sensitizer

Conclusion/Summary Not available.

Section 12. Ecological information

Environmental effects No known significant effects or critical hazards.

Aquatic ecotoxicity

Product/ingredient name Test Result **Species** Exposure sodium chloride Acute EC50 402600 Daphnia - Water flea 48 hours to 469200 ug/L Fresh - Daphnia magna water Acute LC50 > 5600 48 hours Crustaceans ppm Fresh water Aquatic sowbug -Asellus communis Acute LC50 1000 Fish - Striped bass -96 hours ppm Fresh water Morone saxatilis -

Conclusion/Summary Not available

Biodegradability

Conclusion/Summary Not available.

Other adverse effects No known significant effects or critical hazards.

Section 13. Disposal considerations

Waste disposal The generation of waste should be avoided or minimized wherever possible. Significant quantities of

waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil,

LARVAE - 1 weeks

waterways, drains and sewers.

RCRA classification Not classified

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Section 14. Transport information

International transport regulations

Not classified

_

Section 15. Regulatory information

HCS Classification Irritating material

Target organ effects

U.S. Federal regulations TSCA 8(a) IUR Exempt/Partial exemption: Not determined

United States inventory (TSCA 8b): All components are listed or exempted.

SARA 302/304/311/312 extremely hazardous substances: No products were found. SARA 302/304 emergency planning and notification: No products were found.

SARA 302/304/311/312 hazardous chemicals: sodium chloride

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: sodium chloride:

Immediate (acute) health hazard, Delayed (chronic) health hazard

Clean Water Act (CWA) 307: No products were found.

Clean Water Act (CWA) 311: edetic acid

Clean Air Act (CAA) 112 regulated flammable substances: No products were found.

Clean Air Act (CAA) 112 regulated toxic substances: No products were found.



Article Number Page: 4/5

5802-2 Validation date 23 September 2011



Clean Air Act Section 112(b)

Hazardous Air Pollutants (HAPs)

Clean Air Act Section 602 Class I Not listed

Not listed

Clean Air Act Section 602 Class II Not listed

Substances

Substances

DEA List I Chemicals (Precursor

Chemicals)

Not listed

DEA List II Chemicals (Essential

Chemicals)

Not listed

State regulations

None of the components are listed. Massachusetts **New York** Mone of the components are listed. **New Jersey** Mone of the components are listed. Mone of the components are listed. Pennsylvania

California Prop. 65

United States inventory (TSCA 8b)

All components are listed or exempted.

International regulations

Australia inventory (AICS): All components are listed or exempted. International lists

> China inventory (IECSC): All components are listed or exempted. Japan inventory: All components are listed or exempted. Korea inventory: All components are listed or exempted.

New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted.

Philippines inventory (PICCS): All components are listed or exempted.

Chemical Weapons Convention

List Schedule I Chemicals

Not listed

Chemical Weapons Convention List Schedule II Chemicals

Not listed

Chemical Weapons Convention List Schedule III Chemicals

Not listed

Section 16. Other information

MAY CAUSE RESPIRATORY TRACT, EYE AND SKIN IRRITATION. CONTAINS MATERIAL THAT MAY CAUSE Label requirements

TARGET ORGAN DAMAGE, BASED ON ANIMAL DATA.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)





Indicates information that has changed from previously issued version.

History

28 November 2008 23 September 2011 Date of printing Date of previous issue

23 September 2011 4 Date of issue Version

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



Article Number

Validation date 23 September 2011



Page: 5/5