# **GE** Healthcare

# SAFETY DATA SHEET

Conforms to EU Directive 91/155/EEC, as amended by 2001/58/EC - Europe English

1. Identification of the substance/preparation and company/undertaking

Product name Biotinylated Antibody Reagent; part of 'VEGF,

Human, Biotrak™ Assay, 96 wells'

Catalogue Number RPN2779

Component Number RPN2779AS

Hazard symbol or symbols



Company/undertaking identification

Supplier GE Healthcare UK Ltd Emergency telephone number
Amersham Place

Little Chalfont Swedish Poisons Information Centre:

Buckinghamshire HP7 9NA +46 (0)8 331 231

England

+44 0870 606 1921

Person who prepared the MSDS: msdslifesciences@ge.com

**Europe** GE Healthcare Bio-Sciences GmbH +49 0761 4543 0

Munzinger Strasse 5 D-79111 Freiburg Germany / Deutschland

2. Hazards identification

The product is classified as dangerous according to Directive 1999/45/EC and its amendments

Classification Xn; R22

**Human health hazards** Harmful if swallowed. See section 11 for more detailed information on health effects and symptoms.

3. Composition/information on ingredients

Substance/preparation Preparation

Ingredient nameCAS number%EC numberClassificationSodium azide26628-22-80.1247-852-1T+; R28<br/>R32

R32 N; R50/53

See section 16 for the full text of the R-phrases declared above
Occupational exposure limits, if available, are listed in section 8.



Article Number 25800423-2



### First-aid measures

### First-aid measures

Inhalation Move exposed person to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be

dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or

waistband.

**Ingestion** Wash out mouth with water. Remove dentures if any. Move exposed person to fresh air. Keep person

warm and at rest. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately.

Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

**Skin contact** Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Obtain medical

attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if

irritation occurs.

**Protection of first-aiders** No action shall be taken involving any personal risk or without suitable training. It may be dangerous to

the person providing aid to give mouth-to-mouth resuscitation.

See section 11 for more detailed information on health effects and symptoms.

## 5. Fire-fighting measures

### Extinguishing media

Eye contact

Suitable Use an extinguishing agent suitable for the surrounding fire.

Not suitable None known.

Special exposure hazards M a fire or if heated, a pressure increase will occur and the container may burst.

Fromptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No

action shall be taken involving any personal risk or without suitable training.

Special protective equipment for

fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus

(SCBA) with a full face-piece operated in positive pressure mode.

### 6. Accidental release measures

Personal precautions

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt

material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).

the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Large spill

Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent

information and section 13 for waste disposal.

Small spill

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or

absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a

material may pose the same hazard as the spilt product. Note: see section 1 for emergency contact

licensed waste disposal contractor.

## 7. Handling and storage

Handling

Fut on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands

and face before eating, drinking and smoking. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can

be hazardous. Do not reuse container.

Storage

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use

appropriate containment to avoid environmental contamination.

Packaging materials

**Recommended** Use original container.



Article Number

25800423-2



#### 8. Exposure controls/personal protection

## <u>Ingredient</u> name

### Occupational exposure limits

Latvia

Sodium azide

EU OEL (Europe, 5/2006). Absorbed through skin. Notes: Indicative

limit value short term: 0.3 mg/m3 15 minute(s). limit value 8 hours: 0.1 mg/m<sup>3</sup> 8 hour(s).

#### Exposure controls

Hand protection

Occupational exposure controls No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

Respiratory protection

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times

when handling chemical products if a risk assessment indicates this is necessary.

Safety eyewear complying with an approved standard should be used when a risk assessment indicates Eye protection

this is necessary to avoid exposure to liquid splashes, mists or dusts.

Personal protective equipment for the body should be selected based on the task being performed and Skin protection

the risks involved and should be approved by a specialist before handling this product.

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or

engineering modifications to the process equipment will be necessary to reduce emissions to acceptable

levels.

#### 9. Physical and chemical properties

#### **General information**

**Appearance** 

Physical state Liquid Colour Colourless. Odour Odourless.

### Important health, safety and environmental information

Non-explosive in the presence of the following materials or conditions: open flames, sparks and static **Explosive properties** 

discharge, heat, shocks and mechanical impacts, oxidizing materials, reducing materials, combustible

materials, organic materials, metals, acids, alkalis and moisture.

Easily soluble in the following materials: cold water and hot water. Solubility

#### 10. Stability and reactivity

The product is stable. Stability No specific data Conditions to avoid

### Toxicological information

### Potential acute health effects

No known significant effects or critical hazards. Inhalation

Harmful if swallowed. Ingestion

No known significant effects or critical hazards. Skin contact No known significant effects or critical hazards. Eye contact

Product/ingredient name Result **Species** Dose Exposure LD50 Dermal Rodium azide Rat 50 mg/kg LD50 Dermal Rabbit 20 mg/kg LD50 Intratracheal Rat 47.5 mg/kg LD50 Intratracheal 47500 ug/kg Rat LD50 Oral Rat 27 mg/kg LD50 Subcutaneous Rat 45100 ug/kg LD50 Subcutaneous 45 mg/kg Rat LDLo Intraperitoneal Rat 3 mg/kg LDLo Intraperitoneal Rat 30 mg/kg

Conclusion/Summary Not available

Potential chronic health effects

No known significant effects or critical hazards. Chronic effects



25800423-2

Article Number

Validation date 8 July 2009



Page: 3/5

CarcinogenicityNo known significant effects or critical hazards.MutagenicityNo known significant effects or critical hazards.Reproductive toxicityNo known significant effects or critical hazards.Developmental effectsNo known significant effects or critical hazards.Fertility effectsNo known significant effects or critical hazards.

Over-exposure signs/symptoms

InhalationNo specific data.IngestionNo specific data.SkinNo specific data.EyesNo specific data.

## 12. Ecological information

**Environmental effects** No known significant effects or critical hazards.

Aquatic ecotoxicity

Product/ingredient name	Test	Result	Species	Exposure
sodium azide	-	Acute EC50 6.4 to 8.9 mg/L Fresh water	Crustaceans - Water flea - Simocephalus serrulatus - LARVAE	48 hours
	-	Acute EC50 4.2 to 6.2 mg/L Fresh water		48 hours
	-	Acute LC50 0.8 mg/L Fresh water	Fish - Rainbow trout,donaldson trout - Oncorhynchus mykiss - 1.4 q	96 hours
	-	Acute LC50 0.68 mg/L Fresh water	Fish - Bluegill - Lepomis macrochirus - 0.6 q	96 hours
	-	Acute LC50 5460 to 5870 ug/L Fresh water	Fish - Fathead minnow - Pimephales promelas - 30 days - 18.8 mm - 0.098 g	96 hours
	-	Acute LC50 3920 ug/L Fresh water	Fish - Rainbow trout,donaldson trout - Oncorhynchus mykiss - 8.57 cm - 7.84 g	96 hours
	-	Acute LC50 2840 ug/L Fresh water	Fish - Rainbow trout,donaldson trout - Oncorhynchus mykiss - 7.87 cm - 6.07 g	96 hours
	-	Acute LC50 2750 ug/L Fresh water	Fish - Rainbow trout,donaldson trout - Oncorhynchus mykiss - 7.32 cm - 4.76 g	96 hours
Conclusion/Summary	Not available.		3	
Conclusion/Summary	Not available.			
Other adverse effects	No known significant effects or critical hazards.			

## 13. Disposal considerations

Methods of disposal

The generation of waste should be avoided or minimised wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Hazardous waste

The classification of the product may meet the criteria for a hazardous waste.

## 14. Transport information

## International transport regulations

Not classified.



Article Number 25800423-2



Page: 4/5

#### Regulatory information 15.

### **EU regulations**

Classification and labeling have been determined according to EU Directives 67/548/EEC and 1999/45/EC (including amendments) and take into account the intended product use.

Hazard symbol or symbols



Risk phrases R22- Harmful if swallowed

**S**odium azide Contains 247-852-1

Industrial applications. **Product use** 

Il components are listed or exempted. **Europe inventory** 

Other EU regulations

#### Other information 16.

Full text of R-phrases referred to in R28- Very toxic if swallowed. sections 2 and 3 - Europe

R22- Harmful if swallowed.

R32- Contact with acids liberates very toxic gas.

R50/53- Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment. + - Very toxic

Full text of classifications referred to in sections 2 and 3 - Europe

Xn - Harmful

N - Dangerous for the environment

Indicates information that has changed from previously issued version.

**History** 

08 July 2009 Date of printing Date of previous issue 04 July 2006

Date of issue 08 July 2009 Version 4

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



Article Number 25800423-2

