GE Healthcare

Material Safety Data Sheet

United States English

Section 1. Chemical product and company identification

Product name Huh 7 Replicon 1a Cells, 1 ml

Catalogue Number 67610280

Component Number 67610280V

Material uses Industrial applications: Analytical reagent. Research.

Product typeLiquid.Validation date29 April 2009Print date29 April 2009

Supplier GE Healthcare UK Ltd

Amersham Place Little Chalfont

Buckinghamshire HP7 9NA

England

+44 0870 606 1921

 In case of emergency
 US
 ChemTrec (US)
 1-800-424-9300

 Canada
 ChemTrec (US)
 1-703-527-3887

2. Hazards identification

Physical state Liquid.

Odor Not available.

OSHA/HCS status This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Emergency overview WARNING!

CAUSES RESPIRATORY TRACT, EYE AND SKIN IRRITATION. CONTAINS MATERIAL THAT MAY CAUSE TARGET

ORGAN DAMAGE, BASED ON ANIMAL DATA.

Irritating to eyes, respiratory system and skin. Avoid exposure - obtain special instructions before use. Do not breathe vapor or mist. Avoid contact with eyes, skin and clothing. Contains material that may cause target organ damage, based on animal data. Use only with adequate ventilation. Keep container tightly

closed and sealed until ready for use. Wash thoroughly after handling.

Potential acute health effects

Eyes Irritating to eyes. Skin Irritating to skin.

Inhalation Irritating to respiratory system.

Ingestion No known significant effects or critical hazards.

Potential chronic health effects

Chronic effects Contains material that may cause target organ damage, based on animal data.

CarcinogenicityNo known significant effects or critical hazards.MutagenicityNo known significant effects or critical hazards.TeratogenicityNo known significant effects or critical hazards.Developmental effectsNo known significant effects or critical hazards.Fertility effectsNo known significant effects or critical hazards.

Target organs Contains material which may cause damage to the following organs: skin, eye, lens or cornea.

Over-exposure signs/symptoms

Inhalation Adverse symptoms may include the following:

respiratory tract irritation

coughing

Ingestion No specific data.



Article Number Page: 1/6

10280 Validation date 29 April 2009



Adverse symptoms may include the following: Skin

> irritation redness

Adverse symptoms may include the following: Eves

> pain or irritation watering

Medical conditions aggravated by

over-exposure

Pre-existing disorders involving any target organs mentioned in this MSDS as being at risk may be

aggravated by over-exposure to this product.

See toxicological information (section 11)

3. Composition/information on ingredients

Name CAS number % by weight dimethyl sulfoxide 67-68-5 10

Section 4. First aid measures

Eve contact Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15

minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.

Skin contact In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing

contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get

medical attention immediately.

Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, Inhalation

provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt

or waistband. Get medical attention immediately.

Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never Ingestion

give anything by mouth to an unconscious person. Get medical attention immediately.

Protection of first-aiders No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing

apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

Section 5. Fire fighting measures

Flammability of the product In a fire or if heated, a pressure increase will occur and the container may burst.

Extinguishing media

Notes to physician

Suitable Use an extinguishing agent suitable for the surrounding fire.

Not suitable None known

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No Special exposure hazards

action shall be taken involving any personal risk or without suitable training.

Decomposition products may include the following materials: Hazardous combustion products

carbon dioxide carbon monoxide sulfur oxides

Special protective equipment for

fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA)

with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding Personal precautions

> areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when

ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform **Environmental precautions**

the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods for cleaning up Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or

proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and

section 13 for waste disposal.

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or Small spill

absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a

licensed waste disposal contractor.



Article Number

Validation date 29 April 2009



Page: 2/6

Section 7. Handling and storage

Handling Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be

prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can

be hazardous. Do not reuse container.

Storage Store in accordance with local regulations. Store in original container protected from direct sunlight in a

dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use

appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Product name Exposure limits

AIHA WEEL (United States, 1/2007).

TWA: 250 ppm 8 hour(s).

Recommended monitoring

procedures

dimethyl sulfoxide

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures

and/or the necessity to use respiratory protective equipment.

Engineering measuresUse only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process

enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne

contaminants below any recommended or statutory limits.

Hygiene measures Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and

using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash

stations and safety showers are close to the workstation location.

Personal protection

RespiratoryUse a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk

assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

HandsChemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Eyes Safety eyewear complying with an approved standard should be used when a risk assessment indicates

this is necessary to avoid exposure to liquid splashes, mists or dusts.

Skin Personal protective equipment for the body should be selected based on the task being performed and the

risks involved and should be approved by a specialist before handling this product.

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering

modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Section 9. Physical and chemical properties

Physical stateLiquid.ColorAmber.SolubilityNot available.

Section 10. Stability and reactivity

 Stability
 The product is stable.

 Conditions to avoid
 No specific data.

 Materials to avoid
 No specific data.

Hazardous decomposition

products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Hazardous polymerization Under normal conditions of storage and use, hazardous polymerization will not occur.

Conditions of reactivity

Non-flammable in the presence of the following materials or conditions: open flames, sparks

Non-flammable in the presence of the following materials or conditions: open flames, sparks and static discharge, heat, shocks and mechanical impacts, oxidizing materials, reducing materials, combustible

materials, organic materials, metals, acids, alkalis and moisture.

Non-explosive in the presence of the following materials or conditions: open flames, sparks and static discharge, heat, shocks and mechanical impacts, oxidizing materials, reducing materials, combustible

materials, organic materials, metals, acids, alkalis and moisture.



Article Number

0280 Validation date 29 April 2009

9 5 6 7 6 1 0 2 8 0

Page: 3/6

Section 11. Toxicological information

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
dimethyl sulfoxide	LD50 Dermal	Rat	40 g/kg	-
,	LD50 Intraperitoneal	Rat	8200 mg/kg	-
	LD50 Intravenous	Rat	5360 mg/kg	-
	LD50 Oral	Rat	17400 mg/kg	-
	LD50 Oral	Rat	14500 mg/kg	-
	LD50 Subcutaneous	Rat	12 g/kg	-
	LD50 Unreported	Rat	1300 mg/kg	-
	TDLo Intracerebral	Rat	2234.8 mg/kg	-
	TDLo Intraperitoneal	Rat	750 mg/kg	-
	TDLo Intraperitoneal	Rat	1000 mg/kg	-
	TDLo Intraperitoneal	Rat	200 mg/kg	-
Conclusion/Summary	Very low toxicity to humans or animals.			

Section 12. Ecological information

Environmental effects No known significant effects or critical hazards.

Aquatic ecotoxicity

Product/ingredient name	Test	Result	Species	Exposure
dimethyl sulfoxide	-	Acute LC50 >400 ml/L Fresh water	Fish - Bluegill - Lepomis macrochirus - 1 g	96 hours
	-	Acute LC50 35 to 37 ml/L Fresh water	Fish - Rainbow trout,donaldson trout - Oncorhynchus mykiss - 0.7 g	96 hours
	-	Acute LC50 3400000 ug/L Fresh water	Fish - Fathead minnow - Pimephales promelas - 31 days - 15.8 mm - 0.062 g	96 hours

Conclusion/Summary

Biodegradability

Conclusion/Summary

Not available.

Other adverse effects No known significant effects or critical hazards.

Not available

Section 13. Disposal considerations

Waste disposal The generation of waste should be avoided or minimized wherever possible. Empty containers or liners

may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of specification and support the surplus disposal legislation and support to the surplus disp

spilled material and runoff and contact with soil, waterways, drains and sewers. Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Section 14. Transport information

International transport regulations

Not classified.

INUL CIUSSIIIE

Section 15. Regulatory information

HCS Classification Irritating material Target organ effects

U.S. Federal regulations United States inventory (TSCA 8b): Not determined.

SARA 302/304/311/312 extremely hazardous substances: No products were found. SARA 302/304 emergency planning and notification: No products were found.

SARA 302/304/311/312 hazardous chemicals: dimethyl sulfoxide

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: dimethyl sulfoxide:

Immediate (acute) health hazard, Delayed (chronic) health hazard

Clean Water Act (CWA) 307: No products were found. Clean Water Act (CWA) 311: No products were found.



Article Number Page: 4/6

10280 Validation date 29 April 2009



Clean Air Act (CAA) 112 accidental release prevention: No products were found.

Clean Air Act (CAA) 112 regulated flammable substances: No products were found.

Clean Air Act (CAA) 112 regulated toxic substances: No products were found.

State regulations Connecticut Carcinogen Reporting: None of the components are listed.

Connecticut Hazardous Material Survey: None of the components are listed.

Florida substances: None of the components are listed.

Illinois Chemical Safety Act: None of the components are listed.

 $\textbf{Illinois Toxic Substances Disclosure to Employee Act:} \ \ \textbf{None of the components are listed}.$

Louisiana Reporting: None of the components are listed.
Louisiana Spill: None of the components are listed.
Massachusetts Spill: None of the components are listed.
Massachusetts Substances: None of the components are listed.
Michigan Critical Material: None of the components are listed.
Minnesota Hazardous Substances: None of the components are listed.
New Jersey Hazardous Substances: None of the components are listed.

New Jersey Spill: None of the components are listed.

New Jersey Toxic Catastrophe Prevention Act: None of the components are listed. New York Acutely Hazardous Substances: None of the components are listed. New York Toxic Chemical Release Reporting: None of the components are listed. Pennsylvania RTK Hazardous Substances: None of the components are listed. Rhode Island Hazardous Substances: None of the components are listed.

Ingredient nameCancerReproductiveNo significant risk level
dosage levelMaximum acceptable
dosage levelFetal bovine serumNo.No.No.No.No.

United States inventory (TSCA 8b)

Not determined.

EU regulations

Risk phrases This product is not classified according to EU legislation.

International regulations

International lists Australia inventory (AICS): Not determined.

China inventory (IECSC): Not determined. Japan inventory (ENCS): Not determined. Japan inventory (ISHL): Not determined. Korea inventory (KECI): Not determined.

New Zealand Inventory of Chemicals (NZIoC): Not determined.


Philippines inventory (PICCS): Not determined.

Section 16. Other information

Label requirements

CAUSES RESPIRATORY TRACT, EYE AND SKIN IRRITATION. CONTAINS MATERIAL THAT MAY CAUSE TARGET ORGAN DAMAGE. BASED ON ANIMAL DATA.


Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)





Indicates information that has changed from previously issued version.

<u>History</u>

 Date of printing
 29 April 2009
 Date of previous issue
 No previous validation



67610280

Article Number Page: 5/6

Validation date 29 April 2009

Version 1

Huh 7 Replicon 1a Cells, 1 ml 67610280 Version

Date of issue 29 April 2009

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



Article Number 67610280

