GE Healthcare

SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II - United Kingdom (UK)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name ECF™ Substrate Dilution Buffer; part of 'ECF

Western Blotting Reagent Pack, Rabbit, 2500 cm²

Membrane'

Catalogue Number **RPN5783**

Component Number 1067880

Not available. **Product description** Liquid. Product type Other means of identification Not available.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Research and Development Analytical chemistry. Analytical reagent.

1.3 Details of the supplier of the safety data sheet

GE Healthcare UK Ltd Supplier Hours of operation Amersham Place 08.30 - 17.00

Little Chalfont

Buckinghamshire HP7 9NA

England

+44 0870 606 1921

Person who prepared the MSDS: msdslifesciences@ge.com

1.4 Emergency telephone number

0870 606 1921

GE Healthcare UK Ltd United Kingdom (UK)

Amersham Place Little Chalfont Buckinghamshire HP7 9NA

National advisory body/Poison Centre

United Kingdom (UK) These services are only available to health professionals.

The UK National Poisons Emergency number is 0870 600 6266 (Outside the UK: +44 870 600 6266)

Guy's & St Thomas' Poisons Unit Medical Toxicology Unit Guy's & St Thomas' Hospital Trust

Avonley Road

Telephone: +44 (0)20 7771 5315 (Director), +44 (0)20 7771 5310 (Poisons information service)

Emergency telephone: 0870 243 2241

Fax: +44 (0)20 7771 5309 E-mail: npis@gstt.nhs.uk

Web site: http://www.medtox.org.uk

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]



Article Number 25006691-2

Page: 1/10

Validation date 20 May 2011

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT RE 2, H373

Ingredients of unknown toxicity

Ingredients of unknown ecotoxicity

Classification according to Directive 1999/45/EC [DPD]

The product is classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification Xn; R48/22

Xi; R41

Human health hazards Harmful: danger of serious damage to health by prolonged exposure if swallowed. Risk of serious

damage to eyes.

See Section 16 for the full text of the R phrases or H statements declared above. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms





Signal word Danger

Hazard statements Causes skin irritation. Causes serious eye damage.

May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

Wear protective gloves. Wear eye or face protection. Do not breathe vapour. Prevention

Get medical attention if you feel unwell. IF IN EYES: Immediately call a POISON CENTER or physician. Response

Not applicable. Storage Not applicable. Disposal Hazardous ingredients 2,2'-iminodiethanol Supplemental label elements Not applicable.

Special packaging requirements

Containers to be fitted with child-resistant fastenings

Not applicable.

Not applicable. Tactile warning of danger

2.3 Other hazards

Other hazards which do not result Not available.

in classification



Article Number 25006691-2

Page: 2/10 Validation date 20 May 2011

SECTION 3: Composition/information on ingredients

Substance/mixture

Mixture

			<u>Classification</u>		
Product/ingredient name	Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Туре
2,2'-iminodiethanol	EC: 203-868-0 CAS: 111-42-2 Index: 603-071-00-1	10-20	Xn; R22, R48/22 Xi; R41, R38	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT RE 2, H373	[1]
			See Section 16 for the full text of the R-phrases declared above.	See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Tvpe

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty Eye contact

of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.

Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and Inhalation

keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical

surveillance for 48 hours

Skin contact Get medical attention immediately. Call a poison center or physician. Flush contaminated skin with

plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before

Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Ingestion Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt

No action shall be taken involving any personal risk or without suitable training. If it is suspected that Protection of first-aiders

fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash

contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Eve contact Causes serious eye damage.

Inhalation May give off gas, vapor or dust that is very irritating or corrosive to the respiratory system. Exposure to

decomposition products may cause a health hazard. Serious effects may be delayed following exposure.

Skin contact Causes skin irritation.

May cause burns to mouth, throat and stomach. Ingestion

Over-exposure signs/symptoms



Article Number 25006691-2

Validation date 20 May 2011

Page: 3/10



ECFTM Substrate Dilution Buffer; part of 'ECF Western Blotting Reagent Pack, Rabbit, 2500 cm² Membrane'

Eye contact Adverse symptoms may include the following:

pain

watering redness

Inhalation No specific data.

Skin contact Adverse symptoms may include the following:

pain or irritation redness

blistering may occur

Ingestion Adverse symptoms may include the following:

stomach pains

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person

may need to be kept under medical surveillance for 48 hours.

Specific treatments No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Unsuitable extinguishing media None known.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or

mixture

In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous combustion products Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides

5.3 Advice for firefighters

Special precautions for fire-

fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No

action shall be taken involving any personal risk or without suitable training.

Special protective equipment for

fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including

helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

of protection for chemical inclusion

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding

areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Do not breathe vapour or mist. Provide adequate ventilation. Wear appropriate respirator

when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on

suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform

the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

Small spill Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble.

Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste

disposal container. Dispose of via a licensed waste disposal contractor.

Large spillStop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent

treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product. Note: see section 1 for emergency contact information and section 13 for waste disposal.

6.4 Reference to other sections See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.



Article Number 25006691-2

Page: 4/10

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures

Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)

Recommendations Research and Development Analytical chemistry. Analytical reagent.

Industrial sector specific solutions Not available.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
2,2'-Iminodiethanol	EH40-OES (United Kingdom (UK), 5/2003). TWA: 13 mg/m³ 8 hour(s). Form: All forms TWA: 3 ppm 8 hour(s). Form: All forms

Recommended monitoring procedures

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to European Standard EN 689 for methods for the assessment of exposure by inhalation to chemical agents and national guidance documents for methods for the determination of hazardous substances.

Derived effect levels

No DELs available.

Predicted effect concentrations

No PECs available.

8.2 Exposure controls

Appropriate engineering controls

If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Individual protection measures

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.

Skin protection

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Body protection

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.



Article Number 25006691-2

Validation date 20 May 2011



Page: 5/10

ECF™ Substrate Dilution Buffer; part of 'ECF Western Blotting Reagent Pack, Rabbit, 2500 cm² Membrane

Other skin protection Appropriate footwear and any additional skin protection measures should be selected based on the task

being performed and the risks involved and should be approved by a specialist before handling this

product.

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk Respiratory protection

assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Emissions from ventilation or work process equipment should be checked to ensure they comply with the **Environmental exposure controls**

requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state Liquid. Colourless. Colour Odour Not available. Not available. Odour threshold Not available. pΗ Not available. Melting point/freezing point Not available. Initial boiling point and boiling

range

Flash point [Product does not sustain combustion.]

Not available. **Evaporation rate**

Non-flammable in the presence of the following materials or conditions: open flames, sparks and static Flammability (solid, gas)

discharge, heat, shocks and mechanical impacts, oxidizing materials, reducing materials, combustible

materials, organic materials, metals, acids, alkalis and moisture.

Not applicable. **Burning time** Not applicable. **Burning rate** Not available

Upper/lower flammability or

explosive limits

Not available Vapour pressure Not available Vapour density Not available. Relative density

Solubility(ies) Easily soluble in the following materials: cold water and hot water.

Partition coefficient: n-

octanol/water

Not available

Auto-ignition temperature Not available. Not available. **Decomposition temperature** Viscosity Not available.

Non-explosive in the presence of the following materials or conditions: open flames, sparks and static **Explosive properties**

discharge, heat, shocks and mechanical impacts, oxidizing materials, reducing materials, combustible

materials, organic materials, metals, acids, alkalis and moisture.

Oxidising properties Not available.

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

No specific test data related to reactivity available for this product or its ingredients. 10.1 Reactivity

The product is stable. 10.2 Chemical stability

10.3 Possibility of hazardous

reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid No specific data. No specific data 10.5 Incompatible materials



Article Number 25006691-2

Page: 6/10

Validation date 20 May 2011



10.6 Hazardous decomposition

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

products

SECTION 11: Toxicological information 11.1 Information on toxicological effects

Acute toxicity

Not available. Conclusion/Summary

Acute toxicity estimates

R	oute	ATE value
Oral		2840.9 mg/kg

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
2,2'-iminodiethanol	Eyes - Severe irritant	Rabbit	-	-	-
	Skin - Mild irritant	Rabbit	-	-	-

Conclusion/Summary

Not available.

Sensitiser

Conclusion/Summary

Not available.

Mutagenicity

Conclusion/Summary

Not available

Carcinogenicity

Conclusion/Summary

Not available.

Reproductive toxicity

Conclusion/Summary

Not available.

Teratogenicity

Conclusion/Summary Not available. Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Product/ingredient name	Category	Route of exposure	Target organs
2,2'-iminodiethanol	Category 2	Not determined	Not determined

Aspiration hazard

Not available.

Information on the likely routes of Routes of entry anticipated:Oral, Dermal, Inhalation.

exposure

Potential acute health effects

May give off gas, vapor or dust that is very irritating or corrosive to the respiratory system. Exposure to Inhalation

decomposition products may cause a health hazard. Serious effects may be delayed following exposure.

Ingestion May cause burns to mouth, throat and stomach.

Causes skin irritation. Skin contact Causes serious eye damage. Eye contact

Symptoms related to the physical, chemical and toxicological characteristics

No specific data. Inhalation

Ingestion Adverse symptoms may include the following:

stomach pains

Adverse symptoms may include the following: Skin contact pain or irritation

redness

blistering may occur

Adverse symptoms may include the following: Eye contact

pain watering redness



Article Number

Page: 7/10

Validation date 20 May 2011 25006691-2



Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects Not available.

Potential delayed effects Not available.

Long term exposure

Potential immediate effects Not available.

Potential delayed effects Not available.

Potential chronic health effects

Not available.

Conclusion/Summary Not available.

General May cause damage to organs through prolonged or repeated exposure.

CarcinogenicityNo known significant effects or critical hazards.MutagenicityNo known significant effects or critical hazards.TeratogenicityNo known significant effects or critical hazards.Developmental effectsNo known significant effects or critical hazards.Fertility effectsNo known significant effects or critical hazards.

Other information Not available.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
2,2'-iminodiethanol	Acute LC50 2150 ug/L Fresh water Acute LC50 100000 ug/L Fresh water	Daphnia - Daphnia pulex Fish - Pimephales promelas - Juvenile (Fledgling, Hatchling, Weanling) - 0.2 to 0.5 a	48 hours 96 hours
	Chronic NOEC <24000 ug/L Fresh water Chronic NOEC 540 ppm Marine water	Daphnia - Daphnia magna - <=24 hours Fish - Cyprinodon variegatus - Juvenile (Fledgling, Hatchling, Weanling) - 8 to 15 mm	96 hours

Conclusion/Summary Not available.

12.2 Persistence and degradability

Conclusion/Summary Not available.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
2,2'-iminodiethanol	Fresh water 10 to 30 days	100%; 19 day(s)	Readily

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
2,2'-iminodiethanol	-1.43	1	low

12.4 Mobility in soil

Soil/water partition coefficient (Koc Not available.

)

Mobility Not available.

12.5 Results of PBT and vPvB assessment

PBT Not applicable.

vPvB Not applicable.

12.6 Other adverse effects No known significant effects or critical hazards.



Article Number 25006691-2



SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

Methods of disposal The generation of waste should be avoided or minimised wherever possible. Significant quantities of

waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority

requirements.

Hazardous waste The classification of the product may meet the criteria for a hazardous waste.

Packaging

Methods of disposal The generation of waste should be avoided or minimised wherever possible. Waste packaging should be

recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions This material and its container must be disposed of in a safe way. Care should be taken when handling

emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways,

drains and sewers.

SECTION 14: Transport information

	ADR/RID	ADN/ADNR	IMDG	IATA
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.
14.6 Special precautions for user	Not available.	Not available.	Not available.	Not available.
Additional information	-	-	-	-

14.7 Transport in bulk according to Annex II of MARPOL

Not available.

73/78 and the IBC Code

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Not applicable.

Other EU regulations

Europe inventory All components are listed or exempted.



25006691-2

Article Number

Page: 9/10

ECF™ Substrate Dilution Buffer; part of 'ECF Western Blotting Reagent Pack, Rabbit, 2500 cm²

Black List Chemicals Not listed **Priority List Chemicals** Not listed Integrated pollution prevention Not listed and control list (IPPC) - Air

Integrated pollution prevention

and control list (IPPC) - Water

Not listed

International regulations

Chemical Weapons Convention List Schedule I Chemicals

Not listed

Chemical Weapons Convention List Schedule II Chemicals

Not listed

Chemical Weapons Convention List Schedule III Chemicals

Not listed

15.2 Chemical Safety Assessment

This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and acronyms ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation (Regulation (EC) No. 1272/2008)

DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Skin Irrit. 2, H315	Calculation method
Eye Dam. 1, H318	Calculation method
STOT RE 2, H373	Calculation method

H302 Harmful if swallowed. Full text of abbreviated H H315 statements Causes skin irritation. H318 Causes serious eye damage.

H373 May cause damage to organs through prolonged or repeated exposure. ACUTE TOXICITY: ORAL - Category 4

Acute Tox. 4. H302 Full text of classifications

SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1 [CLP/GHS] Eye Dam. 1, H318 Skin Irrit. 2, H315 SKIN CORROSION/IRRITATION - Category 2

STOT RE 2, H373 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2

R22- Harmful if swallowed. Full text of abbreviated R phrases

R48/22- Harmful: danger of serious damage to health by prolonged exposure if swallowed.

R41- Risk of serious damage to eyes.

R38- Irritating to skin.

Full text of classifications Xn - Harmful [DSD/DPD] Xi - Irritant 20 May 2011 Date of printing 20 May 2011 Date of issue/ Date of revision

Date of previous issue No previous validation

Version 6

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



Article Number 25006691-2

Validation date 20 May 2011



Page: 10/10