Material Safety Data Sheet

Canada English

Section 1. Chemical product and company identification

Product name Prostaglandin E₂ Peroxidase Conjugate, lyophilized;

part of 'PGE2 384 Well Kit'

Catalogue Number RPK0775

9 O R P K O 7

Component Number RPK0775HP

Material uses Industrial applications: Analytical chemistry. Research.

Product typeSolid.Validation date18 May 2011Print date18 May 2011

Supplier GE Healthcare UK Ltd

Amersham Place Little Chalfont

Buckinghamshire HP7 9NA

England

+44 0870 606 1921

<u>In case of emergency</u> US ChemTrec (US) 1-800-424-9300

Canada ChemTrec (US) 1-703-527-3887

2. Hazards identification

Physical stateSolid.OdorNot available.Emergency overviewWARNING!

CAUSES RESPIRATORY TRACT, EYE AND SKIN IRRITATION. MAY CAUSE ALLERGIC RESPIRATORY AND SKIN REACTION. CONTAINS MATERIAL THAT MAY CAUSE TARGET ORGAN DAMAGE, BASED ON ANIMAL DATA.

Precautionary measuresSee only with adequate ventilation. Do not eat, drink or smoke when using this product. Avoid contact with eyes, skin and clothing. Keep container tightly closed. Wash thoroughly after handling.

Routes of entry Dermal contact. Eye contact. Inhalation. Ingestion.

Potential acute health effects

Eyes Irritating to eyes.

Skin Irritating to skin. May cause sensitization by skin contact.

Inhalation Irritating to respiratory system. May cause sensitization by inhalation. Exposure to decomposition

products may cause a health hazard. Serious effects may be delayed following exposure.

Ingestion No known significant effects or critical hazards.

Potential chronic health effects

Chronic effects Contains material that may cause target organ damage, based on animal data. Once sensitized, a severe

allergic reaction may occur when subsequently exposed to very low levels.

CarcinogenicityNo known significant effects or critical hazards.MutagenicityNo known significant effects or critical hazards.TeratogenicityNo known significant effects or critical hazards.Developmental effectsNo known significant effects or critical hazards.Fertility effectsNo known significant effects or critical hazards.

Target organs Contains material which may cause damage to the following organs: upper respiratory tract, skin, eyes.

Inhalation Adverse symptoms may include the following:

respiratory tract irritation

coughing

wheezing and breathing difficulties

asthma

Ingestion No specific data.



Article Number Page: 1/6

00417-3 Validation date 18 May 2011



Skin Adverse symptoms may include the following:

irritation redness

Eyes Adverse symptoms may include the following:

pain or irritation watering redness

Medical conditions aggravated by over-exposure

Pre-existing respiratory and skin disorders and disorders involving any other target organs mentioned in

this MSDS as being at risk may be aggravated by over-exposure to this product.

See toxicological information (Section 11)

Composition/information on ingredients

<u>Name</u>		CAS r	number	% by weight
Sucrose	57-50-1	12	-	
edetic acid	60-00-4	2	-	
diammonium iron bis(sulphate)	10045-89-3	1	-	

Section 4. First aid measures

Eye contact Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15

minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.

Skin contact

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing

contact contact; infinitely flush skill with pierty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get

medical attention immediately.

Inhalation Move exposed person to fresh air. If not breathing is irregular or if respiratory arrest occurs,

provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt

or waistband. Get medical attention immediately

Ingestion Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never

give anything by mouth to an unconscious person. Get medical attention immediately.

Protection of first-aiders

No action shall be taken involving any personal risk or without suitable training. If it is suspected that

fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash

contaminated clothing thoroughly with water before removing it, or wear gloves.

Section 5. Fire-fighting measures

Flammability of the product No specific fire or explosion hazard.

Extinguishing media

Suitable Use an extinguishing agent suitable for the surrounding fire.

Not suitable None known.

Special exposure hazards Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No

action shall be taken involving any personal risk or without suitable training.

Special protective equipment for

fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA)

with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautionsNo action shall be taken involving any personal risk or without suitable training. Evacuate surrounding

areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on

appropriate personal protective equipment (see Section 8).

Environmental precautions Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform

the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods for cleaning up

Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses,

basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact


information and section 13 for waste disposal.

Small spill Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste

container. Dispose of via a licensed waste disposal contractor.



Article Number



Section 7. Handling and storage

Handling

Fut on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Persons with a history of skin sensitization problems or asthma, allergies or chronic or recurrent respiratory disease should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Storage

Store between the following temperatures: -30 to -15°C (-22 to 5°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Product name

Sucrose CA British Columbia Provincial (Canada, 10/2009). TWA: 3 mg/m³ 8 hour(s). Form: Respirable dust TWA: 10 mg/m³ 8 hour(s). Form: Total dust

> CA Ontario Provincial (Canada, 7/2010). TWA: 10 mg/m³ 8 hour(s). Form: total dust CA Alberta Provincial (Canada, 4/2009).

8 hrs OEL: 10 mg/m³ 8 hour(s)

CA Quebec Provincial (Canada, 6/2008).

TWAEV: 10 mg/m³ 8 hour(s).

diammonium iron bis(sulphate) CA Alberta Provincial (Canada, 4/2009). Skin sensitizer. Notes: as Fe

8 hrs OEL: 1 mg/m³, (as Fe) 8 hour(s).

CA British Columbia Provincial (Canada, 10/2009). Notes: as Fe

STEL: 2 mg/m³, (as Fe) 15 minute(s). TWA: 1 mg/m³, (as Fe) 8 hour(s).

CA Quebec Provincial (Canada, 6/2008). Notes: as Fe

TWAEV: 1 mg/m³, (as Fe) 8 hour(s). CA Ontario Provincial (Canada, 7/2010). TWA: 1 mg/m³, (as Fe) 8 hour(s)

Recommended monitoring

procedures

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

Engineering measures

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protection

Respiratory Hands

Eves

Skin

respirator is not needed under normal and intended conditions of product use.

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times

when handling chemical products if a risk assessment indicates this is necessary.

Safety eyewear complying with an approved standard should be used when a risk assessment indicates

this is necessary to avoid exposure to liquid splashes, mists or dusts.

Personal protective equipment for the body should be selected based on the task being performed and the

risks involved and should be approved by a specialist before handling this product.

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Section 9. Physical and chemical properties

Physical state

(Product does not sustain combustion.) Flash point

Yellow Color 0% (w/w) Volatility

₹% (w/w) [ISO 11890-1] VOC

Easily soluble in the following materials: cold water and hot water. Solubility



Article Number

Validation date 18 May 2011

Page: 3/6

Section 10. Stability and reactivity

StabilityThe product is stable.Materials to avoidNo specific data.

Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions of reactivity

Non-flammable in the presence of the following materials or conditions: open flames, sparks and static discharge, heat, shocks and mechanical impacts, oxidizing materials, reducing materials, combustible materials, organic materials, metals, acids, alkalis and moisture.

materials, organic materials, metals, acids, alkalis and moisture. Not considered to be a product presenting a risk of explosion.

Section 11. Toxicological information

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Edetic acid	LD50 Intraperitoneal	Rat	512.9 mg/kg	-
	LD50 Intraperitoneal	Rat	397 mg/kg ¯	-
Sucrose	LD50 Oral	Rat	29700 mg/kg	-

Conclusion/Summary Not available.

Classification

Product/ingredient nameACGIHIARCEPANIOSHNTPOSHASucroseA4------

Synergistic products Not available.

Section 12. Ecological information

Environmental effects No known significant effects or critical hazards.

Aquatic ecotoxicity

Aquatic ecotoxicity					
Product/ingredient name		Test	Result	Species	Exposure
edetic acid		-	Acute EC50 113000 ug/L Fresh water	Daphnia - Water flea - Daphnia magna - Neonate - <24 hours	48 hours
		-	Acute LC50 231 mg/L Fresh water	Daphnia - Water flea - Daphnia magna - >24 hours	48 hours
		-	Acute LC50 230 mg/L Fresh water	Daphnia - Water flea - Daphnia magna - >24 hours	48 hours
		-	Acute LC50 532000 to 598000 ug/L Fresh water	Fish - Bluegill - Lepomis macrochirus	96 hours
		-	Acute LC50 159000 to 204000 ug/L Fresh water	Fish - Bluegill - Lepomis macrochirus	96 hours
		-	Acute LC50 129000 ug/L Fresh water	Fish - Channel catfish - Ictalurus punctatus - Fingerling	96 hours
		-	Acute LC50 59800 to 76500 ug/L Fresh water	Fish - Fathead minnow - Pimephales promelas - 0.3 to 1 g	96 hours
		-	Acute LC50 41000 to 62000 ug/L Fresh water	Fish - Bluegill - Lepomis macrochirus	96 hours
		-	Chronic NOEC 420000 ug/L Fresh water	Fish - Bluegill - Lepomis macrochirus	96 hours
		-	Chronic NOEC 100000 ug/L Fresh water	Fish - Bluegill - Lepomis macrochirus	96 hours
		-	Chronic NOEC 24000 ug/L Fresh water	Fish - Bluegill - Lepomis macrochirus	96 hours
diammonium iron bis(sulphate)		-	Acute LC50 315000 ug/L Marine water	Fish - Mummichog - Fundulus heteroclitus	96 hours
		-	Acute LC50 39000 ug/L Marine water	Fish - Mummichog - Fundulus heteroclitus	96 hours
Conclusion/Summary	Not available.				

Partition coefficient: n-octanol/water

Not available. Not available.



Article Number Page: 4/6 25900417-3 Validation date 18 May 2011



Bioconcentration factor

Not available.

Other adverse effects

No known significant effects or critical hazards.

Section 13. Disposal considerations

Waste disposal

The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

RCRA classification

Not classified

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Section 14. Transport information

International transport regulations

Not classified

.

Section 15. Regulatory information

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

WHMIS (Canada)

Class D-2B: Material causing other toxic effects (Toxic).

Canadian lists

CEPA Toxic substances: None of the components are listed.

Canadian ARET: None of the components are listed.

Canadian NPRI: The following components are listed: Ammonia (total) Alberta Designated Substances: None of the components are listed. Ontario Designated Substances: None of the components are listed. Quebec Designated Substances: None of the components are listed.

Canada inventory

All components are listed or exempted.

International regulations

International lists

Australia inventory (AICS): All components are listed or exempted. **China inventory (IECSC)**: All components are listed or exempted.

Japan inventory: Not determined. Korea inventory: Not determined.

New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted.

Philippines inventory (PICCS): All components are listed or exempted.

Chemical Weapons Convention List Schedule I Chemicals Not listed

Chemical Weapons Convention List Schedule II Chemicals Not listed

Chemical Weapons Convention

Not listed

List Schedule III Chemicals

Section 16. Other information

The customer is responsible for determining the PPE code for this material.



Indicates information that has changed from previously issued version.

History

Date of printing18 May 2011Date of previous issue16 January 2009



25900417-3

Article Number

Page: 5/6

Validation date 18 May 2011

Version 7

Date of issue 18 May 2011 Version

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



Article Number 25900417-3

