GE Healthcare

Material Safety Data Sheet

United States English

Catalogue Number

Section 1. Chemical product and company identification

Product name Lysis Solution; part of 'DNAscan BioChipSet™

Cassette'

NB-BCS-0002

Industrial applications: Analytical chemistry. Research.

Material uses Product type

Validation date 25 November 2013 Print date 25 November 2013 Supplier GE Healthcare UK Ltd Amersham Place

Little Chalfont Buckinghamshire HP7 9NA

England

+44 0870 606 1921

In case of emergency US ChemTrec (US) 1-800-424-9300

Canada ChemTrec (US) 1-703-527-3887

2. Hazards identification

Physical state Liquid. Color Clear Odor Odorless. Signal word WARNING!

CAUSES EYE AND SKIN IRRITATION. MAY BE HARMFUL IF SWALLOWED. MAY CAUSE RESPIRATORY TRACT Hazard statements

IRRITATION. CONTAINS MATERIAL THAT CAN CAUSE TARGET ORGAN DAMAGE.

Precautionary measures Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Do not eat, drink or

smoke when using this product. Avoid contact with eyes, skin and clothing. Keep container tightly closed.

Wash thoroughly after handling.

OSHA/HCS status This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Routes of entry Dermal contact. Eye contact. Inhalation. Ingestion.

Potential acute health effects

Eyes Irritating to eyes. Skin

Inhalation Moderately irritating to the respiratory system. Exposure to decomposition products may cause a health

hazard. Serious effects may be delayed following exposure.

Ingestion Harmful if swallowed.

Potential chronic health effects

Chronic effects Contains material that can cause target organ damage.

Carcinogenicity No known significant effects or critical hazards. Mutagenicity No known significant effects or critical hazards. **Teratogenicity** No known significant effects or critical hazards. **Developmental effects** No known significant effects or critical hazards. Fertility effects No known significant effects or critical hazards.

Target organs Contains material which may cause damage to the following organs: central nervous system (CNS).

Over-exposure signs/symptoms

Inhalation Adverse symptoms may include the following:

respiratory tract irritation

coughing

Ingestion No specific data.



Article Number Page: 1/6

Validation date 25 November 2013



Version 2

Adverse symptoms may include the following

irritation

redness

Adverse symptoms may include the following: Eyes

pain or irritation watering redness

Medical conditions aggravated by over-exposure

Pre-existing disorders involving any target organs mentioned in this MSDS as being at risk may be

aggravated by over-exposure to this product.

See toxicological information (Section 11)

3. Composition/information on ingredients

Name	CAS number	% by weight
guanidinium chloride	50-01-1	20 - 60
2-amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride	1185-53-1	0.1 - 5
disodium dihydrogen ethylenediaminetetraacetate	139-33-3	0.5 - 2

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Section 4. First aid measures

Eve contact Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15

minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.

Skin contact In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Get medical attention immediately.

Inhalation Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs,

provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie,

belt or waistband. Get medical attention immediately.

Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Ingestion

Never give anything by mouth to an unconscious person. Get medical attention immediately.

Protection of first-aiders No action shall be taken involving any personal risk or without suitable training. It may be dangerous to

the person providing aid to give mouth-to-mouth resuscitation.

Notes to physician In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person

may need to be kept under medical surveillance for 48 hours.

Section 5. Fire-fighting measures

Flammability of the product In a fire or if heated, a pressure increase will occur and the container may burst.

Extinguishing media

Suitable Use an extinguishing agent suitable for the surrounding fire.

Not suitable

Special exposure hazards Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No

action shall be taken involving any personal risk or without suitable training.

Hazardous combustion products Decomposition products may include the following materials:

> carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides

Special protective equipment for

fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA)

with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding Personal precautions

> areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when

ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform **Environmental precautions**

the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods for cleaning up Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry

into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information

and Section 13 for waste disposal.

Small spill Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble.

Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste

disposal container. Dispose of via a licensed waste disposal contractor.



Article Number

Page: 2/6 Validation date 25 November 2013



Section 7. Handling and storage

Handling Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be

prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do

not reuse container.

Storage Store between the following temperatures: 5 to 25°C (41 to 77°F). Store in accordance with local

regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to

avoid environmental contamination.

Section 8. Exposure controls/personal protection

Consult local authorities for acceptable exposure limits.

Recommended monitoring

procedures

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

Engineering measuresUse only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use

process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to

airborne contaminants below any recommended or statutory limits.

Hygiene measuresWash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and

using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that

eyewash stations and safety showers are close to the workstation location.

Personal protection

RespiratoryUse a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk

assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hands Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times

when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the

protection time of the gloves cannot be accurately estimated.

Eyes Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. If contact is possible, the following

protection should be worn, unless the assessment indicates a higher degree of protection: chemical

splash goggles.

Skin Personal protective equipment for the body should be selected based on the task being performed and

the risks involved and should be approved by a specialist before handling this product.

Environmental exposure controls Emissions from ventilation or work process equipment should be checked to ensure they comply with the

requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable

levels.

Section 9. Physical and chemical properties

 Physical state
 Liquid.

 Color
 Clear.

 Odor
 Odorless.

 pH
 7 to 8

 Volatility
 0% (v/v)

Solubility Easily soluble in the following materials: cold water and hot water.

Section 10. Stability and reactivity

Chemical stability

Conditions to avoid

No specific data.

No specific data

Hazardous decomposition

products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Possibility of hazardous reactions Under normal conditions of storage and use, hazardous reactions will not occur.



Article Number Page: 3/6

29053998-1

Validation date 25 November 2013



96 hours

Section 11. Toxicological information

Acute toxicity

Product/ingredient name Result **Species** Dose Exposure 475 mg/kg **q**uanidinium chloride LD50 Oral Rat LD50 Oral 2000 mg/kg

Rat

disodium dihydrogen ethylenediaminetetraacetate

Not available. Conclusion/Summary

Chronic toxicity

Conclusion/Summary Not available.

Irritation/Corrosion

Conclusion/Summary Not available.

Sensitizer

Conclusion/Summary Not available.

Carcinogenicity

Conclusion/Summary Not available.

Mutagenicity

Conclusion/Summary Not available.

Teratogenicity

Conclusion/Summary

Not available

Reproductive toxicity

Conclusion/Summary Not available

Section 12. Ecological information

Environmental effects No known significant effects or critical hazards.

Acute LC50 320 mg/l

Aquatic ecotoxicity

disodium dihydrogen ethylenediaminetetraacetate

Conclusion/Summary Not available

Persistence/degradability

Conclusion/Summary Not available

Section 13. Disposal considerations

Waste disposal The generation of waste should be avoided or minimized wherever possible. Disposal of this product,

solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact

Fish

with soil, waterways, drains and sewers. Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Section 14. Transport information

IATA-DGR Class Classes PG*

PG*: Packing group

Section 15. Regulatory information

HCS Classification Irritating material

Target organ effects

U.S. Federal regulations TSCA 8(a) CDR Exempt/Partial exemption: Not determined

United States inventory (TSCA 8b): All components are listed or exempted.

Clean Air Act Section 112(b)

Hazardous Air Pollutants (HAPs)

Not listed

Clean Air Act Section 602 Class I

Substances

Not listed



Article Number Page: 4/6

Validation date 25 November 2013



Clean Air Act Section 602 Class II Not listed

Substances

DEA List I Chemicals (Precursor

Chemicals)

Not listed

DEA List II Chemicals (Essential

Chemicals)

Not listed

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ Mot applicable.

SARA 311/312

Classification Immediate (acute) health hazard Delayed (chronic) health hazard

Composition/information on ingredients

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
guanidinium chloride	20 - 60	No.	No.	No.	Yes.	Yes.
2-amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride	0.1 - 5	No.	No.	No.	Yes.	No.
disodium dihydrogen ethylenediaminetetragcetate	0.5 - 2	No.	No.	No.	Yes.	No.

State regulations

 Massachusetts
 None of the components are listed.

 New York
 None of the components are listed.

 New Jersey
 None of the components are listed.

 Pennsylvania
 None of the components are listed.

California Prop. 65

United States inventory (TSCA 8b) All components are listed or exempted.

International regulations

International lists Australia inventory (AICS): All components are listed or exempted.

China inventory (IECSC): All components are listed or exempted. Japan inventory: All components are listed or exempted. Korea inventory: All components are listed or exempted. Malaysia Inventory (EHS Register): Not determined.

New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted.

Philippines inventory (PICCS): All components are listed or exempted.

Taiwan inventory (CSNN): Not determined.

Chemical Weapons Convention

List Schedule I Chemicals

Not listed

Chemical Weapons Convention

List Schedule II Chemicals

Not listed

Chemical Weapons Convention

List Schedule III Chemicals

Not listed


Section 16. Other information

Label requirements CAUSES EYE AND SKIN IRRITATION. MAY BE HARMFUL IF SWALLOWED. MAY CAUSE RESPIRATORY TRACT

IRRITATION. CONTAINS MATERIAL THAT CAN CAUSE TARGET ORGAN DAMAGE.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)





Indicates information that has changed from previously issued version.

History



Article Number Page: 5/6

29053998-1

Validation date 25 November 2013

Version 2

 Date of printing
 25 November 2013
 Date of previous issue
 27 May 2013

 Date of issue
 25 November 2013
 Version
 2

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



Article Number

29053998-1

Page: 6/6

Validation date 25 November 2013