Material Safety Data Sheet

United States English

Section 1. Chemical product and company identification

Product name 100mM DTT; part of 'pMOSBlue Blunt Cloning Kit'

Catalogue Number RPN5110

Component Number NIF1177

Material uses Industrial applications: Analytical chemistry. Research.

Product type **Viguid**

Validation date 11 August 2011 11 August 2011 Print date GE Healthcare UK Ltd Supplier Amersham Place

Little Chalfont

Buckinghamshire HP7 9NA

England

+44 0870 606 1921

US ChemTrec (US) 1-800-424-9300 In case of emergency Canada ChemTrec (US) 1-703-527-3887

Hazards identification 2.

Physical state Odor Odorless

OSHA/HCS status This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

WARNING! **Emergency overview**

VAUSES RESPIRATORY TRACT, EYE AND SKIN IRRITATION. CONTAINS MATERIAL THAT MAY CAUSE TARGET

ORGAN DAMAGE, BASED ON ANIMAL DATA.

To not breathe vapor or mist. Use only with adequate ventilation. Do not eat, drink or smoke when using **Precautionary measures**

this product. Avoid contact with eyes, skin and clothing. Keep container tightly closed. Wash thoroughly

after handling.

Potential acute health effects

Eyes Irritating to eyes. Skin Irritating to skin.

Inhalation Irritating to respiratory system.

No known significant effects or critical hazards. Ingestion

Potential chronic health effects

Contains material that may cause target organ damage, based on animal data. Chronic effects

No known significant effects or critical hazards. Carcinogenicity No known significant effects or critical hazards. Mutagenicity No known significant effects or critical hazards. **Teratogenicity** No known significant effects or critical hazards. **Developmental effects** No known significant effects or critical hazards. Fertility effects

Contains material which may cause damage to the following organs: central nervous system (CNS). Target organs

Adverse symptoms may include the following: Inhalation

respiratory tract irritation

coughing No specific data.

Adverse symptoms may include the following: Skin

irritation redness



Ingestion

Article Number Page: 1/5

25006669-8 Validation date 11 August 2011



Eves

Adverse symptoms may include the following:

pain or irritation watering redness

Medical conditions aggravated by over-exposure

re-existing disorders involving any target organs mentioned in this MSDS as being at risk may be aggravated by over-exposure to this product.

See toxicological information (Section 11)

3. Composition/information on ingredients

Name CAS number % by weight ₹,R*)-(±)-1,4-dimercaptobutane-2,3-diol 27565-41-9 1.52

Section 4. First aid measures

In case of contact with eyes, rinse immediately with plenty of water. Get medical attention if irritation

Skin contact Wash with soap and water. Get medical attention if symptoms appear. If inhaled, remove to fresh air. Get medical attention if symptoms appear. Inhalation

Do not ingest. Get medical attention if symptoms appear. Ingestion

 $\overline{\mathsf{M}}$ o action shall be taken involving any personal risk or without suitable training. If it is suspected that Protection of first-aiders

fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

Section 5. Fire-fighting measures

Flammability of the product

 $^{
m I}$ n a fire or if heated, a pressure increase will occur and the container may burst.

Extinguishing media

Eye contact

Use an extinguishing agent suitable for the surrounding fire. Suitable

None known Not suitable

Fromptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No Special exposure hazards

action shall be taken involving any personal risk or without suitable training.

Special protective equipment for

fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA)

with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).

Environmental precautions

Kvoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods for cleaning up

Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Small spill

Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

Handling

Fut on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do

Storage

 ${
m 50}$ not store above the following temperature: -70°C (-94°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.



Article Number

Validation date 11 August 2011

Page: 2/5

Section 8. Exposure controls/personal protection

Consult local authorities for acceptable exposure limits.

Recommended monitoring

Engineering measures

procedures

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures

and/or the necessity to use respiratory protective equipment.

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne

contaminants below any recommended or statutory limits.

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and Hygiene measures

using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash

stations and safety showers are close to the workstation location.

Personal protection

vse a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk Respiratory

assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times

when handling chemical products if a risk assessment indicates this is necessary.

Safety eyewear complying with an approved standard should be used when a risk assessment indicates Eves

this is necessary to avoid exposure to liquid splashes, mists or dusts.

Personal protective equipment for the body should be selected based on the task being performed and the Skin

risks involved and should be approved by a specialist before handling this product.

Environmental exposure

controls

Hands

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Section 9. Physical and chemical properties

Liquid. Physical state

Flash point Product does not sustain combustion.

Colorless. Color Odorless Odor Volatility 0% (v/v)

₹% (w/w) [ISO 11890-1] VOC

Solubility Easily soluble in the following materials: cold water and hot water.

Section 10. Stability and reactivity

The product is stable. Stability

No specific data. Materials to avoid

Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

Non-flammable in the presence of the following materials or conditions: open flames, sparks and static Conditions of reactivity discharge, heat, shocks and mechanical impacts, oxidizing materials, reducing materials, combustible

materials, organic materials, metals, acids, alkalis and moisture.

Non-explosive in the presence of the following materials or conditions: open flames, sparks and static discharge, heat, shocks and mechanical impacts, oxidizing materials, reducing materials, combustible

materials, organic materials, metals, acids, alkalis and moisture.

Section 11. Toxicological information

Acute toxicity

Product/ingredient name Result **Species** Dose Exposure

Not available

Not available Conclusion/Summary

Sensitizer

Not available Conclusion/Summary

Section 12. Ecological information

No known significant effects or critical hazards. **Environmental effects**

Aquatic ecotoxicity

Not available. Conclusion/Summary

Biodegradability

Not available. Conclusion/Summary

No known significant effects or critical hazards. Other adverse effects



Article Number

Validation date 11 August 2011



Page: 3/5

Section 13. Disposal considerations

Waste disposal

The generation of waste should be avoided or minimized wherever possible. Significant guantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

RCRA classification

Not classified

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Section 14. Transport information

International transport regulations

Not classified.

Section 15. Regulatory information

HCS Classification

Irritating material Target organ effects

U.S. Federal regulations

TSCA 8(a) IUR Exempt/Partial exemption: Not determined United States inventory (TSCA 8b): Not determined.

SARA 302/304/311/312 extremely hazardous substances: No products were found. SARA 302/304 emergency planning and notification: No products were found. SARA 302/304/311/312 hazardous chemicals: (R*,R*)-(±)-1,4-dimercaptobutane-2,3-diol SARA 311/312 MSDS distribution - chemical inventory - hazard identification: (R*,R*)-(±)-1,4-

dimercaptobutane-2,3-diol: Immediate (acute) health hazard

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) Not listed

Clean Air Act Section 602 Class I Not listed

Substances

Clean Air Act Section 602 Class II Not listed **Substances**

DEA List I Chemicals (Precursor

Mot listed

Chemicals)

DEA List II Chemicals (Essential Chemicals)

Not listed

State regulations

Mone of the components are listed. Massachusetts Mone of the components are listed. **New York** Mone of the components are listed. New Jersey None of the components are listed. Pennsylvania

California Prop. 65

United States inventory (TSCA 8b)

Not determined.

International regulations



Article Number 25006669-8



International lists Australia inventory (AICS): Not determined.

China inventory (IECSC): Not determined. Japan inventory: Not determined. Korea inventory: Not determined.

New Zealand Inventory of Chemicals (NZIoC): Not determined.

Philippines inventory (PICCS): Not determined.

Chemical Weapons Convention

List Schedule I Chemicals

Not listed

Chemical Weapons Convention List Schedule II Chemicals

Not listed

Chemical Weapons Convention List Schedule III Chemicals

Not listed

Section 16. Other information

Label requirements **VAUSES RESPIRATORY TRACT, EYE AND SKIN IRRITATION. CONTAINS MATERIAL THAT MAY CAUSE TARGET**

ORGAN DAMAGE, BASED ON ANIMAL DATA.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)





Indicates information that has changed from previously issued version.

<u>History</u>

Date of printing 11 August 2011 Date of previous issue 17 September 2009

5 Date of issue 11 August 2011 Version

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



Article Number 25006669-8

