**Damp Rid Lo-Profile Fragrance and Fragrance** 

Free

Revision: 09/24/2018 Supersedes Revision: 06/26/2018

Printed: 09/24/2018

Page: 1

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Damp Rid Lo-Profile Fragrance and Fragrance Free

Trade Name: DampRid

Company Name: W. M. Barr Phone Number:

2105 Channel Avenue (901)775-0100

Memphis, TN 38113

Web site address: www.wmbarr.com

**Emergency Contact:** 3E 24 Hour Emergency Contact (800)451-8346 **Information:** W.M. Barr Customer Service (800)398-3892

**Intended Use:** To absorb excess moisture from the air.

**Product Code:** FG44, FG45, FG46, FG47, FG4445, FG4445CC, FG44HDWS, FG45W, FG46W

# 2. HAZARDS IDENTIFICATION

# Serious Eye Damage/Eye Irritation, Category 2A

Combustible Dust



GHS Signal Word: Warning

GHS Hazard Phrases: H319: Causes serious eye irritation.

HUS2: May form combustible dust concentrations in air.

**GHS Precaution Phrases:** P264: Wash {hands} thoroughly after handling.

P280: Wear {protective gloves/protective clothing/eye protection/face protection}.

GHS Response Phrases: P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+313: If eye irritation persists, get medical advice/attention.

GHS Storage and Disposal

Phrases:

No phrases apply.

**OSHA Regulatory Status:** This material is classified as hazardous under OSHA regulations.

Potential Health Effects

(Acute and Chronic):

ACUTE INHALATION, SKIN CONTACT, EYE CONTACT: May cause irritation.

INGESTION: Harmful if swallowed.

CHRONIC EFFECTS: Chronic exposures to calcium chloride that cause irritation may

cause a chronic dermatitis or mucosal membrane problem.

For the minor component(s): POTASSIUM CHLORIDE: In animals, effects have been reported on the following organs after ingestion: Gastrointestinal tract, heart, and kidney. Dose levels producing these effects were many times higher than any dose levels expected from exposure due to use. SODIUM CHLORIDE: Medical experience with sodium chloride has shown a strong association between elevated blood pressure and

prolonged dietary overuse. Related effects could occur in the kidneys.

Target Organs: Stomach, Upper Respiratory Tract

Primary Routes of Entry: Ingestion, Inhalation

Medical Conditions Generally Any skin condition that disrupts the skin, such as abrasions, cuts,

**Aggravated By Exposure:** psoriasis, fungal infections, etc. Any upper respiratory conditions that compromise

mucosa can increase local damage

from dust contact. Any eye condition that compromises tear production, conjunctiva, or

Licensed to W.M. Barr and Company: MIRS MSDS, (c) A V Systems, Inc.

**GHS** format

**Damp Rid Lo-Profile Fragrance and Fragrance** Free

Printed: 09/24/2018 Revision: 09/24/2018 Supersedes Revision: 06/26/2018

Page: 2

normal corneal homeostasis.

| - 9 | $\frown$ |   | М  | // |   | ٧, | 311 | 7 | ır | IN | w | Л | м | I - | - 7 | 7 |    | 1  | V. | V. | ٧. |   | 1 | 7 | N  | $\frown$ | 1.7 |   | П. | м |   | 1 - | ы |   |   | М | TN. | U la | ۹  |  |
|-----|----------|---|----|----|---|----|-----|---|----|----|---|---|---|-----|-----|---|----|----|----|----|----|---|---|---|----|----------|-----|---|----|---|---|-----|---|---|---|---|-----|------|----|--|
| 70  | U        | U | 41 | ч  | u | 6  | Ш   |   | Ш  | IN | W | " | N | и   | Ų   | J | IN | ۹I | W  | V. | ١. | ш | U | J | I, | u        | h   | М | ш  | N | Œ | In  | M | Е | L | Ш | 41  | М    | •) |  |

| CAS#       | Hazardous Components (Chemical Name) | Concentration |
|------------|--------------------------------------|---------------|
| 10043-52-4 | Calcium chloride                     | 50.0 -70.0 %  |
| 9005-25-8  | Starch                               | 10.0 -30.0 %  |
| 57-13-6    | Urea                                 | < 5.0 %       |
| 7647-14-5  | Sodium chloride                      | < 3.0 %       |
| 7447-40-7  | Potassium chloride                   | < 3.0 %       |

Additional Chemical

nformation

Specific concentration may vary.

# 4. FIRST AID MEASURES

Emergency and First Aid Procedures:

INHALATION: Remove from exposure area to fresh air.

SKIN CONTACT: Remove contaminated clothing and shoes. Wash affected area with soap or mild detergent. Seek medical attention if irritation persists.

EYE CONTACT: Flush eyes with large amounts of water for at least 15 minutes. Get medical attention.

INGESTION: Get medical attention.

Signs and Symptoms Of Exposure:

Acute Symptoms/Effects: Listed below.

Inhalation (Breathing): Inhaling dust may cause irritation to upper respiratory tract (nose and throat). Nasal mucosal and oropharyngeal eythema.

Skin: Skin Irritation. Direct abrasion of skin from solid, erythema and burn from reaction with water. Prolonged contact and occlusion may cause more severe symptoms. Damage is localized to contact areas.

Eye: Eye Irritation. Direct abrasion of cornea from solid, erythema and burn from reaction with water, conjunctival swelling and cornea opacification from hypertonic solution and heat. Corneal eye pain, redness, acute corneal thickening or whitening.

Ingestion (Swallowing): Consumption of solids or hypertonic solutions causes nausea,

vomiting, and increased thirst.

Delayed Symptoms/Effects:

- Chronic exposures to skin and mucus membranes that cause irritation may cause a chronic dermatitis or mucosal membrane problem

Note to Physician:

Due to irritant properties, resulting from heat created as solid aterial dissolves in water, swallowing may result in burns/ulceration of mucus membranes. If burn is present, treat as any thermal burn, after decontamination. No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

### Licensed to W.M. Barr and Company: MIRS MSDS, (c) A V Systems, Inc.

Damp Rid Lo-Profile Fragrance and Fragrance

Free

Revision: 09/24/2018 Supersedes Revision: 06/26/2018

Page: 3

**GHS** format

Printed: 09/24/2018

# 5. FIRE FIGHTING MEASURES

Not flammable or combustible. Flammability Classification:

Flash Pt: No data.

LEL: No data. **Explosive Limits:** UEL: No data.

**Autoignition Pt:** No data.

Suitable Extinguishing Media: Non-combustible liquid - use extinguishing media for underlying cause of fire.

Unsuitable Extinguishing

Media:

None known.

Fire Fighting Instructions: Neglibile fire hazard when exposed to heat or flame. Apply cooling water to sides of

> containers that are exposed to flames until well after fire is out. Extinguish fire using agent suitable for type of surrounding fire and/or chemicals. Do not sure water directly on the material. Avoid breathing corrosive vapors; keep upwind. Dike area to prevent

runoff and contamination of water sources.

Flammable Properties and

Hazards:

Negligible fire hazard when exposed to heat or flame.

# 6. ACCIDENTAL RELEASE MEASURES

Steps To Be Taken In Case Material Is Released Or Spilled:

Wear appropriate protective gear for the situation. Prevent skin and eye contact.

For dry spills, place material in covered, clean dry container for disposal.

## 7. HANDLING AND STORAGE

Precautions To Be Taken in

Handling:

Observe all federal, state and local regulations when storing this product.

Precautions To Be Taken in

Storing:

Keep in clean tightly closed dry containers. Store away from incompatible materials.

Other Precautions: Avoid opening bag containing solids and powder.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

| CAS#       | Partial Chemical Name | OSHA TWA                        | ACGIH TWA     | Other Limits |  |
|------------|-----------------------|---------------------------------|---------------|--------------|--|
| 10043-52-4 | Calcium chloride      | No data.                        | No data.      | No data.     |  |
| 9005-25-8  | Starch                | PEL: 15 (dust); 5 (resp.) mg/m3 | TLV: 10 mg/m3 | No data.     |  |
| 57-13-6    | Urea                  | No data.                        | No data.      | No data.     |  |
| 7647-14-5  | Sodium chloride       | No data.                        | No data.      | No data.     |  |
| 7447-40-7  | Potassium chloride    | No data.                        | No data.      | No data.     |  |

Respiratory Equipment

(Specify Type):

Use of a NIOSH approved respirator should be based on contamination levels in the

workplace or situation. When warranted, use a face mask particulate respirator with a

NIOSH N95 rating.

Wear safety glasses with splash shields or safety goggles/shield. **Eye Protection:** 

**Protective Gloves:** Wear appropriate protective gloves to prevent skin contact.

Other Protective Clothing: Wear appropriate protective (impervious) clothing and equipment.

**Engineering Controls** (Ventilation etc.):

Provide local exhaust ventilation.

Work/Hygienic/Maintenance

Practices:

A source of clean water should be available in the work area for flushing of the eyes and

skin.

Wash hands thoroughly after use.

Licensed to W.M. Barr and Company: MIRS MSDS, (c) A V Systems, Inc.

Samp Did La Profile Fragrance and Fragrance

Damp Rid Lo-Profile Fragrance and Fragrance
Free
Superso

Printed: 09/24/2018 Revision: 09/24/2018 Supersedes Revision: 06/26/2018

Page: 4

Do not eat, drink, or smoke in the work area.

Before reuse, thoroughly clean any clothing or protective equipment that has been contaminated by prior use. Discard any clothing or other protective equipment that

cannot be decontaminated, such as gloves or shoes.

| 9. PHYSICAL AND CH | <b>EMICAL</b> | PR | OP | IER |  | ES |
|--------------------|---------------|----|----|-----|--|----|
|--------------------|---------------|----|----|-----|--|----|

Physical States: [ ] Gas [ ] Liquid [ X ] Solid

Appearance and Odor: White to off-white flakes, beads and powder.

 Melting Point:
 369.00 F - 1420.00 F

 Boiling Point:
 350.00 F - 3500.00 F

Autoignition Pt:No data.Flash Pt:No data.

Explosive Limits: LEL: No data. UEL: No data.

No data.

Specific Gravity (Water = 1):  $\sim 1.5$  at 77.0 F

Vapor Pressure (vs. Air or

mm Hg):

Vapor Density (vs. Air = 1): No data.

Evaporation Rate: No data.

Solubility in Water: No data.

**Solubility Notes:** Appreciable solubility in water.

Percent Volatile: No data.

# **10. STABILITY AND REACTIVITY**

Stability: Unstable [ ] Stable [ X ]

Conditions To Avoid -

Instability:

Reacts exothermically with water.

Incompatibility - Materials To Strong oxidizing agents.

Avoid:

Hazardous Decomposition or None, under normal temperature and pressures.

Byproducts:

Possibility of Hazardous

Hazardous Reactions:

Will occur [ ] Will not occur [ X ]

Reactions:

Conditions To Avoid - No

No data available.

Licensed to W.M. Barr and Company: MIRS MSDS, (c) A V Systems, Inc.

**Damp Rid Lo-Profile Fragrance and Fragrance** 

Free

Revision: 09/24/2018 Supersedes Revision: 06/26/2018

Printed: 09/24/2018

Page: 5

# 11. TOXICOLOGICAL INFORMATION

**Toxicological Information:** Refer to section 2 for acute and chronic effects.

CAS# 7647-14-5:

Chronic Toxicological

Effects:

Standard Draize Test, Eyes, Species: Rabbit, 100.0 MG, 24 H, Moderate.

Result:

Kidney, Ureter, Bladder: Changes in liver weight. Blood: Changes in erythrocyte (RBC) count.

Biochemical: Enzyme inhibition, induction, or change in blood or tissue levels:

Phosphatases.

- "Sbornik Vysledku Toxixologickeho Vysetreni Latek A Pripravku,", Institut Pro Vychovu Vedoucicn P, Marhold, J.V., Institut Pro Vychovu Vedoucicn, Pracovniku Chemickeho,

Prumyclu Praha Czechoslovakia, Vol/p/yr: -,7, 1972

|   | CAS#       | Hazardous Components (Chemical Name) | NTP  | IARC | ACGIH | OSHA |
|---|------------|--------------------------------------|------|------|-------|------|
|   | 10043-52-4 | Calcium chloride                     | n.a. | n.a. | n.a.  | n.a. |
| l | 9005-25-8  | Starch                               | n.a. | n.a. | A4    | n.a. |
| l | 57-13-6    | Urea                                 | n.a. | n.a. | n.a.  | n.a. |
| l | 7647-14-5  | Sodium chloride                      | n.a. | n.a. | n.a.  | n.a. |
|   | 7447-40-7  | Potassium chloride                   | n.a. | n.a. | n.a.  | n.a. |

## 12. ECOLOGICAL INFORMATION

General Ecological

Information:

This product has not been tested as a whole. Information below will be for individual

ingredients.

# 13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Dispose in accordance with applicable local, state, and federal regulations.

# 14. TRANSPORT INFORMATION

## LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not Regulated by DOT

DOT Hazard Class: UN/NA Number:

# 15. REGULATORY INFORMATION

## EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

| l | CAS#       | Hazardous Components (Chemical Name) | S. 302 (EHS) | S. 304 RQ | S. 313 (TRI) |
|---|------------|--------------------------------------|--------------|-----------|--------------|
| I | 10043-52-4 | Calcium chloride                     | No           | No        | No           |
| I | 9005-25-8  | Starch                               | No           | No        | No           |
| I | 57-13-6    | Urea                                 | No           | No        | No           |
| I | 7647-14-5  | Sodium chloride                      | No           | No        | No           |
| l | 7447-40-7  | Potassium chloride                   | No           | No        | No           |

#### CAS # Hazardous Components (Chemical Name) Other US EPA or State Lists

10043-52-4 Calcium chloride CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -

Inventory; CA PROP.65: No

9005-25-8 Starch CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -

Licensed to W.M. Barr and Company: MIRS MSDS, (c) A V Systems, Inc.

**GHS** format

**Damp Rid Lo-Profile Fragrance and Fragrance** 

Printed: 09/24/2018 Revision: 09/24/2018

Page: 6

Free Supersedes Revision: 09/24/2018

Supersedes Revision: 06/26/2018

Inventory; CA PROP.65: No

CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -

Inventory, 8A CAIR; CA PROP.65: No

7647-14-5 Sodium chloride CAA HAP, ODC: No; CWA NPDES: No; TSCA: Yes -

Inventory; CA PROP.65: No

7447-40-7 Potassium chloride CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -

Inventory; CA PROP.65: No

Additional Regulatory

Information

57-13-6

Urea

This product is regulated by the United States Consumer Product Safety Commission and is subject to certain labeling requirements under the Federal Hazardous Substances Act. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS). The product label also includes other important information, including directions for use, and should always be read in its entirety prior to using the product.

## **16. OTHER INFORMATION**

**Revision Date:** 09/24/2018

Preparer Name: W.M. Barr EHS Dept (901)775-0100

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, state and local laws and regulations.