be thoroughly washed with an effective cleaning compound and rinsed with potable water after use of this product. Apply this product indoors to fire ants on non-porous surfaces only. **DO NOT** apply more than once every 7 days.

Indoors: Apply directly to listed insects as a crack-and-crevice treatment application in all hiding places, including behind baseboards, sinks, cabinets, meter boxes, door frames, wall voids. plumbing chases, under sink cabinets, attics, windows and closets. Apply directly to listed insects as a spot treatment application to breeding and nesting sites for listed crawling insects (excluding fire or carpenter ants), hiding places and other places where crawling insects may be found. Apply this product indoors to fire ants on non-porous surfaces only. **DO NOT** apply more than once every 7 days.

Outdoors: Apply to surfaces on buildings, porches, patios, and other structures, openings ground doors and windows, eaves and attic vents, utility entry points, weep holes, soffit areas and other exterior openings (including foundation cracks or drilled holes) where listed pests may enter the structure or where they have been seen or found, or can find shelter. Apply to ant trails, ground doors and windows, in crawl spaces and other places where ants may be found. DO NOT apply more than once every 7 days. **DO NOT** apply this product outdoors to fire or carpenter ants.

BED BUGS: Remove linens and wash before reuse. Spray bed bugs and eggs directly. Take bed apart and spray bed bugs and eggs directly that are found in or on cracks, joints and interior of framework las well as bedsprings, box springs and furniture. On infested mattresses, apply directly to bed byas and eags. Allow treatment to dru thoroughly before remaking bed. **DO NOT** use in patient rooms lin hospitals and nursing homes for treatment of bed bugs while occupied by patients. As part of a bed bug treatment program, this product may be used in conjunction with a bed bug proof mattress encasement. DO NOT apply more than once every 7 days.

PANTRY INSECTS/STORED PRODUCT INSECT PESTS: Apply around cartons, containers, shelving, storage areas, closets, cabinets, behind or under walls and baseboards and other areas where these insects tend to congregate. **DO NOT** apply to areas where food/feed, food utensils or food processing surfaces may come into contact and become contaminated. Infested products should be disposed of. DO NOT apply more than once every 7 days.

Indoors: Apply as a spot treatment to surfaces where house flies or stable flies congregate, collect or rest. DO NOT apply more than once every 7 days.

Outdoors: Apply directly to listed insects on outside surfaces of windows and door frames and other greas where these pests may enter the home. Also spray localized resting greas, such as under leaves, porches, light fixtures and cords, railings, etc. where these insects may rest, DO NOT apply more than once every 7 days.

CARPENTER BEES: Apply the spray directly into gallery entrance holes. Exterior wood surfaces may be treated to prevent nest cavity excavation by adult carpenter bees. Following treatment, the entrance holes must be left open 24 hours to be certain that returning adult bees are killed. When there is no activity, the hole may be sealed with a suitable sealant. DO NOT apply more than once

WOOD DESTROYING INSECTS OUTDOORS: This product may be used as a spot treatment for control of above-ground termites and wood infesting beetles inside trees, utility poles, fencing and decking materials and similar structural members. Wherever possible, locate an interior infested cavity and spray directly into the entrance hole to listed wood destroying insects which are present at the time of treatment. Repeat applications as needed to maintain control of re-infestations. This product is not intended to provide structural termite pest control. For termites, the purpose of this application is to kill workers and/or winged reproductive forms of termites which are present at the time of treatment. It is not intended to provide structural pest control, and is not a substitute for mechanical alteration, soil and foundation treatment, but merely as a supplement. DO NOT apply more than once every 7 days.

Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store upright at room temperature. Do not store near heat or open flame. Keep this product in its tightly closed original container. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spilled bait, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for Guidance.

CONTAINER HANDLING: Do not puncture or incinerate! Nonrefillable container. Do not reuse of refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, the exclusive remedu of the user or buuer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid or at Control Solutions, Inc. election, the replacement of product.







DOXEM® NXT PRESSURIZED SOLUTIONS

- Kills pests on contact and leaves behind a residual
- Contains 4 unique modes of action
- For use in and around food handling establishments

KILLS: Ants, Bed Bugs, Booklice, Boxelder Bugs, Carpenter Bees, Carpet Beetles (Black and Varied), Centinedes, Cigarette Beetles, Clover Mites, Cockroaches, Crickets, Darkling Beetles, Drain Flies, Earwigs, Firebrats, Fruit Flies, Ground Beetles, House Flies, Lady Beetles, Leaffooted Bugs, Mealworms (Yellow or Dark), Millipedes, Pantry Insects, Pillbugs, Pharaoh Ants, Silverfish, Sowbugs, Spiders, Spider Beetles, Springtails, Stable Flies, Stink Bugs, Stored Product Pests, Termites (subterranean and drywood), Webbing Clothes Moths, Weevils and Wood Destroying Insects.

FOR USE IN AND AROUND: Apartments, Non-Food/Non-Feed Storage Areas, Food/Feed Handling Establishments, Homes, Hospitals, Hotels, Kennels, Animal Housing Facilities (poultry houses, cattle, sheep, swine, goat and dairy facilities, horse stables, and pet sleeping quarters), Medical Facilities, Motels, Nursing Homes, Resorts, Non-Food/Non-Feed and Food/Feed Areas of Restaurants and other Food/Feed Handling Establishments, Schools, Stores, Supermarkets, Modes of Transport (Buses, Boats, Ships, Trains, Trucks, Planes (cargo areas only)), Utility Rooms, Warehouses, and other Commercial and Industrial Buildings.

For indoor and outdoor (excluding fire or carpenter ants) use ACCEPTED

ACTIVE INGREDIENTS: FOR REGISTRATION Pyriproxyfen of Environmental Conservation 0.02%
OTHER INGREDIENTS* Division of Solid & Hazardous Materials 9.63%
Presticide Product Registration 99.63% *Contains petroleum distillates

EPA Reg. No. 53883-455

EPA Est. No: 53883-TX-002

KEEP OUT OF REACH OF CHILDREN

FIRST AID

day seven (7) days per week.

- Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor
- Do not give any liquid to the person.
- Do not give anything by mouth to an unconscious person.
- Have the product container or label with you when calling a poison control center or doctor, or going for treat-ment for produtional information on this pestidade product including health concerns, medical emergencies or pesticide incidents), you may contact SafetyCall[®] International of 1866 1997-8050, Newty-four (24) hours per

NOTE TO PHYSICIAN: Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

PRODUCT INFORMATION: This product contains four active ingredients: two adulticides and two insect growth regulators. The adulticides give quick kill of existing indoor adult insects while the insect growth regulators work to prevent new adults from developing. Apply this product as an indoor crack-and-crevice, spot or void treatment. Spray may leave a slight residue with heavy applications that is easily removed with soap and water. For outdoor applications (excluding fire ants and carpenter ants) this product will kill and control listed pests as a crack-and-crevice, spot or void application.

NET CONTENTS: 15 FL OUNCES

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Wash hands thoroughly with soap and water after handling and

before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic organisms. DO NOT apply directly to any body of walter To protect the environment, **DO NOT** allow pesticide to enter or run-off into storm drains, draing ditches, autters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the

PHYSICAL AND CHEMICAL HAZARDS Extremelu Flammable. Contents under pressure. Keep away from fire, sparks, and heated surfaces DO NOT puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

For indoor or outdoor use as either a crack-and-crevice injection or spot treatment. Use this product

with the supplied actuator. USE RESTRICTIONS:

DO NOT use this product to treat drywood termites in New York State. DO NOT use this product as the sole source of control for active, structural infestations by subterranean termites. DO NOT apply this product directly to companion animals (pets). **DO NOT** apply to rooms or structures while the are occupied by or easily accessible to companion animals (pets). **DO NOT** make applications to an animal feedstuffs, water or watering equipment. DO NOT contaminate animal food, feed or water in and around companion animal housing while making applications. DO NOT apply this product in a way that will contact adults, children or pets, either directly or through drift. DO NOT allow adult children or pets to enter the treated area until sprays have dried. DO NOT apply in classroom while they are in use. Room should be thoroughly ventilated after spraying before re-entry. DO NOT apply to institutions (e.g., libraries and recreational facilities) while occupants are present in the immediate area. **DO NOT** apply this product in patient rooms while occupied, or in any rooms while occupied, including rooms occupied by the elderly or the infirmed. DO NOT use in serving areas while food is exposed. In the home, cover or thoroughly wash all food processing surfaces and utensils following treatment if contaminated. Cover exposed food and drinking water or remove from area being treated. All outdoor applications must be limited to spot or cracks-and-crevice treatments only. **DO NOT** apply in aircraft cabins. Applications to aircraft must be limited to cardo areas and galley kitchen only. **DO NOT** use this product in electrical equipment (where there exposed wiring or contact points) due to possibility of short circuits and shock hazard. DO NOT make outdoor applications during rain. DO NOT apply directly to outdoor impervious horizontal surface such as sidewalks, driveways, and patios except as a spot or crack-and-crevice treatment. DO NOT apply this product to areas or surfaces where food/feed, food utensils, or food-processing surface may come into contact and become contaminated. **DO NOT** apply to food prep areas that a routinely washed, such as cracks and crevices in tops of tables, food/feed preparation and holding surfaces for prepared foods. DO NOT apply directly into sewers or drains, or to any area like a gutt where drainage to storm sewers, water bodies, or aquatic habitat can occur, unless labeled for drain treatment. Remove pets, birds and cover fish aquariums and ornamental ponds before spraying and turn aquarium systems off. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation. CRACK-AND-CREVICE APPLICATION: Inject this product into cracks-and-crevices or void space

holes and other small openings for direct spray to target listed insects. Release approximately on second of spray per injection. For a heavy infestations, make injections approximately 12" apart.|F light infestations or preventative treatment, make applications approximately three feet apart. long running cracks, move injector tip along the crack while spraying at the rate of three linear less per second. For heavy infestations move injector tip along at the rate of one linear foot per secon For inaccessible closed voids calculate the void's volume and treat at rate of five to ten seconds p three cubic feet. Several holes may be required in long running voids. Apply this product indoors to fire ants on non-porous surfaces only. **DO NOT** apply more than once every 7 days. SPOT TREATMENT: Apply to storage facilities, closets, around water pipes, doors and windows

where listed insects may be harboring, living or breeding. Place injector tip into cracks, crevide

behind and under refrigerators, cabinets, sinks, stoves and other equipment, shelves, drawers and similar areas. Spray as many listed insects as possible directly. Hold can 12 to 15 inches from surface to be treated. Apply at the rate of 2 seconds per 2 sq. ft. Spot treatments must NOT exceed two square feet in size (for example, 2 ft. by 1 ft. or 4 ft. by 0.5 ft.). Apply this product indoors to fire ants on non-porous surfaces only. **DO NOT** apply more than once every 7 days. FOOD/FEED HANDLING ESTABLISHMENTS - Non-Food/Non-Feed Areas: Examples of non-figo

non-feed areas include garbage rooms, lavatories, floor drains (to sewers), entries and vestibules offices, locker rooms, machine rooms, boiler rooms, mop closets and storage (after packagin canning or bottling). All areas that insects inhabit or through which listed insects may enter shoul be treated directly. This product may be used while the facility is in operation. Use as a crack-and crevice or spot treatment as instructed above. Apply this product indoors to fire ants on non-porble surfaces only. **DO NOT** apply more than once every 7 days.

FOOD/FEED HANDLING ESTABLISHMENTS – Food/Feed Areas: Examples of food/feed areas include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing edible waste storage, and enclosed processing sustems (mills, dairies, edible oils, surups). Serving greas are also considered a food/feed area when food is exposed and facility is in operation. This product may be used while the facility is in operation. Use as a crack-and-crevice treatment only, **DO NOT** apply to areas where food/feed, food utensils or food processing surfaces may come into contact and become contaminated. If food contact surfaces become contaminated, contact surfaces must