NALCO Water

SAFETY DATA SHEET

NALCO® PP01-3911

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : NALCO® PP01-3911

Other means of identification : Not applicable.

Recommended use : DEFOAMER

Restrictions on use : Refer to available product literature or ask your local Sales Representative for

restrictions on use and dose limits.

Company : Nalco Company

1601 W. Diehl Road

Naperville, Illinois 60563-1198

USA

TEL: (630) 305-1000

Emergency telephone

number

(800) 424-9300 (24 Hours) CHEMTREC

Issuing date : 04/20/2020

Section: 2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS Label element

Precautionary Statements : **Prevention:**

Wash hands thoroughly after handling.

Response:

Get medical advice/ attention if you feel unwell.

Storage:

Store in accordance with local regulations.

Other hazards : None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name CAS-No. Concentration: (%)

Hydrotreated Heavy Paraffinic Distillate64742-54-760 - 100Amorphous Silica7631-86-95 - 10Propoxylated Butanol9003-13-81 - 5

Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse with plenty of water. Get medical attention if symptoms occur.

In case of skin contact : Wash off with soap and plenty of water. Get medical attention if symptoms

occur.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

NALCO® PP01-3911

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put

yourself at risk of injury. If in doubt, contact emergency responders. Use

personal protective equipment as required.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

See Section 11 for more detailed information on health effects and symptoms.

Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing

media

None known.

Specific hazards during

firefighting

Not flammable or combustible.

Hazardous combustion

products

Decomposition products may include the following materials: Carbon oxides

nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus

Special protective equipment:

for firefighters

Use personal protective equipment.

Specific extinguishing

methods

Fire residues and contaminated fire extinguishing water must be disposed of in

accordance with local regulations. In the event of fire and/or explosion do not

breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Ensure adequate ventilation. Ensure clean-up is conducted by trained personnel

only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Flush away traces

with water.

Section: 7. HANDLING AND STORAGE

Advice on safe handling : Wash hands thoroughly after handling. Use only with adequate ventilation.

Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in suitable

NALCO® PP01-3911

labelled containers.

Suitable material : Keep in properly labelled containers.

Unsuitable material : not determined

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Hydrotreated Heavy Paraffinic Distillate	64742-54-7	TWA (Inhalable fraction)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	NIOSH REL
		STEL (Mist)	10 mg/m3	NIOSH REL
		TWA (Mist)	5 mg/m3	OSHA Z1
Amorphous Silica	7631-86-9	TWA (Dust)	20 millions of particles per cubic foot of air (Silica)	OSHA Z3
		TWA (Dust)	80 mg/m3 / %SiO2 (Silica)	OSHA Z3
		TWA	6 mg/m3 (Silica)	NIOSH REL

Engineering measures : Good general ventilation should be sufficient to control worker exposure to

airborne contaminants.

Personal protective equipment

Eye protection : Safety glasses

Hand protection : Wear protective gloves.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Wear suitable protective clothing.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove

and wash contaminated clothing before re-use. Wash face, hands and any

exposed skin thoroughly after handling.

The Personal Protective Equipment (PPE) recommendations provided above have been made in good faith based on typical expected conditions of use. PPE selection should always be completed in conjunction with a proper risk assessment and in accordance with a PPE management program.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : Opaque tan
Odour : hydrocarbon-like

NALCO® PP01-3911

93.3 °C Flash point

pΗ 7.50, (80 °C)

Odour Threshold no data available Melting point/freezing point no data available

Initial boiling point and boiling:

range

no data available

Evaporation rate no data available Flammability (solid, gas) Not applicable. Upper explosion limit no data available Lower explosion limit no data available no data available Vapour pressure no data available

Relative density 0.905,

Density no data available

Dispersible Water solubility

Solubility in other solvents no data available

Partition coefficient: n-

Viscosity, dynamic

Relative vapour density

octanol/water

no data available

1,000 mPa.s (26.6 °C)

no data available Auto-ignition temperature Thermal decomposition no data available

no data available Viscosity, kinematic Molecular weight no data available

VOC 2.12 %, EPA Method 24

Section: 10. STABILITY AND REACTIVITY

Reactivity No dangerous reaction known under conditions of normal use.

Stable under normal conditions. Chemical stability

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid None known.

None known. Incompatible materials

Hazardous decomposition

products

In case of fire, hazardous decomposition products may be produced such as:

Carbon oxides

nitrogen oxides (NOx) Sulphur oxides

Oxides of phosphorus

NALCO® PP01-3911

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation, Eye contact, Skin contact

exposure

Potential Health Effects

Eyes Health injuries are not known or expected under normal use.

Skin Health injuries are not known or expected under normal use.

Ingestion Health injuries are not known or expected under normal use.

Inhalation Health injuries are not known or expected under normal use.

Chronic Exposure Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact No symptoms known or expected.

Skin contact No symptoms known or expected.

Ingestion No symptoms known or expected.

Inhalation No symptoms known or expected.

Toxicity

Product

Acute toxicity estimate: > 5,000 mg/kg Acute oral toxicity

Acute inhalation toxicity Acute toxicity estimate: 5.14 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity Acute toxicity estimate: > 5,000 mg/kg

Skin corrosion/irritation no data available Serious eye damage/eye no data available

irritation

Respiratory or skin

sensitization

no data available

Carcinogenicity no data available Reproductive effects no data available Germ cell mutagenicity no data available Teratogenicity no data available STOT - single exposure no data available STOT - repeated exposure no data available no data available Aspiration toxicity

NALCO® PP01-3911

Section: 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : Harmful to aquatic life.

Product

Toxicity to fish : LC50 Pimephales promelas (fathead minnow): 250 mg/l

Exposure time: 96 h Test substance: Product

NOEC Pimephales promelas (fathead minnow): 639.8 mg/l

Exposure time: 96 h
Test substance: Product

Toxicity to daphnia and other

aquatic invertebrates

: EC50 Ceriodaphnia dubia: 68.2 mg/l

Exposure time: 48 hrs Test substance: Product

LC50 Ceriodaphnia dubia: 72.8 mg/l

Exposure time: 48 hrs Test substance: Product

NOEC Ceriodaphnia dubia: 31 mg/l

Exposure time: 48 hrs Test substance: Product

Components

Toxicity to algae : Amorphous Silica

EC50 : > 10,000 mg/l Exposure time: 72 h

Persistence and degradability

no data available

Mobility

no data available

Bioaccumulative potential

no data available

Other information

no data available

Section: 13. DISPOSAL CONSIDERATIONS

Disposal methods : The product should not be allowed to enter drains, water

courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose

NALCO® PP01-3911

of in compliance with local regulations. Dispose of wastes in

an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be

taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

Air transport (IATA)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

Sea transport (IMDG/IMO)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

Section: 15. REGULATORY INFORMATION

TSCA list : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification

requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This product does not contain a RQ substance, or this product contains a substance with a RQ, however the calculated RQ exceeds the reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 302 : No chemicals in this material are subject to the reporting requirements

of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

California Prop. 65

MARNING: Cancer - www.P65Warnings.ca.gov

Hydrotreated Heavy Paraffinic 64742-54-7

Distillate

NALCO® PP01-3911

INTERNATIONAL CHEMICAL CONTROL LAWS:

United States TSCA Inventory

On TSCA Inventory

Australia. Industrial Chemical (Notification and Assessment) Act

All substances in this product comply with the National Industrial Chemicals Notification & Assessment Scheme (NICNAS).

Japan. ENCS - Existing and New Chemical Substances Inventory

not determined

Korea. Korean Existing Chemicals Inventory (KECI)

not determined

Philippines Inventory of Chemicals and Chemical Substances (PICCS)

not determined

China Inventory of Existing Chemical Substances

not determined

Taiwan Chemical Substance Inventory


not determined

Canadian Domestic Substances List (DSL)

The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).

Section: 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	1
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Revision Date : 04/20/2020

Version Number : 1.5

Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

NALCO® PP01-3911

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit www.nalco.com and request access.