

#### Boost 3201 SM

## **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Boost 3201 SM

Other means of identification : Not applicable

Recommended use : Additive

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : No dilution information provided.

Company : Ecolab Inc.

1 Ecolab Place

St. Paul, Minnesota USA 55102

1-800-352-5326

Emergency health

information

: 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 10/29/2024

## **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Skin corrosion : Category 1A Serious eye damage : Category 1

**GHS** label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

Precautionary Statements : **Prevention:** 

Wash skin thoroughly after handling. Wear protective gloves/

protective clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. Wash contaminated

clothing before reuse.

Storage: Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

919312 1/9

#### Boost 3201 SM

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Pure substance/mixture : Mixture

Chemical name CAS-No. Concentration (%)

 Tetrasodium EDTA
 64-02-8
 4.9

 Sodium Carbonate
 497-19-8
 6

 potassium carbonate
 584-08-7
 6

 disodium metasilicate
 6834-92-0
 < 5</td>

## **SECTION 4. FIRST AID MEASURES**

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes.

Wash clothing before reuse. Thoroughly clean shoes before reuse.

Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

## **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Not flammable or combustible.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx)

Special protective equipment

for fire-fighters

: Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

919312 2 / 9

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

**Environmental precautions** 

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

## **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not

breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of

product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage

: Keep out of reach of children. Store in suitable labeled containers.

Storage temperature : -10 °C to 40 °C

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

## Personal protective equipment

Eye protection : Wear eye protection and/or face protection.

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

919312 3/9

and body in case of contact or splash hazard.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance** : liquid

Color clear, colorless

Odor odorless

pΗ 11.0 - 14.0, (100 %)

Flash point : Not applicable, Does not sustain combustion.

Odor Threshold No data available : No data available Melting point/freezing point

Initial boiling point and

boiling range

: > 100 °C

Evaporation rate : No data available Flammability (solid, gas) : Not applicable Upper explosion limit : No data available Lower explosion limit : No data available Vapor pressure : No data available

Relative vapor density : No data available : 1.15 - 1.2 Relative density

Water solubility : No data available : No data available Solubility in other solvents Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : No data available Thermal decomposition : No data available Viscosity, kinematic : No data available Explosive properties : No data available Oxidizing properties : No data available Molecular weight : No data available VOC : No data available

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : None known.

Incompatible materials Acids

Hazardous decomposition : In the event of fire, see Section 5

919312 4/9

## Boost 3201 SM

products

## **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of : Inhalation, Eye contact, Skin contact

exposure

**Potential Health Effects** 

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

**Experience with human exposure** 

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation Respiratory irritation, Cough

**Toxicity** 

**Product** 

Acute oral toxicity : Acute toxicity estimate : 4,134 mg/kg : 4 h Acute toxicity estimate : 11.79 mg/l Acute inhalation toxicity

Test atmosphere: dust/mist

: No data available Acute dermal toxicity Skin corrosion/irritation : No data available Serious eye damage/eye : No data available

irritation

Respiratory or skin

sensitization

: No data available

Carcinogenicity : No data available Reproductive effects : No data available Germ cell mutagenicity : No data available Teratogenicity : No data available STOT-single exposure : No data available STOT-repeated exposure : No data available Aspiration toxicity : No data available

Components

Acute dermal toxicity : potassium carbonate

LD50 Rabbit: > 2,000 mg/kg

919312 5/9

## SECTION 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

**Environmental Effects** : This product has no known ecotoxicological effects.

**Product** 

Toxicity to fish : No data available

aquatic invertebrates

Toxicity to daphnia and other : 48 h LC50 Ceriodaphnia dubia (water flea): 3,739 mg/l

Test substance: Product

Toxicity to algae : No data available

Components

Toxicity to fish : Tetrasodium EDTA

96 h LC50 Fish: 121 mg/l

Sodium Carbonate

96 h LC50 Lepomis macrochirus (Bluegill sunfish): 300 mg/l

potassium carbonate 96 h LC50 Fish: 230 mg/l

disodium metasilicate 96 h LC50 Fish: 210 mg/l

Components

Toxicity to algae : Tetrasodium EDTA

72 h EC50 Aquatic Plant: > 100 mg/l

## Persistence and degradability

Biodegradable

## **Bioaccumulative potential**

No data available

## Mobility in soil

No data available

## Other adverse effects

No data available

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods : Where possible recycling is preferred to disposal or incineration. If

> recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

> an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

RCRA - Resource

Conservation and Recovery Authorization Act Hazardous : D002 (Corrosive)

919312 6/9

## Boost 3201 SM

waste

## **SECTION 14. TRANSPORT INFORMATION**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

UN number : 3266

Description of the goods : Corrosive liquid, basic, inorganic, n.o.s.

(potassium carbonate, sodium metasilicate)

Class : 8
Packing group : III
Environmentally hazardous : no

Sea transport (IMDG/IMO)

UN number : 3266

Proper shipping name : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.

(potassium carbonate, sodium metasilicate)

Class : 8
Packing group : III
Marine pollutant : no

## **SECTION 15. REGULATORY INFORMATION**

**EPA Registration number** : ADJUVANT

1677;1677-50017-AA;N

**EPCRA - Emergency Planning and Community Right-to-Know** 

**CERCLA Reportable Quantity** 

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Skin corrosion or irritation

Serious eye damage or eye irritation

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

SARA 313 : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation does not apply to this product.

919312 7 / 9

#### The ingredients of this product are reported in the following inventories:

#### **United States TSCA Inventory:**

All substances listed as active on the TSCA inventory

## Canadian Domestic Substances List (DSL):

All components of this product are on the Canadian DSL

#### Australia. Australian Industrial Chemicals Introduction Scheme (AICIS):

On the inventory, or in compliance with the inventory

#### New Zealand. Inventory of Chemical Substances:

On the inventory, or in compliance with the inventory

## Japan. ENCS - Existing and New Chemical Substances Inventory :

On the inventory, or in compliance with the inventory

## Korea. Korean Existing Chemicals Inventory (KECI):

On the inventory, or in compliance with the inventory

#### Philippines Inventory of Chemicals and Chemical Substances (PICCS):

On the inventory, or in compliance with the inventory

#### China. Inventory of Existing Chemical Substances in China (IECSC):


On the inventory, or in compliance with the inventory

## Taiwan Chemical Substance Inventory (TCSI):

On the inventory, or in compliance with the inventory

## **SECTION 16. OTHER INFORMATION**

#### NFPA:



#### HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

Issuing date : 10/29/2024

Version : 1.3

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific

919312 8 / 9

# **Boost 3201 SM**

material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

919312 9 / 9