according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date 03.08.2015

Revision: 03.08.2015

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

SDS 100

Trade name: DisCide Ultra Disinfecting Towelettes

Article number: 10DIS, 60DIS

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Surface disinfectant

1.3 Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier:

Palmero Health Care 120 Goodwin Place Stratford, CT 06615

Phone: (203) 377-6424

Email: customerservice@palmerohealth.com

1.4 Emergency telephone number:

ChemTel Inc.

(800)255-3924, +1 (813)248-0585

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Classifications listed are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200).



Flam. Liq. 2 H225 Highly flammable liquid and vapour.



Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

Additional information:

There are no other hazards not otherwise classified that have been identified.

0 % of the mixture consists of component(s) of unknown toxicity.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is additionally classified and labelled according to the Globally Harmonized System within the United States (GHS).

The product is classified and labelled according to the CLP regulation.

(Cont'd. on page 2)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA **GHS**

Printing date 03.08.2015

Revision: 03.08.2015

(Cont'd, from page 1)

Trade name: DisCide Ultra Disinfecting Towelettes

Hazard pictograms





- Signal word Danger
- Hazard-determining components of labelling:

propan-2-ol

Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

Avoid breathing vapors. P261

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

NFPA ratings (scale 0 - 4)



Health = 1 Fire = 3 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 1 Fire = 3REACTIVITY 0 Reactivity = 0

- 2.3 Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- *vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
- Description: Mixture of substances listed below with nonhazardous additions.

(Cont'd. on page 3)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA **GHS**

Printing date 03.08.2015

Revision: 03.08.2015

Trade name: DisCide Ultra Disinfecting Towelettes

(Cont'd. from page 2)

Dangerous components:

CAS: 67-63-0

propan-2-ol

50-100%

EINECS: 200-661-7

Flam. Liq. 2, H225

Index number: 603-117-00-0

♠ Eye Irrit. 2, H319; STOT SE 3, H336

CAS: 85665-42-5

Quaternary ammonium compounds, benzyl-C7-17-alkyldimethyl,

 $\leq 2,5\%$

EINECS: 288-131-1

chlorides

Acute Tox. 4. H302: Acute Tox. 4. H312: Skin Irrit. 2. H315: Eye Irrit. 2, H319

Additional information:

For the wording of the listed Hazard Statements refer to section 16.

For the listed ingredient(s), the identity and exact percentages are being withheld as a trade secret.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information:

Take affected persons out into the fresh air.

Immediately remove any clothing soiled by the product.

- * After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation is experienced, consult a doctor.

After eye contact:

Unlikely route of exposure.

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Unlikely route of exposure.

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

Headache

Breathing difficulty

Dizziness

Coughing

Irritant to eyes.

- Hazards Vapours may cause drowsiness and dizziness.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: None.

(Cont'd. on page 4)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date 03.08.2015

Trade name: DisCide Ultra Disinfecting Towelettes

(Cont'd. from page 3)

Revision: 03.08.2015

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Eliminate all ignition sources if safe to do so.

Cool endangered receptacles with water spray.

Use large quantities of foam as it is partially destroyed by the product.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Remove ignition sources.

Protect from heat

• 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose contaminated material as waste according to section 13.

Send for recovery or disposal in suitable receptacles.

Clean the affected area carefully; suitable cleaners are:

Warm water

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Keep away from open flame or other ignition souces.
- Information about fire and explosion protection: Keep ignition sources away Do not smoke.
- *7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

Provide ventilation for receptacles.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidising agents.

Further information about storage conditions: Store in a cool place.

(Cont'd. on page 5)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date 03.08.2015 Revision: 03.08.2015

Trade name: DisCide Ultra Disinfecting Towelettes

(Cont'd. from page 4)

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see section 7.
- 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

67-63-0 propan-2-ol

PEL (USA) Long-term value: 980 mg/m³, 400 ppm

REL (USA) Short-term value: 1225 mg/m³, 500 ppm

Long-term value: 980 mg/m³, 400 ppm

TLV (USA) Short-term value: 984 mg/m³, 400 ppm

Long-term value: 492 mg/m³, 200 ppm

BEI

EL (Canada) Short-term value: 400 ppm

Long-term value: 200 ppm

EV (Canada) Short-term value: 400 ppm

Long-term value: 200 ppm

- DNELs No further relevant information available.
- PNECs No further relevant information available.
- Ingredients with biological limit values:

67-63-0 propan-2-ol

BEI (USA) 40 mg/L

Medium: urine

Time: end of shift at end of workweek

Parameter: Acetone (background, nonspecific)

- Additional information: The lists valid during the making were used as basis.
- 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid breathing mist/vapours/spray.

Respiratory protection:

Not required under normal conditions of use.

Use suitable respiratory protective device when high concentrations are present.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Cont'd. on page 6)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date 03.08.2015 Revision: 03.08.2015

Trade name: DisCide Ultra Disinfecting Towelettes

(Cont'd. from page 5)

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Safety glasses

Body protection:

Not required under normal conditions of use.

Protection may be required for spills.

Limitation and supervision of exposure into the environment

No further relevant information available.

Risk management measures

See Section 7 for additional information.

No further relevant information available.

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- General Information
- Appearance:

Form: Liquid on inert carrier material

Colour:

Odour:

Not determined.

Odour threshold:

Not determined.

Not determined.

Not applicable.

Change in condition

Melting point/Melting range:
Boiling point/Boiling range:
Undetermined.
Flash point:
Not applicable.

Flammability (solid, gaseous):
Auto/Self-ignition temperature:
Not determined.

Decomposition temperature:
Not determined.

Self-igniting: Product is not self-igniting.

Danger of explosion: Product does not present an explosion hazard.

* Explosion limits:

Lower:
Upper:
Not determined.
Not determined.
Not applicable.

Density:
Relative density
Not determined.

Not determined.

(Cont'd. on page 7)

(Cont'd. from page 6)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date 03.08.2015 Revision: 03.08.2015

Trade name: DisCide Ultra Disinfecting Towelettes

Not applicable.

Vapour densityEvaporation rateNot applicable.Not applicable.

Solubility in / Miscibility with

water: Not determined.

Partition coefficient (n-octanol/water): Not determined.

Viscosity:

Dynamic: Kinematic: Not applicable.

Not applicable.

9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

- * 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.3 Possibility of hazardous reactions

Flammable.

Reacts violently with oxidising agents.

Toxic fumes may be released if heated above the decomposition point.

10.4 Conditions to avoid

Keep ignition sources away - Do not smoke.

Store away from oxidising agents.

- 10.5 Incompatible materials: Oxidizing agents
- * 10.6 Hazardous decomposition products:

Under fire conditions only:

Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity
- LD/LC50 values relevant for classification:

67-63-0 propan-2-ol

Oral	LD50	5045 mg/kg (rat)
Dermal	LD50	12800 mg/kg (rabbit)
Inhalative	LC50/4	30 mg/l (rat)

- Primary irritant effect:
- *Skin corrosion/irritation Slight irritant effect on skin and mucous membranes.
- Serious eye damage/irritation

Causes serious eye irritation.

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- *Acute effects (acute toxicity, irritation and corrosivity): Vapours have narcotic effect.

(Cont'd. on page 8)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date 03.08.2015

Revision: 03.08.2015

Trade name: DisCide Ultra Disinfecting Towelettes

(Cont'd. from page 7)

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity: The product contains materials that are harmful to the environment.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:
- Remark: Harmful to algae
- Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

This statement was deduced from the properties of the single components.

Harmful to aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential a prolonged damage of the environment is unlikely.

- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation

Incinerate in accordance with local, state and federal regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- Uncleaned packaging:
- Recommendation: Disposal must be made according to local official regulations.

SECTION 14: Transport information

- · 14.1 UN-Number
- 🖟 DOT, ADR, IMDG, IATA

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA **GHS**

Printing date 03.08.2015

Revision: 03.08.2015

(Cont'd_ from page 8)

* 14.2 UN proper shipping name

· DOT

- ADR

· IMDG, IATA

14.3 Transport hazard class(es)

Alcohols, n.o.s. (isopropyl alcohol)

1987 ALCOHOLS, N.O.S. (isopropyl alcohol)

ALCOHOLS, N.O.S. (isopropyl alcohol)

DOT



· Class

Label

ADR

3 Flammable liquids.

3 (F1) Flammable liquids.

3 Flammable liquids.

Warning: Flammable liquids.



· Class

Label

IMDG, IATA



Class

Label

14.4 Packing group

* DOT, ADR, IMDG, IATA * 14.5 Environmental hazards:

Marine pollutant:

14.6 Special precautions for user

* Danger code (Kemler): EMS Number:

*14.7 Transport in bulk according to Annex II of

Marpol and the IBC Code

Not applicable.

Transport/Additional information:

· ADR

Limited quantities (LQ)

Excepted quantities (EQ)

1L

3

11

Code: E2

F-E,S-D

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

Transport category

*Tunnel restriction code

2 D/E

(Cont'd. on page 10)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date 03.08.2015 Revision: 03.08.2015

Trade name: DisCide Ultra Disinfecting Towelettes

(Cont'd. from page 9)

· IMDG

Limited quantities (LQ)

Excepted quantities (EQ)

1L

Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml UN1987, ALCOHOLS, N.O.S. (isopropyl alcohol), 3, II

"UN "Model Regulation":

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- * United States (USA)
- SARA
- Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

67-63-0 propan-2-ol

* TSCA (Toxic Substances Control Act):

67-63-0 propan-2-ol

63449-41-2 quaternary ammonium compounds, benzyl-C8-18-alkyldimethyl, chlorides

- Proposition 65 (California):
- · Chemicals known to cause cancer:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

• Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

* Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

- Carcinogenic Categories
- EPA (Environmental Protection Agency)

None of the ingredients are listed.

Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA)

EPA Product Registration: 10492-4.

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: PRECAUTIONARY STATEMENTS:

Hazards to Humans and Domestic Animal.

WARNING. Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Wear protective eyewear. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

Physical or Chemical Hazards: Flammable. Keep away from heat or open flame.

(Cont'd. on page 11)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date 03.08.2015 Revision: 03.08.2015

Trade name: DisCide Ultra Disinfecting Towelettes

(Cont'd from page 10)

FIRST AID

If in eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact Chem-Tel Inc. at 1-800-255-3924.

IARC (International Agency for Research on Cancer)

67-63-0 propan-2-ol

3

TLV (Threshold Limit Value established by ACGIH)

67-63-0 propan-2-ol

A4

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

- · Canada
- · Canadian Domestic Substances List (DSL)

67-63-0 propan-2-ol

63449-41-2 quaternary ammonium compounds, benzyl-C8-18-alkyldimethyl, chlorides

Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients are listed.

Canadian Ingredient Disclosure list (limit 1%)

67-63-0 propan-2-ol

- Directive 2012/18/EU
- Named dangerous substances ANNEX I

None of the ingredients are listed.

Other regulations, limitations and prohibitive regulations

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

* 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

(Cont'd. on page 12)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date 03.08.2015

Revision: 03.08.2015

Trade name: DisCide Ultra Disinfecting Towelettes

(Cont'd. from page 11)

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids, Hazard Category 2

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Irrit: 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com