

# OIL BASED STAINLESS STEEL CLEANER

## **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : OIL BASED STAINLESS STEEL CLEANER

Other means of identification : Not applicable

Recommended use : Metal Cleaner

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : SSDC Division

Kay Chemical Company 4050 Corporate Dr., #100

Grapevine, Texas USA 76051-2326 1-800-532-7732 (Customer Service)

Emergency health

information

1-800-391-1504

Issuing date : 10/03/2019

## **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Flammable aerosols : Category 1 Eye irritation : Category 2A

Specific target organ toxicity -

single exposure

: Category 3 (Central nervous system)

Aspiration hazard : Category 1

**GHS** label elements

Hazard pictograms :







Signal Word : Danger

Hazard Statements : Extremely flammable aerosol.

May be fatal if swallowed and enters airways.

Causes serious eye irritation. May cause drowsiness or dizziness.

Precautionary Statements : Prevention:

Keep away from heat/sparks/open flames/hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/fume/ gas/ mist/ vapors/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear eye protection/face protection. Intentional misuse by deliberate inhalation may be

harmful or fatal. **Response:** 

IF SWALLOWED: Immediately call a POISON CENTER/doctor. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. IF IN

917669 1 / 10

EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Do NOT induce vomiting. If eye irritation persists: Get medical advice/attention.

Storage:

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Pure substance/mixture : Mixture

CAS-No. Concentration (%) Chemical name distillates (petroleum), hydrotreated light 64742-47-8 30 - 60 white mineral oil, petroleum 8042-47-5 10 - 30 propane 74-98-6 10 - 30 acetone 67-64-1 10 - 30 methyl acetate 79-20-9 5 - 10

## **SECTION 4. FIRST AID MEASURES**

In case of eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical advice/ attention.

In case of skin contact : Rinse with plenty of water.

If swallowed : Do NOT induce vomiting. Never give anything by mouth to an

unconscious person. Aspiration hazard if swallowed - can enter lungs

and cause damage. Get medical attention immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

## **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during fire

fighting

: Fire Hazard

Keep away from heat and sources of ignition.

917669 2 / 10

Flash back possible over considerable distance.

Extremely flammable aerosol.

Pressurised container: May burst if heated.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

for fire-fighters

Special protective equipment : Use personal protective equipment.

Specific extinguishing

methods

: Use water spray to cool unopened containers. Fire residues and

contaminated fire extinguishing water must be disposed of in

accordance with local regulations. In the event of fire and/or explosion

do not breathe fumes.

# SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Remove all sources of ignition. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections

7 and 8.

**Environmental precautions** 

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Eliminate all ignition sources if safe to do so. Stop leak if safe to do so.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Avoid contact with skin and eyes. Do not breathe dust/ fume/ gas/

mist/ vapors/ spray. Use only with adequate ventilation. Keep away from fire, sparks and heated surfaces. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Contents under pressure. Do not puncture. Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective

Equipment (PPE).

Conditions for safe storage : Keep away from heat and sources of ignition. Keep in a cool, well-

> ventilated place. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled

containers.

: 0 °C to 45 °C Storage temperature

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
distillates (petroleum), hydrotreated light	64742-47-8	TWA	500 ppm 2,000 mg/m3	OSHA Z1
		TWA	200 mg/m3 (as total hydrocarbon vapor)	ACGIH
		TWA (Mist)	5 mg/m3	OSHA Z1
		TWA (Mist)	5 mg/m3	NIOSH REL
		STEL (Mist)	10 mg/m3	NIOSH REL

917669 3/10

# **OIL BASED STAINLESS STEEL CLEANER**

white mineral oil, petroleum	8042-47-5	TWA (Mist)	5 mg/m3	NIOSH REL
		STEL (Mist)	10 mg/m3	NIOSH REL
		TWA (Mist)	5 mg/m3	OSHA Z1
		TWA	5 mg/m3	ACGIH
		(Inhalable		
		fraction)		
propane	74-98-6	TWA	1,000 ppm	NIOSH REL
			1,800 mg/m3	
		TWA	1,000 ppm	OSHA Z1
			1,800 mg/m3	
acetone	67-64-1	TWA	250 ppm	ACGIH
		STEL	500 ppm	ACGIH
		TWA	250 ppm	NIOSH REL
			590 mg/m3	
		TWA	1,000 ppm	OSHA Z1
			2,400 mg/m3	
methyl acetate	79-20-9	TWA	200 ppm	ACGIH
		STEL	250 ppm	ACGIH
		TWA	200 ppm	NIOSH REL
			610 mg/m3	
		STEL	250 ppm	NIOSH REL
			760 mg/m3	
		TWA	200 ppm	OSHA Z1
			610 mg/m3	

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

# Personal protective equipment

Eye protection : Safety glasses with side-shields

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Wash face, hands and any exposed skin thoroughly after

handling.

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : aerosol

Color : clear, light yellow

Odor : citrus

pH : Not applicable

Flash point : -104 °C, Sustains combustion

Odor Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and

boiling range

: < 35 °C

917669 4 / 10

# OIL BASED STAINLESS STEEL CLEANER

Evaporation rate : No data available Flammability (solid, gas) : Not applicable Upper explosion limit : No data available Lower explosion limit : No data available : No data available Vapor pressure Relative vapor density : No data available : 0.765 - 0.865 Relative density Water solubility : No data available Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : No data available Thermal decomposition : No data available : No data available Viscosity, kinematic : No data available Explosive properties

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available VOC : No data available

Heat of combustion : 24.61 kJ/g

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Acids

Strong oxidizing agents

Hazardous decomposition

products

: Decomposition products may include the following materials:

Carbon oxides

## **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of : Eye contact

exposure

Skin contact

**Potential Health Effects** 

Eyes : Causes serious eye irritation.

Skin : Health injuries are not known or expected under normal use.

917669 5/10

# OIL BASED STAINLESS STEEL CLEANER

Ingestion : May be fatal if swallowed and enters airways.

Inhalation : Inhalation may cause central nervous system effects. Intentional

misuse by deliberate inhalation may be harmful or fatal.

Chronic Exposure : Health injuries are not known or expected under normal use.

**Experience with human exposure** 

Eye contact : Redness, Pain, Irritation

Skin contact : No symptoms known or expected.

Ingestion : Vomiting

Inhalation : Dizziness, Drowsiness

**Toxicity** 

**Product** 

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg

Acute inhalation toxicity : No data available
Acute dermal toxicity : No data available
Skin corrosion/irritation : No data available

Serious eye damage/eye

irritation

: Eye irritation

Respiratory or skin

sensitization

: No data available

Carcinogenicity : No data available
Reproductive effects : No data available
Germ cell mutagenicity : No data available
Teratogenicity : No data available
STOT-single exposure : No data available
STOT-repeated exposure : No data available

Aspiration toxicity : No aspiration toxicity classification

Components

Acute inhalation toxicity : acetone

4 h LC50 Rat: 76 mg/l Test atmosphere: vapor

methyl acetate

4 h LC50 Rabbit: 73.8 mg/l Test atmosphere: vapor

Components

Acute dermal toxicity : acetone

LD50 Rabbit: > 15,688 mg/kg

# **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

917669 6 / 10

# OIL BASED STAINLESS STEEL CLEANER

**Environmental Effects** : This product has no known ecotoxicological effects.

**Product** 

: No data available Toxicity to fish Toxicity to daphnia and other : No data available

aquatic invertebrates

Toxicity to algae : No data available

Components

Toxicity to fish : distillates (petroleum), hydrotreated light

96 h LC50: > 1,000 mg/l

white mineral oil, petroleum

96 h LC50 Oncorhynchus mykiss (rainbow trout): > 100 mg/l

96 h LC50 Fish: 6,070 mg/l

Components

aquatic invertebrates

Toxicity to daphnia and other : distillates (petroleum), hydrotreated light

48 h EC50: > 1,000 mg/l

acetone

48 h LC50 Daphnia cucullata (Water flea): 7,635 mg/l

Components

Toxicity to algae : distillates (petroleum), hydrotreated light

72 h EC50: > 1,000 mg/l

methyl acetate

72 h EC50: > 120 mg/l

Persistence and degradability

Biodegradable

**Bioaccumulative potential** 

No data available

Mobility in soil

No data available

Other adverse effects

No data available

**SECTION 13. DISPOSAL CONSIDERATIONS** 

: Where possible recycling is preferred to disposal or incineration. If Disposal methods

> recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

: Dispose of as unused product. Empty containers should be taken to Disposal considerations

> an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

917669 7/10

## **SECTION 14. TRANSPORT INFORMATION**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

UN number : 1950

Description of the goods : Aerosols

Class : 2.1

Environmentally hazardous : no

### Sea transport (IMDG/IMO)

UN number : 1950
Description of the goods : AEROSOLS

Class : 2.1 Marine pollutant : no

# **SECTION 15. REGULATORY INFORMATION**

## **EPCRA - Emergency Planning and Community Right-to-Know**

#### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ
			(lbs)
acetone	67-64-1	5000	38255

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)

Serious eye damage or eye irritation

Specific target organ toxicity (single or repeated exposure)

Aspiration hazard

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

SARA 313 : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

#### California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

# California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation applies to this product.

The regulation of process is the process in the pro			
Chemical Name	CAS-No.	Function	List(s)
distillates (petroleum),	64742-47-8	Cleaning Agent	Not Applicable
hydrotreated light			
white mineral oil, petroleum	8042-47-5	Cleaning Agent	9, 15
propane	74-98-6	Propellant	Not Applicable
acetone	67-64-1	Cleaning Agent	10
methyl acetate	79-20-9	Cleaning Agent	Not Applicable

917669 8 / 10

\*refer to ecolab.com/sds for electronic links to designated lists

#### The ingredients of this product are reported in the following inventories:

# **United States TSCA Inventory:**

All substances listed as active on the TSCA inventory

### Canadian Domestic Substances List (DSL):

All components of this product are on the Canadian DSL

### Australia Inventory of Chemical Substances (AICS):

On the inventory, or in compliance with the inventory

### New Zealand. Inventory of Chemical Substances:

not determined

## Japan. ENCS - Existing and New Chemical Substances Inventory :

not determined

## Korea. Korean Existing Chemicals Inventory (KECI):

On the inventory, or in compliance with the inventory

### Philippines Inventory of Chemicals and Chemical Substances (PICCS):

On the inventory, or in compliance with the inventory

# China. Inventory of Existing Chemical Substances in China (IECSC):


On the inventory, or in compliance with the inventory

#### Taiwan Chemical Substance Inventory (TCSI):

On the inventory, or in compliance with the inventory

## **SECTION 16. OTHER INFORMATION**





### HMIS III:

HEALTH	2
FLAMMABILITY	4
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight, 2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

Issuing date : 10/03/2019

Version : 1.1

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a

917669 9 / 10

# **OIL BASED STAINLESS STEEL CLEANER**

guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

917669 10 / 10