

# DIGICLEAN E FOAM HAND SOAP

#### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : DIGICLEAN E FOAM HAND SOAP

Other means of identification : Not applicable

Recommended use : Skin-care

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : Ecolab Inc.

1 Ecolab Place

St. Paul, Minnesota USA 55102

1-800-352-5326

Emergency health

information

: 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 03/30/2018

# **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Eye irritation : Category 2B

**GHS** label elements

Signal Word : Warning

Hazard Statements : Causes eye irritation.

Precautionary Statements : **Prevention:** 

Wash skin thoroughly after handling.

Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical advice/ attention.

Other hazards : None known.

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Pure substance/mixture : Mixture

Chemical name	CAS-No.	Concentration (%)
Propylene glycol	57-55-6	10 - 30
Urea	57-13-6	5 - 10
Fatty acids, coco, potassium salts	61789-30-8	1 - 5
ethylenediamine tetraacetate	64-02-8	1 - 5
ethanol	64-17-5	1 - 5
glycerin	56-81-5	1 - 5
Phenolic derivatives	88-04-0	1 - 5
Sodium Xylenesulfonate	1300-72-7	1 - 5

# **SECTION 4. FIRST AID MEASURES**

901412 1 / 8

### DIGICLEAN E FOAM HAND SOAP

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : No special precautions are necessary for first aid responders.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Not flammable or combustible.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

Oxides of phosphorus

for fire-fighters

Special protective equipment : Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

: Refer to protective measures listed in sections 7 and 8.

**Environmental precautions** : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with noncombustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not

reach a waterway.

# **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Wash hands thoroughly after handling.

901412 2/8

# DIGICLEAN E FOAM HAND SOAP

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

Storage temperature : 5 °C to 50 °C

# **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### Ingredients with workplace control parameters

Ingredients	CAS-No.	Form of exposure	Permissible concentration	Basis
Propylene glycol	57-55-6	TWA	10 mg/m3	AIHA WEEL
Urea	57-13-6	TWA	10 mg/m3	AIHA WEEL
ethanol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z1
glycerin	56-81-5	TWA	10 mg/m3	ACGIH
		TWA (respirable fraction)	5 mg/m3	OSHA Z1

Engineering measures : Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

# Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Color : dark green

Odor : citrus

pH : 9.4, (100 %)
Flash point : Not applicable
Odor Threshold : No data available
Melting point/freezing point : No data available
Initial boiling point and : No data available

boiling range

Evaporation rate : No data available Flammability (solid, gas) : No data available

901412 3/8

# DIGICLEAN E FOAM HAND SOAP

Upper explosion limit : No data available Lower explosion limit : No data available Vapor pressure No data available Relative vapor density : No data available

: 1.067 Relative density

Water solubility : No data available Solubility in other solvents : No data available Partition coefficient: n-: No data available

octanol/water

Autoignition temperature

Thermal decomposition Viscosity, kinematic Explosive properties Oxidizing properties

Molecular weight

VOC

: No data available : No data available

# **SECTION 10. STABILITY AND REACTIVITY**

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : None known.

Incompatible materials : Acids

Hazardous decomposition

products

: Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

Oxides of phosphorus

# **SECTION 11. TOXICOLOGICAL INFORMATION**

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

### **Potential Health Effects**

Eyes : Causes eye irritation.

Skin : Health injuries are not known or expected under normal use.

: Health injuries are not known or expected under normal use. Ingestion

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

#### **Experience with human exposure**

901412 4/8

# DIGICLEAN E FOAM HAND SOAP

Eye contact : Redness, Irritation

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

**Toxicity** 

**Product** 

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg

Acute inhalation toxicity : 4 h Acute toxicity estimate : > 200 mg/l

Test atmosphere: dust/mist

Acute dermal toxicity : No data available

Skin corrosion/irritation
Serious eye damage/eye

irritation

: No data available: Mild eye irritation

Respiratory or skin

sensitization

: No data available

Carcinogenicity : No data available
Reproductive effects : No data available
Germ cell mutagenicity : No data available
Teratogenicity : No data available
STOT-single exposure : No data available
STOT-repeated exposure : No data available
Aspiration toxicity : No data available

Ingredients

Acute dermal toxicity : Urea

LD50 Rat: 8,200 mg/kg

ethanol

LD50 Rabbit: > 15,800 mg/kg

glycerin

LD50 Rabbit: 23,000 mg/kg

Phenolic derivatives LD50 Rat: > 2,000 mg/kg

# **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

Environmental Effects : Harmful to aquatic life.

**Product** 

Toxicity to fish : No data available Toxicity to daphnia and other : No data available

901412 5 / 8

## DIGICLEAN E FOAM HAND SOAP

aquatic invertebrates

Toxicity to algae : No data available

Ingredients

Toxicity to fish : Propylene glycol

96 h LC50: > 10,000 mg/l

Urea

96 h LC50 Fish: 127.9 mg/l

ethylenediamine tetraacetate 96 h LC50 Fish: 121 mg/l

ethanol

96 h LC50 Pimephales promelas: > 100 mg/l

glycerin

96 h LC50 Fish: 855 mg/l

Phenolic derivatives 96 h LC50 Fish: 1.04 mg/l

Ingredients

Toxicity to daphnia and other : Propylene glycol

aquatic invertebrates

48 h EC50: 18,340 mg/l

Ingredients

Toxicity to algae : Propylene glycol

96 h EC50: 19,000 mg/l

Sodium Xylenesulfonate 96 h EC50: 230 mg/l

Persistence and degradability

Poorly biodegradable

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

# **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or

used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste

disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

> an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

901412 6/8

## DIGICLEAN E FOAM HAND SOAP

federal regulations.

## **SECTION 14. TRANSPORT INFORMATION**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

### Land transport (DOT)

Not dangerous goods

#### Sea transport (IMDG/IMO)

Not dangerous goods

# **SECTION 15. REGULATORY INFORMATION**

# **EPCRA - Emergency Planning and Community Right-to-Know**

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Serious eye damage or eye irritation

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

SARA 313 : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

#### California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

#### The ingredients of this product are reported in the following inventories:

#### **United States TSCA Inventory:**

On the inventory, or in compliance with the inventory

### Canadian Domestic Substances List (DSL):

This product contains one or several components listed in the Canadian NDSL.

# Australia Inventory of Chemical Substances (AICS) :

On the inventory, or in compliance with the inventory

# New Zealand. Inventory of Chemical Substances :

On the inventory, or in compliance with the inventory

#### Japan. ENCS - Existing and New Chemical Substances Inventory:

not determined

# Korea. Korean Existing Chemicals Inventory (KECI):

not determined

901412 7 / 8

#### DIGICLEAN E FOAM HAND SOAP

Philippines Inventory of Chemicals and Chemical Substances (PICCS) : not determined

### China. Inventory of Existing Chemical Substances in China (IECSC):


On the inventory, or in compliance with the inventory

# Taiwan Chemical Substance Inventory (TCSI):

not determined

# **SECTION 16. OTHER INFORMATION**

#### NFPA:



#### HMIS III:

HEALTH	1
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

Issuing date : 03/30/2018

Version : 1.0

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

901412 8 / 8